Cal.Nois.
PRICE LIST

ALOGED

1915-1916

CALIFORNIA NURSERY COMPANY, Inc.

NILES, CALIFORNIA

TO CORRESPONDENTS

This catalog cancels all previous prices, either in special lists, offers or catalogs. This rule will be strictly observed.

ORDERS.

2d. Order early so that you may get the varieties and grades you prefer. All orders should be legibly written on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble and tending to prevent mistakes. Never write on both sides of paper.

QUANTITIES AND PRICES.

3d. The articles in the following list will be furnished at the annexed prices ONLY when the quantity specified shall be taken. Five hundred, however, will be furnished at the thousand rate, fifty at the hundred rate and five at the ten rate. The absence of a thousand, hundred or ten rate means in each case that the next best rate is the lowest we can make. In no case does this mean so many trees of assorted classes, but refers only to ONE CLASS of assorted varieties; for instance, 5 apples, or 5 pears, or 5 plums, of different varieties, but not 2 apples, 2 pears and 1 plum. 2 pears and 1 plum.

SUBSTITUTIONS.

4th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether and to what extent substitution will be allowed in case the order cannot be filled to the letter. Where no Instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of the varieties is left entirely to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.

PACKING.

5th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages to the railroad or express offices at Niles.

EXPRESS OR FREIGHT.

6(h. Always state which way you want your order shipped and give explicit directions for

marking packages.

When it is left for us to choose the mode of conveyance, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the transportation companies.

GUARANTEE, ETC.

7th. We warrant all trees and plants to be good, thrifty and true to label, but having no control over them after delivery to the transportation companies, or over the planting and care after they are received by the buyer, we will not be responsible in any other direction than as stated, and accordingly, if any tree or plant should prove untrue to kind, we will either replace the same or refund the amount paid; but in no case will we be liable for any sum greater than that originally paid, and this statement is due notice to buyers of the extent of our responsibility for trees and plants after delivery of the same shall have been accepted by the buyer.

8th. For the reason that we have no control over the planting, pruning and care of the trees after they leave our hands, we will not under any circumstances replace any trees that may die.

ERRORS AND SHORTAGES.

9th. Customers are requested to notify us immediately should any error or shortage occur in filling their orders so we may rectify it at once. Any such claim must be made within one week after receipt of shipment; otherwise it will be assumed that the goods are satisfactory and in accordance with invoice.

C. O. D. AND STRANGERS.

10th. Orders from unknown correspondents must be accompanied by the eash or satisfactory reference. Orders to be sent C. O. D. must be accompanied by at least one-half the amount in eash; otherwise they will not receive attention.

REMITTANCES.

11th. Remittances may be made by check or draft on San Francisco banks, Express or Postoffice money order on Niles, by registered letter or cash by express prepaid.

WRITE PLAINLY.

12th. Always be sure to write your name, Postoffice address and Express or Freight office plainly so no mistake can be made by us.

PARCEL POST.

13th. We strongly advise that it is poor practice to send live plants in the mails, and therefore hope no one will order goods shipped in that way.

All communications should be addressed to

CALIFORNIA NURSERY COMPANY, INC., NILES, CALIF.

PRICE LIST

SEASON 1915-1916

ALL PRICES QUOTED ARE NET AT NURSERY, WITH PACKING ADDED AT ACTUAL COST

INDEX AT END OF PRICE LIST

Fruit and Ornamental Trees

Evergreens, Palms, Shrubs, Roses, Etc.

We present herewith our price list for the coming season. Our nurseries are the most complete on the Pacific Coast. Our shipping facilities are unexcelled both for domestic and foreign business. For many years we have led in introducing and testing, under California conditions, the most promising foreign and other new varieties of fruit. We have in actual bearing here at Niles our own trees of every variety we offer for sale. Probably no other nursery can cut their buds from their own fruiting trees. Our buds and cions are taken from these bearing trees, cut and distributed by one man, making the mixture of varieties wellnigh an impossibility. The unequaled reputation which our trees have, not only on the Pacific Coast, but in almost every country in the world, is an indication of the great care we exercise in every detail of our chosen line of work.

All interested parties, whether intending to purchase or not, are invited to visit the nursery, and if we are notified of time of arrival at Niles, by Southern Pacific Railway, and number of persons coming, will have conveyance at station to meet them.

CALIFORNIA NURSERY COMPANY, INC.

Niles, November 1, 1915.

OFFICERS.

W. H. Landers, President. F. W. Hosmer, Secretary.

A. C. Hammond, Vice-President.W. V. Eberly, Manager.



HINTS ON TRANSPLANTING

The many excellent treatlses on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, it is well to shade the sunny side of the tree, to keep borers out, with a board or shake stuck in the ground, or a piece of burlap wound loose around the tree up to the limbs, top tied loose with a string. Whitewash made out of whiting or lime will also protect the tree against sun-scald.

See back of Catalog for list of useful hortlcultural books we have on hand for sale.

DISTANCE FOR PLANTING

Standard Apples	22	to S	n feet	anart	each	way
				apart	cacii	11 003
Standard Pears	 20	to :	4 "			
Strong-growing Cherrles	 20	to :	24 "	6.6	6.6	66
Duke and Morello Cherries				6.6		6.6
Standard Plums and Prunes	 20	to .	24 ''	4.6		16
Peaches and Nectarines	 20	to :	24 "			6.6
Apricots	 24	to :	30 ''			4.6
Almonds	 24	to :	30 "	4.6		4.6
Walnuts	 40	to !	50 "	6.6		44
Grapes	 7	to :	.0 "	4	4.6	6.6
Currants and Gooseberries	 			4	by 6	feet
Raspberrles and Blackberries.	 		3 to 4	by 5	to 7	44
Strawberries for field culture.	 		1 to 1	½ by 4	to 5	66
Strawberries for garden culture	 			1 to 2	feet a	part

Number of Trees or Plants on an Acre at Given Distance Apart.

				_						
									Square Method	Equilateral Triangle Method
T										
Distance,			apart	each	way,	number	plant	S	43,560	50,300
44	2	feet	6.6	6.6	4.6	"	6.6		10,890	12,375
66	3	44	6.6	66	44	16	6.6		4.840	5,889
44	4	6.6	4.6		66	66	6.6		2,722	3,130
66	5 6	44	6.6	6.6			6.6		1,742	2,011
66	7	6.6	66	66	4.6	16	66		1,210	1,397
46		. 44		66	6.6	66	44		807	928
66	8	4.6	44	66	6.6	6.6	6.6		680	785
41	10	4.6	16		6.6	6.6	6.6		537	620
44	12	4.6	6.6	6.6	11		6.6		435	502
44	14	66	16	61	6.6	6.6	6.6	• • • • • • • • • • • • • • • • • • • •	302	348
66	$\frac{14}{15}$	66	6.6	6.6	66	6.6	6.6		222	256
6.4	16		6.6	6.6	6.6	44	6.6		193	222
4.6	18	6.6	6.6	6.6	6.6	6.6	6.6		170	195
4.6	$\frac{10}{20}$	66	66	6.6	66	6.6	14		134	154
6.6	22	4.6	66	66	6.6	66	6.6	• • • • • • • • • • • • • • • • • • • •	109	125
6.6	$\frac{24}{24}$	66	66		66	44	4.6		90	104
46	25	6.6	6.6		66	4.6	64		75	86
4.6	$\frac{20}{30}$	6.6	6.6	66	66	44			69	79 55
44	35	6.6	6.6	64	66	44	6.6		48 35	
66	40	6.6	6.6	66	66	66	46			40
66	50	6.6	66		6.6	64	66		27	31
	90								18	20

Rule—Square Method—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

Rule—Equilateral Triangle Method—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.



Cornus capitata. Evergreen Dogwood (See page 23)

FRUIT DEPARTMENT

Our Nursery Stock is the best that can be grown or money can buy, as evidenced by the First Prize given our exhibit of trees and plants in competition with all at the California State Fair, both in 1912 and 1913. Our exhibit of Fruits, Nuts, etc., also took nine first prizes and two gold medals in 1912, thirteen first prizes and two gold medals in 1913, and forty prizes and gold medal in 1914.

Ail our Fruit Trees are grown on whole Seedling roots. The advantage of this in promoting the health and thriftiness of trees over others grafted on pieces or sections of roots, or budded on stocks grown from cuttings, is acknowledged by the best authorities, and is easily apparent to the most casual observer. All two-year-old trees are branched low and are stocky, having been cut down or headed back when yearings, two feet above ground, except where noted.

All of our Apple Trees and Grape Vines are fumigated with hydrocyanic gas when dug; so are the buds, cions. and cuttings, prior to budding, grafting, or planting out in Nursery. This positively kilis any insects that may be thereon, without injury to trees or vines. We have a Fumigating House, with three compartments, so that we can disinfect, at any time, either 50 trees or 10,000.

Although we quote fruit trees by height, it is to be understood that we will include in each grade any trees which are as stocky as the average of that grade, even if they do not fully attain the specified height.

Apple-Generai	Assortment.
---------------	-------------

	Each	Per 10	Per 100	Per 1000
1 year				

SUMMER.

Carolina Red J	une
Duchess of Oid	enburg
Early Harvest	

Early Strawberry Gravenstein Red Astrachan Sweet June White Astrachan

AUTUMN.

A January Ban
Aiexander
Fall Pippin
Golden Russet
Hoover

Jonathan King of Tompkins County Rambo Rhode Island Greening Skinner's Pippin Twenty Ounce

WINTER.

Arkansas Black Baldwin Ben Davis (New York Pippin) Delicious Esopus Spitzenburg Missouri Pippin Red Pearmain Rome Beauty Smith's Cider Wagener White Winter Pearmain Winesap Winter Banana Yellow Beilflower Yellow Newtown Pippin York Imperial

Crab Apple.

Hysi	op
Red	Siberian

Transcendent Whitney Yellow Siberian (Golden Beauty)

Apple-Grafted on Wooliy Aphis Proof Roots (Northern Spy).

2 years					200 00
2 years	3 to 4 ft.	30	2 50	20 00	175 00

Alexander
Bismarck
Carolina Red June
Duchess of Oldenburg
Early Harvest
Esopus Spitzenburg
Fali Pippin

Gravenstein Hoover Jonathan Red Astrachan Rhode Island Greening Rome Beauty Skinner's Pippin Smith's Cider White Winter Pearmain Winesap Winter Banana Yellow Bellflower Yellow Newtown Pippin

Apple—Dwarf; budded on Paradise and Doucin stocks.

Heavy trees, bearing	age	75	6 00
----------------------	-----	----	------

Baldwin Carolina Red June Duchess of Oldenburg Early Harvest Fall Pippin Hoover Jonathan Red Astrachan Rhode Island Greening Rome Beauty Skinner's Pippin White Astrachan Winesap Yellow Bellflower Yeliow Newtown Pippin

Pear—On Pear. 1 or 2 years	3 to 4 ft.	Each Per 10 30 2 50 20: 1 75 15 1 40	20 00	Per 1000 150 00 125 00 100 00				
70.11	SUMMER.							
Bartlett Bloodgood Clapp's Favorite	Lawson (Comet) Leconte Madeline	Rossney Souv. du Co	ngress					
AUTUMN.								
B. S. Fox Beurre d'Anjou Beurre Bosc Beurre Clairgeau Beurre Diel	Beurre Hardy Dana's Hovey (Winter Seckel) Doyenne du Comice Duchesse d'Angouleme	Flemish Bea Howell Kieffer's Hy Seckel						
	WINTER.							
Col. Wilder Easter Beurre Emile d'Heyst	Forelle (Trout) Glout Morceau P. Barry	Winter Bar Winter Nell						
Pear—On Quince. 1 or 2 years		30 2 50	20 00	150 00				
1 or 2 years 1 year		20 1 75 15 1 40	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	$125 00 \\ 100 00$				
Beurre Clairgeau Beurre d'Anjou Beurre Hardy Doyenne du Comlce Duchesse d'Angouleme	Easter Beurre Forelle (Trout) Glout Morceau Howell P. Barry	White Doye Winter Bar Winter Nel	tlett					
Pear—On Quince. Double-wor 1 or 2 years	4 to 6 ft.	40 3 00 30 2 50	25 00 20 00	200 00				
Bartlett			,					
Cherry—On Mazzard, New. (I 1 year 1 year	4 to 6 ft.	50 4 00 40 3 50	35 00 30 00					
Abundance—"Seedling of Inever-failing bearer of larger, handsomer, as a cracks. Ripens one we Burbank—"The earliest of	Napoleon (Royal Ann). Tree very heavy crops. Fully twi firm, better form and color, s ek later than Napoleon." all large cherries; the large terries, but unsurpassed by a	ce as productive weeter and far st of all early	e as its pare more delicio cherries, and	nt. Frult us; never				
Cherry-On Mazzard.								
1 or 2 years	to 4 ft.	35 3 00 30 2 50 25 2 00	25 00 20 00 18 00	$ \begin{array}{ccc} 200 & 00 \\ 180 & 00 \\ 150 & 00 \end{array} $				
Bing Black Tartarlan Burr's Seedling Centennial Chapman Early Purple Guigne	English Morello Governor Wood Great Bigarreau Knight's Early Black Lambert Lewelling (Black Republ	May Duke Napoleon E (Royal A Reine Hort Rockport E i- Schmidt's I Yellow Spa	nn) ense Bigarreau Bigarreau					
Early Richmond Pium—On Myrobolan. (Burba	can, Black Oregon) nk's late creations.)	renow Spa	111311					
1 year	4 to 6 ft.	50 4 00 40 3 50 30 2 50	30 00 25 00 20 00	250 00 200 00				
Formosa	Gaviota	Santa Rosa						
Plum—On Myrobolan. (Luther Burbank's production of the second of the se	4 to 6 ft. 3 to 4 ft.	35 3 00 30 2 50 25 2 00	25 00 20 00 18 00	200 00 180 00 150 00				
Abundance Apple (X) Bartlett (X) Bavay's Green Gage (Reine Claude)	Clyman Damson Diamond Extra Early Cherry Grand Duke	Maynard () Prince Eng Red Egg Satsuma Simon	lebert					
Bradshaw Burbank Climax (X)	Green Gage Jefferson Kelsey Japan	Washington Wickson (2 Yellow Egs	ζ)					

Plum-On Peach. (Burbank's l	(ata -mantiama)	The als	The 40	70 400	
1 year		Each 35	Per 10 3 00	Per 100 25 00	Per 1000
1 year		30	2 50	20 00	
1 year	2 to 3 ft.	25	2 00	18 00	
Formosa	Santa Rosa				
Plum—On Peach.					
1 year	4 to 6 ft.	30	2 50	20 00	
1 year	3 to 4 ft.	25	$\frac{1}{2}$ $\frac{1}{00}$	18 00	
1 year	2 to 3 ft.	20	1 80	15 00	
Climax					
Prune-On Myrobolan, New.					
(Burbank's latest production					
1 year 1 year		75 60	6 00 5 00	40 00	
1 year		50	4 00	35 00 25 00	
Conquest—New Stoneless F	Drune "The fruit is more	aimilan	+ a + 4 m		
French Prune, in form.	size, color and golden, sw	veet, rici	n flesh	The stone	hog heen
eliminated wholly with	the exception of a tiny sp	eck. Ri	pens wit	h the Fren	ch Prune
and is in all respects ve					
Standard—"This is without	c doubt the best combinater 1st and has been kept f	ion dryi	ng and s	hipping pr	une ever
basket in an ordinary l	iving room during our was	rm Fall	weather	and can be	Sanning C
when dead ripe with suc	cess to any part of the Uni	ited Stat	es. Stan	lard Prune	averages
to the pound 9.1; French	n Prune, 19.1."				
Prune-On Myrobolan.					
1 year		40	3 00	25 00	200 00
1 year 1 year		$\frac{30}{25}$	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	20 00 18 00	180 00 150 00
Fellenberg (Italian)	Hungarian			18 00	130 00
French	Imperiale Epineuse	Trag	ır (X) edv		
German	Robe de Sargent		, 5		
Giant (X)	Silver				
Prune—On Almond.					
1 year		40	3 00	25 00	200 00
1 year		30 25	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	20 00 16 00	180 00 140 00
French	Imperiale Epineuse	Sugar	2 00	20 00	110 00
		Dugai			
Prune—On Apricot or Peach.		4.0			
1 year 1 year		40 30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 18 00	180 00 150 00
1 year		25	2 00	15 00	125 00
French	Robe de Sargent (on Apr	cicot only	7)		
Imperiale Epineuse	Sugar				
Peach—On Peach.					
1 year		50	4 00	30 00	
1 year		40	3 00	25 00	
Mayflower—The earliest pea	ch known; absolutely red	all over	; as large	e as Alexa	nder and
ripens at Niles two week					
Opulent—Originated by Lut variety for family and t	ner Burbank. A very lar able use. Ripens with Fo	ge and ster.	nne, whi	te-neshed	reestone
Peach—On Peach.					
1 year	A to S ft	20	9 50	10.00	450.00
1 year		30 25	$\begin{array}{cc}2&50\\2&00\end{array}$	18 00 15 00	150 00 125 00
1 year		20	1 50	12 50	100 00
	Freestone Varieties.				
Admiral Dewey	Imperial	Rove	1 George		
Alexander	Late Crawford	Salwa			
Briggs' May Early Crawford	Lovell Mary's Choice		vberry		
Elberta	Morris White	Triur	uehanna nph		
Foster Grosse Mignoppe	Muir	Ward	l's Late		
Grosse Mignonne Hale's Early	Newhall	Yello	w St. Joh	in	
·	Clingstone Varietles.				
Blood Cling	Large White Cling	Runy	on's Orar	oe Cline	
California Cling	Lemon Cling	Seiler	's Orange	Cling	
Heath Cling Henrietta Cling	Nichois' Orange Cling Phillips' Cling	Tusca	an Cling		
(Levy's Late)	- minpo Omig				
R	EAD INSIDE FRONT CO	VER.			

Nectarine—On Peach.	4 +0 6 ft	Each Per 10 40 3 50	Per 100 25 00	Per 1000
1 year 1 year 1 year		30 2 50 25 2 00	20 00 15 00	
Advance Boston Downton	Early Newington Hardwick Humboldt	Lord Napier New White		
Apricot—On Apricot.	ı			
1 year		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 16 00 14 00	$\begin{array}{ccc} 180 & 00 \\ 140 & 00 \\ 125 & 00 \end{array}$
Barry Black Blenheim Hemskirke L. E. Montagmet	Luizet Moorpark Newcastle Oullin's Early Peach	Routier's Pea Royal Sardinian Spark's Mam Tilton		
Apricot—On Myrobolan.				
1 year 1 vear	4 to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00 20 00	$\begin{array}{ccc} 225 & 00 \\ 180 & 00 \end{array}$
1 year	2 to 3 ft.	30 2 50	16 00	140 00
Barry Blenheim Hemskirke	Moorpark Newcastle	Royal Tilton		
Apricot—On Peach.				
1 year	3 to 4 ft.	40 3 50 35 3 00 30 2 50	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 16 & 00 \end{array}$	$\begin{array}{ccc} 225 & 00 \\ 180 & 00 \\ 140 & 00 \end{array}$
Barry Blenheim	Hemskirke Moorpark	Royal		
Quince	4 to 6 ft.	35 30 30 2 50	25 00 20 00	
Apple (Orange) Champion Meech's Prolific	Pineapple (Burbank's) Rea's Mammoth	Smyrna (Largest Q	uince know	n)
Fig—Capri		75 6 00 50 4 00 40 3 00		
111100				
Fig—In variety		$\begin{array}{ccccc} 75 & 6 & 00 \\ 50 & 4 & 00 \\ 40 & 3 & 00 \\ 30 & 2 & 50 \\ 25 & 2 & 00 \end{array}$	50 00 30 00 25 00 20 00	
	Dauphine	San Pedro (White	
Adriatic Agen Angelique Black Ischia Bourjassotte Blanche Brown Turkey Brunswick Celeste Col di Signora Nigra	Doree Drap d'Or Du Roi Lardaro Mission (California Blac Pastillere Ronde Noire Royal Vineyard	Smyrna Warren's Br White Genor White Ischia	rown Turke	У
Almond—On Peach, New. (B)	urbank's latest production			
1 year	4 to 6 ft.	75 6 00 50 4 0 0 nk. Raised from n'' almonds in a	50 00 35 00 imported bundance.	meats and
Almond-On Peach or Almond.				
1 year 1 year 1 year	4 to 6 ft.	$\begin{array}{cccc} 30 & & 2 & 50 \\ 25 & & 2 & 00 \\ 20 & & 1 & 75 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 18 & 00 \\ 15 & 00 \end{array}$	$\begin{array}{ccc} 160 & 00 \\ 140 & 00 \\ 120 & 00 \end{array}$
Drake's Seedling I X L Jordan	Languedoc Lewelling Ne Plus Ultra	Paper Shell Texas Prolif	ic	
King's Soft Shell	Nonpareil			

Chestnut—Seedlings.	T71:: -1:	TD 10	TD 400	
American Sweet 4 to 6 ft.	Each 75	Per 10 6 00	Per 100	Per 1000
····· 3 to 4 ft.	60	0 00		
Italian or Spanish	$\frac{1}{75}$	7 50 6 00	60 00 50 00	
6 to 8 ft.	50	4 00	35 00	
4 to 6 ft.	40	3 00	25 00	
Chestnut—Grafted varieties6 to 8 ft.	1 00	7 50		
4 to 6 ft.	75 60	6 00		
	50	5 00 4 00		
Early Marron Marron de Lyon	Para	gon		
Fox's Prolific Noire Hative Marron Combale Numbo	Ridg	ely		
Filbert	$\frac{1}{75}$	8 00 6 00	60 00 50 00	
2 to 3 ft.	50	4 00	90 00	
Fertile de Coutard Merveille de Bolwiller		•		
Macrocarpa Nottingham Prolific				
Pecan—Seedlings 6 to 8 ft.	1 00			
	75 60	6 00 5 00		
2 to 3 ft.	50	4 00		
Walnut—Transplanted8 to 10 ft.	75	6 00	50 00	400 00
·····6 to 8 ft.	60	5 00	40 00	350 00
·····	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	30 00 25 00	
American Black California Black	40	3 00	20 00	
Walnut—Seedlings, Transplanted8 to 10 ft.	50 40	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$	
·····4 to 6 ft.	30	2 50	20 00	
The stick Mirror 3 Court The base Cost St. W.	25	2 00		
English Mixed Santa Barbara Soft Sheli				
Walnut—(French) Seedlings, from grafted trees.				
(These are "Second Generation Trees," so called)	75	6 00	50 00	
4 to 6 ft.	60	5 00	40 00	
Bijou Franquette	50	4 00	30 00	
Chaberte Franquette Mayette		sienne parturiens		
Cluster Fruited Mayette Rouge Cut-leaved Monstreuse	Vour			
Cut-leaved Monstreuse				

GRAFTED WALNUTS.

All our grafted walnuts are worked on stocks (seedlings) that have been transplanted and root pruned when 1 year old. This treatment gives our trees very heavy branched roots. Such trees should not be compared with grafted trees on seedlings that have not been transplanted.

	low	1 25 10 00	100 00 80,00 60 00
Franquette	Mayette	Mayette Rouge	
	low	1 25 10 00	100 00 80 00 60 00
Franquette	Mayette		

Walnut—(French) Grafted high.

The following "French Varieties" are grafted on Black roots at various heights ranging from 10 to 30 inches above the ground. This manner of working gives the trees Black Walnut bodies, which, with their thick, rough bark, will not be so liable to sunburn, and are, therefore, particularly valuable for use in the hot parts of the State.

		and California						25	20 00	
								00	18 00	
				6	to	8 It.	1	7 5	15 00	
	Franquette		Mayette					Mayet	te Rouge	
Wa	inut—(French)									
	On "English"			6	to.	8 ft.	1	25	10 00	80 00
				4	to	6 ft.		00	8 00	60 00
				3	to	4 ft.		7 5	6 00	50 00
	Cluster Fruit	ted	Mayette					Paris	ienne	
	Franquette		Mayette	Rouge	е					

Orange. 2 years% to 1 in. caliper, extra selected, balled 1 & 2 yrs% to % in. caliper, balled	Each Per 10 Per 100 Per 1 50 1 25 10 00 75 00	r 1000
1 year½ to % in. caliper, balled	1 00 8 00 65 00	
Mediterranean Sweet Mandarin Satsuma Thompson's Improved N	Valencia Late avei Washington Navel	
Lemon.		
2 years4 to 1 in. caliper, extra selected, bailed 1 & 2 yrs5 to 4 in. caliper, balled 1 year4 to 5 in. caliper, balled	1 75 1 50 12 50 100 00 1 25 10 00 80 00	
Eureka Lisbon	Vilia Franca	
Pomelo (Grape Fruit).		
2 yearsVery heavy, extra selected, balled 1 & 2 yrs5% to 3/4 in. caliper, balled 1 year1/2 to 5/8 in. caliper, balled	2 00 1 50 12 50 100 00 1 25 10 00 80 00	
Marsh Seediess Trlumph		
Lime—Bearss Seedless.		
1 year 3 to 4 ft. bailed	1 75 15 00	
Lime—Mexican	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Persimmon.		
American	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
6 to 8 ft.	50 4 00	
Italian 6 to 8 ft. 4 to 6 ft.	50 4 00 40 3 00	
Japanese—assorted varieties 4 to 6 ft.	50 4 00	
3 to 4 ft.	40 3 50 30 2 50	
Pomegranate	60 5 00 40 00 50 4 00 30 00	
Dessla Paper Sheli Hermosilia Radinar	Spanish Ruby Sweet Frulted	
La Hative Sin Pepitas		
Feijoa sellowiana (new)from 8 in. pot, 5 to 6 ft. from 8 ln. pot, 4 to 5 ft.	1 50 1 25 10 00	
	1 00 8 00 75 6 00	
	10 000	
Guava—Strawberry (bearing plants)from 7 in. pot, 2 to 2½ ft.	1 00 8 00	
from 7 in. pot, 1½ to 2 ft.	75 6 00	
from 5 in. pot, 6 to 12 in.	50 4 00 30 00	
Loquat—Budded. Assortedballed, 4 to 6 ft.	1 50 12 50	
balled, 3 to 4 ft.	1 25 10 00	
balled, 2 to 3 ft.	1 00 8 00 Victor	
Advance Herd (new) Giant Large Frulted	Victor	
Loquat—Common (seedlings)bailed, 4 to 6 ft.	1 00 8 00	
balled, 3 to 4 ft. balled, 2 to 3 ft.	75 6 00 50 4 00	
Mediar-Assorted4 to 6 ft.	50 4 00	
Large Dutch Nottingham	Scuza Seni	
Mulberry—Persian8 to 10 ft.	1 00 7 50 60 00	
	75 6 00 50 00 50 4 00 35 00	
This concluse fauit tree ghould be in every family ore		ai∉

This excellent fruit tree should be in every family orchard. The fruit is acid and very different from all other mulberries. It makes a better ple than blackberries, as there are no seeds and no core. Mulberries are invaluable for protecting cherries and other fruits, as birds will eat the mulberries in preference. This variety is also valuable to plant in chicken yards for shade and feed. It is practically everbearing.

Mulberry		75 6·00 60 5·00
	6 to 8 ft. 4 to 6 ft.	50 4 00 40 3 00
Downing's	Lick's American	New American

Olive—These trees are graded by transplanted, they will be to state when you order):	y caliper measurement. I	t being ne different j	cessary pru n ing	to prune th is desired,	nem when please so
34 to 1 in. caliper top 55 to 34 in. caliper top 15 to 56 in. caliper top	oped back to 60 inches	75	Per 10 15 00 12 50 10 00 7 50 6 00	Per 100	Per 1000
Columella Correggiola Cucca Giarrafa	Mission Nevadillo Blanco Oblonga Pendulina	Pieno Pigal Rubra Uvari	a.	ıx	
Grape—American				10 00	
Barry Campbell's Early Catawba Concord Delaware	Duchess Iona Isabella Jefferson Moore's Early	Rebe	e (Isabel	lia Regia) i	
Grape-New-Foreign Table		50	4 00	30 00	
Goodale-New early grape i		As earl	v as Sw	eetwater 1	out larger ie. Bears
Sultanina Rosea—Bunches of weigh four pounds each. Tokay; quality as good;	ompact, shouldered and v Berries larger than Tho perfectly seedless. Ripens	mngon'e S.	apalhace.	aniar cama	og Blome
Grape—Foreign Table	1 and 2 years		1 00	5 00	20 00
Black Hamburg Black Malvolsie Bowood Muscat Chasselas de Fontainebleau (White Sweetwater) Chasselas Rose Cornichon Emperor	Lady Downs	Rose Roya Sulta Thom Toka Whit	l Muscad na ipson's S i Angevl e Tokay	(Black Pr line Seedless n	ince)
Grape—Foreign Wine		15	1 00	4 00	18 00
Aramon Burger Carignan Charbono	Feher Zagos Franken Riesling Grenache Mataro	Petlte	e Syrah Ignon Ve		20 00
Grape—Resistant			75	3 00	15 00
Grape—Resistant Lenoir Riparia Gloire de Montpellie	Binaria X Runestris N	0 3306	75	3 00	20 00
CurrantBlack Naples Cherry Fay's Prolific	1 and 2 years Fertile du Palluau La Versailles Lee's Prolific			3 00	35 00
Gooseberry	Downing	25 Hough			
Gooseberry Berkeley	Josselyn	25	2 00		
Blackberry Crandall's Early Evergreen	Kittatinny Lawton	15	1 00	5 00	25 00
Biackberry—1 year Himalaya		20	1 50	10 00	50 00
Dewberry—Lucretia	••••••••	15	1 00	5 00	
Loganberry and Phenomenal Be	erry—1 year	20	1 50	10 00	50 00
Raspberry—New—Superlative . From England. Fruit very Ever-bearing, i. e., produces	large: red: a great improv	40	3 00	95 00	150 00
Raspberry—Red, Cuthbert	CEAD INCIDE EDONE O		1 00	5 00	

Deschause Black Cong. 1, 1900	Each	Per 10	Per 100	Per 1000
Raspberry—Black Caps—1 year Hilborn Kansas	40	1 50	10 00	
Strawberry—Assorted			2 00	10 00
Artichoke—Green Globe	25	2 00		
Asparagus—1 and 2 years (\$50.00 per 10,000)		50	2 00	10 00
Rhubarb—New	1 00	8 00		
Niles Giant—Originated in this Nursery and offered the cels any other variety in the great size of the stall exceedingly crisp and juicy. Yields heavily and is cially or for home use. Received first award at Samuel Samu	ks, which	n, owing reatest v	to rapid gr alue either	owtn, are
Rhubarb—Australian Crimson Winter	50	4 00	>	
Our stock has all been propagated by root divisions for Luther Burbank and is entirely different from the seedling	rom the plants g	original generally	strain intro	oduced by low rates.
Rhubarb—Myatt's Linnaeus and Lorenzo	25	1 50	5 00	3 5 00
Hop Roots	10 25	50		
Horseradish	15	1 00	5 00	
Liquorice—(Glycyrrhiza glabra)	25	2 00	10 00	
Rue—(Ruta graveolens)from 5 in pot, 2½ to 3 ft.	50	4 00		
Opuntia Ficus (Indian Fig Caetus)from 6 in. pot	50			



Tree Digger Drawn by Twenty Horses

ORNAMENTAL DEPARTMENT

All ornamental trees and plants are named and arranged in conformity with our new Descriptive Catalog (Semi-Centennial Edition) just issued. It is profusely illustrated, carefully written and may be depended upon as accurate. For each ornamental tree or plant it gives the botanical name, common name, native country, height attained and concise but sufficiently comprehensive description. Fruit trees are also included.

As it is practically a condensed Cyclopedia of Horticulture for the Pacific Coast, it is well worth the price charged for it, 25 cents, but we will giadly send a complimentary copy to any customer on request

customer on request.

PLEASE NOTE

Where size of box is specified, the plants have been dug and established in the box. Boxed means that the plants are still in the ground, but on account of size will be dug into a box instead of being bailed. Balled plants have the ball of earth wrapped in burlap and should always be planted without removing it. Plant burlap, rope and ali, just as it is.

NOVELTIES

The following are offered this season for the first time with a few exceptions which have been offered in a limited way for one or two seasons. Descriptions are condensed; for more extended data see new Descriptive Catalog. Prices are given at proper points in following

CONIFERS

PODOCARPUS nagela. Japan. Quite distinct from P. macrophylla. Leaves about haif as iong and an inch broad. Usually somewhat giaucous.

BROAD-LEAVED EVERGREENS
ACACIA cavenia. Chiie. Small tree with
very minute feathery leaves. Flower heads
unusually large, orange yellow and intensely fragrant, surpassing any other Acacia.

ACACIA podalyrlaefolla. Australia. The earliest Acacia to bioom, even ahead of A. baileyana. Leaves shaped like A. cultriformis, but larger and covered with sirvery down. Flowers rich yellow.

AGONIS flexuosa. Austrajia. Very graceful smali tree with siender, drooping branches, long, narrow leaves and numerous very small, white flowers.

ALECTRYON excelsum. NEW ZEALAND OAK. Medium-sized tree with pinnate leaves somewhat like Oregon Grape. Very intent to drought. Will make a handresistant to drought. some street tree.

ANGOPHORA lanceolata. Australia. Closely related and rather similar to Eucalyptus, but makes a smaller tree with slender branches. Flowers white.

ORDIA francisi. South America. Rarc shrub of tali growth, with dark green leaves and white, tubular flowers.

EUGENIA uniflora. Surinam Cherry. Very handsome shrub with large, glossy lcaves, bearing delicious edible fruit. Highly orna-

ICUS ulmifolia. A "Rubber Tree" with rough, Elm-like leaves. Bears edible figs. FICUS ulmifolia.

MAHONIA fortunei. China. Distinct species of dwarf habit. Leaflets iong, narrow and pointed.

SIDIUM friedrichsthalianum. Costa Rica. A Guava of entirely distinct appearance from the common sort. Said to bear smail, pear-shaped, edible fruit. Not yet tested. PSIDIUM friedrichsthalianum.

RHAMNUS purshiana tomentella. DOWNY CASCARA. California. Similar to ordinary Wild Coffee, except that leaves become thickly coated with white down.

SOPHORA tetraptera microphylla. New Zealand. An "Edwardsia" with very small leaflets and fine, slonder branches. Bears large, yellow, pea-shaped flowers in drooping racemes.

stems and a rosette of very large elaves. Flowers, borne in very large clusters, are surrounded by "everlasting" biue calyx. Very fine.

SYZYGIUM operculatum. Himalaya region. Tree or large shrub with large, glossy, leathery leaves.

VERONICA decussata variegata. Brilliantly variegated form of this popular blue-flowered Veronica. Originated with us.

DECIDUOUS TREES LABURNUM vulgare aureum. GOLDEN-LEAVED LABURNUM. Same as Common Laburnum except that leaves are briliant yellow. Very showy all season.

DECIDUOUS SHRUBS

DEUTZIA scabra candidissima. Growth vigorous and erect; ieaves dark green. Flowers double and pure white.

DEUTZIA scabra plena (D. crenata rosea plena). Growth like preceding; leaves lighter green. Flowers double; white, tinged rose outside

lighter green. Flowers double; white, tinged rose outside.

EDGEWORTHIA gardneri (E. papyrifera).

Asia. Flowers produced in globular heads very early in spring before leaves appear. Aimost as fragrant as Daphne, to which it is closely related. Unique and very attractive. tractive.

SYRINGA (Lilac).

Belle de Nancy. Brilliant satiny rose with white center; double. Clusters large. Very fine.

Mad. Abel Chatenay. Pure white; double; panicles compact. Free biooming. Philemon. Very dark purple; single; panicles of small or medium size. The darkest single-flowered variety.

CLIMBERS
CTINIDIA chinensis. Very strong growing deciduous vine. Leaves large and rounded. Branchlets covered with red hairs. Flowers white, turning yellow. Quite out of the ordinary. ACTINIDIA chinensis. the ordinary

brilliantly and freely variegated with creamy white.

FICUS pumila minima. A variety of com-mon Climbing Fig with very tiny leaves. MILLETTIA megasperma. EVERGREEN

mon Climbing Fig With Very
MILLETTIA megasperma. EVERGREEN
WISTARIA. The most valuable novelty in
WISTARIA. The many years. Perfectly elimbing plants for many years. Perfectly evergreen. Flowers rosy purple, becoming nearly white. Blooms very early and stays in bloom for a long time. Seed pods also very striking.

PASSIFLORA ligularis. Peru, Leav large, heart-shaped and not lobed. Leaves very ers greenish white; corona white and ruddy

purpie. Fruit edlbie.

MISCELLANEOUS
GERBERA Jamesoni hybrida, HYBRID
TRANSVAAL DAISY. These new hybrids
run from white through straw, yellow, pink
and salmon to a rich, brilliant red. Our
exhibit at Spring Flower Show in Palace
of Horticulture, P. P. I. E., received much
favorable comment.
HIBISCUS manibot (Abelmoschus manibot)

HIBISCUS manihot (Abelmoschus manihot). Tall-growing, herbaceous perennial. Fiowers mallow-shaped, very large, bright yel-

low with purple eye.

CONIFEROUS EVERGREENS

This section includes only evergreen conifers. Other evergreen trees and shrubs, usually called "Broad-leaved Evergreens," are listed separately in the next division, commencing at page 20.

page 200				Floob	Don 10	Per 100
ABIES: Fir A. balsamea. BALSAM FIR	balled, 2 balled, 1½	to 2½ to 2	ft. ½ ft. ft. ½ ft.	Each 1 25 1 00 75 60	Per 10 10 00 8 00 6 00 5 00	Fe1 100
A. cephalonica. CEPHALONIAN FIR. 22x22 and 24x24 in. 20x20 in. 20x20 in. 16x18 in.	box, 9 box, 8 box, 6 box, 6	to 10 to 9 to 7 to 7 to 6	ft. ft. ft. ft. ft.	15 00 12 00 8 00 7 00 5 00	40 00	
A. concolor. WHITE FIR24x24 in.	balled, 4 balled, 3 box, 10	to 5 to 4 to 11 to 6	ft. ft. ft. ft.	3 50 3 00 12 50 8 00	30 00 25 00	250 0 0
A. firma	balled, 1 boxed, 8	to 11 to 10	½ ft. ½ ft. ft.	1°50 1°50 10°00	12 50 12 50	100 00
A. lasiocarpa. ALPINE FIR 18x18 in	boxed, 6 balled, 5 balled, 4 box, 4½ box, 4	to 8 to 7 to 6 to 5 to 5 to 5	ft. ft. ft. ft. ft. ft.	7 00 5 00 3 50 3 00 6 00 5 00 3 50	30 00 25 00	
A. nobilis. RED FIR; NOBLE FIR	box, 6 box, 3	to 4 to 7 to 31	ft. ft. ½ ft.	3 00 8 00 5 00		
A. nobilis glauca. SILVERY RED FIR.	balled, 2 balled, 1½	to 2	½ ft. ft. ½ ft.	3 00 2 50 10 00	20 00	
	box, 2½ balled, 1 FIR.	to 3 to 17	ft. ½ ft.	6 00 2 00	17 50	
30x30 in. 26x26 in. 26x26 in. 20x20 in. 14x16 in. 14x16 in. 14x16 in. A. picea (A. pectinata). 30x30 in. A. pinsapo. SPANISH FIR. 24x24 in. 22x22 in. 20x20 in. 20x20 in. 18x18 in. 12x14 in. 14x14 in.	box, 8 box, 9 box, 8 box, 6 box, 4 box, 3½ boxed, 8 boxed, 7 balled, 2 balled, 12 balled, 8 box, 10 box, 9 box, 8 box, 5 box, 6 box, 4 box, 12 boxed, 12 box, 3 boxed, 12 box, 3 boxed, 12 boxed, 13 boxed, 12 boxed, 2 boxed, 2 boxed, 3 balled, 3 balled, 2	to 9 to 10 to 9 to 7 to 41 to 10 to 8 to 14 to 12 to 10 to 9 to 6 to 7 to 5 to 31 to 14 to 12 to 12 to 10 to 8 to 3 to 3 to 3 to 3 to 4 do 3 d	ft.	20 00 18 00 15 00 10 00 6 00 5 00 15 00 12 00 4 00 3 00 1 50 20 00 1 500 12 00 10 00 7 00 7 00 5 00 4 00 3 00 1 5	30 00 25 00 12 50 8 00	100 00
AGATHIS robusta (Dammara robusta). DAMM. from 4 in.	pots, 4	to 6	in.	50		
ARAUCARIA bidwiiii. BUNYA BUNYA	box, boxed, 5 boxed, 7 balled, 6 balled, 5 balled, 4 pots, 2½ pots, 1½			7 00 6 00 8 00 7 00 6 00 5 00 4 00 3 00 2 00 1 50 1 00	17 50 12 50 8 00	

	Each Per 10	Per 100
A. braslliensis. BRAZILIAN PINE. boxed, 12 to 14 ft. boxed, 10 to 12 ft. boxed, 8 to 10 ft. balled, 4 to 5 ft.	10 00 8 00 6 00 3 00	
A. excelsa. NORFOLK ISLAND PINE. (from cuttlngs)from 9 and 10 in. pots, 4 to 5 ft	4 00 3 00 3 50 3 00 2 50 2 00 17 50 1 50 3 00 2 00 6 00 5 00 4 00 3 00 2 50	200 00
A. imbricata. MONKEY PUZZLE. 36x36 in. box, 22 to 24 ft. boxed, 14 to 15 ft. 16x18 in. box, 5 to 6 ft. boxed, 6 to 7 ft. boxed, 5 to 6 ft. balled, 4 to 5 ft. balled, 3 to 4 ft. balled, 2 to 3 ft. from 5 in. pots, 4 to 6 in.	125 00 50 00 8 00 8 00 6 00 5 00 40 00 4 00 35 00 3 00 25 00 50 4 00	
CEDRUS: Cedar. C. atlantica. MT. ATLAS CEDAR.		
18x18 in. box, 12 to 14 ft. 16x18 in. box, 10 to 12 ft. boxed, 12 to 14 ft. boxed, 10 to 12 ft. boxed, 10 to 12 ft. from 6 in. pots, 3 to 4 ft. from 5 in. pots, 2 to 3 ft. from 5 in. pots, 1½ to 2 ft. C. atlantica aurea. GOLDEN MT. ATLAS CEDAR.	12 00 10 00 10 00 90 00 8 00 70 00 1 50 12 50 1 00 8 00 75 6 00 60 5 00	100 00 50 00 40 00
C. atlantica glauca. BLUE MT. ATLAS CEDAR.	1 50	
	20 00 18 00	
C. deodara. DEODAR; INDIAN CEDAR.	15 00 8 00 4 00 3 00 12 50 10 00 90 00 8 00 70 00 7 00 60 00 4 00 30 00 25 00 2 50 20 00 2 50 20 00 2 50 17 50 1 50 12 50 5 00 1 25 10 00	600 00 500 00 250 00 200 00
24x24 in. box, 12 to 14 ft. 22x22 in. box, 10 to 12 ft. 16x18 in. box, 9 to 10 ft. boxed, 12 to 14 ft. boxed, 10 to 12 ft. boxed, 10 to 12 ft. boxed, 8 to 10 ft. boxed, 7 to 8 ft. balled, 6 to 7 ft.	15 00 12 00 10 00 12 00 100 00 12 00 100 00 10 00 80 00 8 00 7 00 5 00	
	4 00 3 00 25 00	
from 5 in. pots, 6 to 12 in.	75 6 00	50 00
CHAMAECYPARIS lawsonlana. LAWSON CYPRESS; PORT ORFORD CEDAR.		
16x18 in. box, 6 to 7 ft. boxed, 7 to 8 ft. balled, 5 to 6 ft. balled, 4 to 5 ft. balled, 3 to 4 ft. balled, 2 to 3 ft. from 4 in. pots, 2 to 3 ft.	3 50 4 00 2 50 20 00 2 90 15 00 1 50 12 50 1 00 7 50 75 6 00	50 00

CHAMAECYPARIS, Cont'd.			
C. lawsoniana alumlballed, 2½ to 3 ft.	Each 2 50	Per 10 20 00	Per 100
\dots balled, 2 to $2\frac{1}{2}$ ft.	2 00 3 50	15 00	
boxed, 7 to 8 ft.	6 00 2 50		
C. lawsoniana filifera glaucaballed, 3 to 4 ft.	2 50	20 00	
C. lawsonlana glauca coeruleaboxed, 8 to 10 ft.	2 00 8 00	17 50	
boxed, 6 to 8 ftballed, 5 to 6 ft.	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$		
C. lawsoniana lutea. GOLDEN LAWSON CYPRESS.	1 75	15 00	
C. nutkaensis glauca. NOOTKA SOUND CYPRESS.	2 50		
boxed, 8 to 10 ft. balled, 4 to 5 ft.	$\begin{array}{cc} 6 & 00 \\ 2 & 50 \end{array}$		
C. obtusa pendula. WEEPING JAPANESE CYPRESS. boxed, 7 to 8 ft.	4 00		
boxed, 6 to 7 ft.	3 50		
(RETINISPORAS) C. pisifera plumosa aureaballed, 1 to 1½ ft.	1 00	8 00	
from 5 in. pots, 6 to 12 in.	75 5 00	6 00	
balled, 4 to 5 ft.	3 00		
balled, 3 to 4 ftballed, 1½ to 2 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 00	
C obtuse decuser a continuous from 5 in pots, 1 to 1½ ft.	75 3 00		
C. sphaeroidea ericoidesballed, 2 to 3 ft.	$\begin{array}{cc}2&50\\2&50\end{array}$		
balled, 1 to 1½ ft	1 50 75	12 50	
CRYPTOMERIA japonica elegans.			
(standards)16x16 in. box, 36 in. stem, 42 in. head,12x14 in. box, 36 in. stem, 18 in. head,	$\begin{array}{cc} 6 & 0 & 0 \\ 2 & 5 & 0 \end{array}$		
(light standards)balled, 4 ft. stem,balled, 3 ft. stem,	$\begin{array}{cc}2&00\\1&50\end{array}$	12 50	
(bushy)	$\begin{array}{ccc} 6 & 00 \\ 6 & 00 \end{array}$		
boxed, 6 to 7 ft. balled, 5 to 6 ft.	5 00 3 50	30 00	
balled, 4 to 5 ft. balled, 3 to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{17} \frac{00}{50}$	150 00
balled, 2 to 3 ft.	1 50 75	12 50 6 00	100 00 50 00
from 6 in. pots, 2 to 3 ft. from 5 and 6 in. pots, 1 to 2 ft.	50	4 00	30 00
CUNNINGHAMIA sinensls balled, 6 to 7 ft. balled, 5 to 6 ft.	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$		
balled, 4 to 5 ft.	3 50		
C. benthami knightiana. KNIGHT'S CYPRESS.			
from 6 in. pots, 4 to 5 ft. from 6 in. pots, 2 to 3 ft.	75 5 0	6 00	
C. guadalupensis glauca	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	20 00	150 00
balled, 6 to 8 ft. balled, 4 to 6 ft.	1 50 75	10 00 6 00	75 00 50 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 40	4 00 3 00	30 00 25 00
(\$30.00 per 1,000)	20	3 3 3	4 00 3 00
C. sempervirens fastigiata. ITALIAN CYPRESS.	4 00		0 00
balled, 7 to 8 ft.	4 00	20 00	
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50	100 00
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{cc} 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 7 & 50 \end{array}$	75 00 50 00
JUNIPERUS: Juniper.			
J. bermudiana. BERMUDA JUNIPER. from 5 in. pots, 12 to 15 in.	75 1 50		
J. chinensis. JAPANESE JUNIPERballed, 2 to 2½ ft. balled, 1½ to 2 ft. balled, 1½ to 1½ ft	1 25 1 00	10 00 8 00	
balled, 1 to 1½ ft	50	4 00	
J. chinensis argenteo-variegata. VARIEGATED JAPANESE JUNIPER.	0.50		
balled, $2\frac{1}{2}$ to 3 It. balled, 1 to $1\frac{1}{2}$ ft.	$\begin{array}{c}2 \ 50\\1 \ 50\end{array}$		
J. chinensis pendula. WEEPING JAPANESE JUNIPER. balled, 4 to 5 ft.	3 00		
balled, 1 to 1½ ft.	1 25		

	J. chinensis procumbens aureo-varlegata.	Each	Per 10	Per 100
	GOLDEN CREEPING JAPANESE JUNIPERballed, 2 to 2½ ftballed, 1½ to 2 ft.	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$		
	J. communis hibernica. IRISH JUNIPER	3 00 2 00	17 50	150 00
		1 50 1 00 50	12 50 8 00 4 00	$\begin{array}{cccc} 100 & 00 \\ 60 & 00 \\ 30 & 00 \end{array}$
	J. sabina. SAVIN JUNIPER balled, 4 to 5 ft balled, 2 to 3 ft balled, 1 to 1½ ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 00	60 00
	J. virginiana glauca. BLUE VIRGINIA CEDAR.	75 60	6 00 5 00	40 00
	J. virginiana pfitzeriana	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 17 & 50 \\ 12 & 50 \end{array}$	
L	IBOCEDRUS chilensis. CHILEAN CEDAR.			
	L. decurrens. INCENSE CEDAR; WHITE CEDAR.	6 00		
	boxed, 10 to 12 ft.	$\begin{array}{cc} 6 & 00 \\ 6 & 00 \end{array}$		
		$\begin{array}{c} 4 & 00 \\ 1 & 50 \end{array}$	12 50	
Р	ICEA: Spruce. balled, 1½ to 2 ft.	1 25	10 00	
	P. ajaensis. ALCOCK'S SPRUCEboxed, 8 to 10 ft.	6 00		
	boxed, 6 to 8 ftballed, 5 to 6 ftballed, 4 to 5 ft.	$\begin{array}{cccc} 5 & 00 \\ 4 & 00 \\ 3 & 00 \end{array}$		
	P. alba coerulea20x20 in. box, 11 to 12 ft.	10 00		
	boxed, 18 to 20 ft. boxed, 8 to 10 ft. balled, 2 to 2½ ft.	$\begin{array}{cccc} 25 & 00 \\ 8 & 00 \\ 1 & 50 \end{array}$		
	balled, 1½ to 2 ft. balled, 1 to 1½ ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 10 & 00 \\ 8 & 00 \end{array}$	
	P. bicolor. TWO-COLORED SPRUCEballed, 4 to 5 ft. balled, 3 to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00	
	Dalled, 2 to 3 ft. P. engelmanni	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00	
	boxed, 7 to 8 ft. boxed, 6 to 7 ft,	8 00 7 00		
		6 00	35 00	
	P. excelsa. NORWAY SPRUCE16x16 and 16x18 in. box, 6 to 8 ft.	4 00		
		3 50 2 50		
	boxed, 12 to 14 ft. boxed, 10 to 12 ft.	$\begin{array}{c} 8 & 00 \\ 7 & 00 \end{array}$	$\begin{array}{ccc} 70 & 00 \\ 60 & 00 \end{array}$	600 00 500 00
	boxed, 8 to 10 ft. balled, 6 to 8 ft.	$\begin{array}{cccc} 6 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 25 & 00 \end{array}$	200 00
	balled, 4 to 6 ft. balled, 3 to 4 ft.	$\begin{array}{cc}2&00\\1&25\end{array}$	$\begin{array}{cc} 15 & 00 \\ 10 & 00 \end{array}$	$\frac{125}{75} \frac{00}{00}$
٠	P. excelsa pendula. WEEPING NORWAY SPRUCE. balled, 2 to 2½ ft.	2 00	17 50	
	P. maximowlczi	1 50 8 00	12 50	
	balled, 5 to 6 ft.	6 00 4 00	19.50	100 00
	P. orientalis. ORIENTAL SPRUCEballed, 1½ to 2 ft. balled, 1 to 1½ ft. P. polita. TIGER TAIL SPRUCEballed, 2 to 2½ ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \\ 2 & 00 \end{array}$	$12 50 \\ 10 00 \\ 17 50$	$ \begin{array}{r} 100 & 00 \\ 75 & 00 \\ 150 & 00 \end{array} $
	balled, 1½ to 2 ft. P. pungens. COLORADO SPRUCE boxed, 7 to 8 ft.	1 50	12 50	100 00
	boxed, 6 to 7 ft. boxed, 5 to 6 ft.	10 00 8 00 6 00		
	boxed, 4 to 5 ft. balled, 2 to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00	
	P. pungens glauca. COLORADO BLUE SPRUCE.	1 25	10 00	80 00
		8 00 6 00		
		$\begin{array}{ccc} 3 & 50 \\ 20 & 00 \end{array}$		
	boxed, 4 to 5 ft. balled, 3 to 4 ft.	6 00 5 00	40 00	
	balled, 2 to 3 ft. balled, 1 to 1½ ft.	$\begin{array}{cc} 3 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 12 & 50 \end{array}$	
	DEAD INCIDE FRONT COVER			

PICEA: Spruce, Cont'd.	Each	Per 10	Per 100
P. pungens kosteriana. KOSTER'S BLUE SPRUCEboxed, 5 to 6 ft.	8 00		
boxed, 4 to 5 ft.	6 00	40 50	
P. pungens kosteriana penduia. WEEPING BLUE SPRUCE.	1 50	12 50	
balled, 1½ to 2 ftballed, 1 to 1½ ft.	$\begin{array}{cc}3&00\\2&50\end{array}$		
P. sitchensis. MENZIES SPRUCE; SITKA SPRUCE.			
boxed, 10 to 12 ft.	$\begin{array}{c} 10 & 00 \\ 7 & 00 \end{array}$	60 00	
boxed, 7 to 8 ft. boxed, 6 to 7 ft.	6 00 5 00	50 00	
P. smithiana (P. morinda)from 5 in. pots, 1 to 1½ ft.	1 50	12 50	
$1 o 1\frac{1}{2}$ ft. from 4 in. pots, 1 to $1\frac{1}{2}$ ft. from 4 in. pots, 6 to 12 in.	$\begin{array}{c} 1 & 25 \\ 1 & 00 \end{array}$	10 00 8 00	
PINUS: Pine.			
P. canariensis. CANARY ISLAND PINE.			
	$\frac{75}{50}$	$\begin{array}{cccc} 6 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccc} 50 & 00 \\ 30 & 00 \end{array}$
P. coulteri. BIG CONE PINEfrom 5 in, pots. 11/4 to 2 ft.	50	4 00	
P. haiepensis. ALEPPO PINEfrom 5 in. pots, 1 to 1½ ft.	$\begin{array}{c} 40 \\ 50 \end{array}$	3 00	25 00
P. jeffreyi. JEFFREY PINEfrom 5 in. pots, 2 to 3 ft.	$\frac{40}{50}$	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	
	40	3 00	25 00
P. laricio austriaca. AUSTRIAN PINEboxed, 10 to 12 ft.	$\begin{smallmatrix} 30\\10&00\end{smallmatrix}$	2 50	
boxed, 8 to 10 ft. boxed, 7 to 8 ft.	$\begin{smallmatrix}8&00\\7&00\end{smallmatrix}$		
from 4 in. pots, 6 to 12 in.	25	2 00	15 00
P. montana. SWISS MOUNTAIN PINEballed, 2 to 2½ ft. balled, 1½ to 2 ft.	$\begin{array}{c} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 7 \ 50 \end{array}$	
balled, 1 to 1½ ft.	75	6 00	10.00
P. parryana. PARRY PINEballed, 3 to 4 ft.	2 50		10 00
P. pinaster (P. maritima). CLUSTER PINE.	1 50	12 50	
from 5 in. pots, 4 to 5 ft.	75	6 00	90.00
from 5 in. pots, 3 to 4 ftfrom 5 in. pots, 2 to 3 ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{c} 30 & 00 \\ 25 & 00 \end{array}$
P. pinea. ITALIAN STONE PINEballed, 2 to 3 ftballed, 1½ to 2 ft.	$\begin{array}{cc}1&25\\75\end{array}$	$\begin{array}{cc} 10 & 00 \\ 6 & 00 \end{array}$	50 00
from 5 in. pots, 3 to 4 ft.	75	٠. أ	00 00
P. ponderosa. WESTERN YELLOW PINE.	60	5 00	
	$\begin{array}{c} 50 \\ 40 \end{array}$	$\frac{4}{3} \frac{00}{00}$	
P. radiata (P. insignis). MONTEREY PINE.			900 00
balled, 10 to 12 ft. balled, 8 to 10 ft.	$\begin{array}{cc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{ccc} 200 & 00 \\ 175 & 00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 00 \\ & 50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 4 & 00 \end{array}$	125 00
from 5 in. pots, 2 to 3 ft.	50	4 00	
P. sabiniana. DIGGER PINE; GRAY PINE.	40	3 50	
from 6 in. pots, 4 ft. from 4 in. pots, 6 to 12 in.	$\begin{array}{c} 1 & 00 \\ 50 \end{array}$		
P. torreyana. SOLEDAD PINE; TORREY PINE.			
from 5 in. pots, 2 to $2\frac{1}{2}$ ft. from 5 in. pots, $1\frac{1}{2}$ to 2 ft.	$\begin{array}{c} 1 & 00 \\ & 75 \end{array}$		
from 5 in. pots, 1 to 1½ ft.	60	5 00	
PODOCARPUS macrophylia	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	10 00	
from 6 in. pots, 2 to 3 ft.	7 5	6 00	
P. nageia (new)	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$		
PSEUDOTSUGA dougiasi giauca. BLUE DOUGLAS SPRUCE.			
balled, 3 to 3½ ft.	3 50		
balled, 1½ to 2 ft. balled, 1 to 1½ ft.	$\begin{array}{c}2&00\\1&50\end{array}$		
SEQUOIA gigantea. CALIFORNIA BIG TREE.			
	8 00		
20×20 in. box, 6 to 7 ft. 16×16 in. box, 4 to 5 ft.	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$		
boxed, 10 to 12 ft. boxed, 8 to 10 ft.	$15 00 \\ 10 00$		
boxed, 7 to 8 ft.	7 00		
boxed, 6 to 7 ft. balled, 5 to 6 ft.	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	35 00	
balled, 3 to 4 ft. from 5 in pots, $1\frac{1}{2}$ to 2 ft.	$\frac{2}{75}$	20 00 6 00	
	50	4 00	25 00

•	\ Pan	h Don 10	Don 100
S. glgantea glauca. DWARF BIG TREE	ft. 8 00 ft. 5 00 ft. 4 00 ft. 4 00	0	Per 100
S. gigantea pendula. WEEPING BIG TREE.	ft. 3 50 ft. 3 00	Ó	
	ft. 6 00 ft. 3 00 ft. 1 50 ft. 4 00)	
boxed, 14 to 16 boxed, 12 to 14 balled, 6 to 8 balled, 4 to 6	ft. 15 00 ft. 12 50 ft. 3 00 ft. 2 00))) 25 00	225 00
balled, 3 to 4 balled, 2 to 3 from 4 in. pots, 1 to 1½	ft. 1 50 ft. 1 00	12 50 8 00	150 00 100 00 60 00 30 00
S. sempervirens glauca. BLUE REDWOOD. balled, 6 to 7 balled, 5 to 6 balled, 4 to 5 balled, 3 to 4	ft. 4 00 ft. 3 00 ft. 2 50 ft. 2 00))	
TAXODIUM mucronatum. MONTEZUMA CYPRESS	ft. 1 00	8 00	
TAXUS: Yew T. baccata. ENGLISH YEW.	ft. 75	6 00	
	ft. 4 00 ft. 3 00 ft. 2 50 ft. 2 00	25 00 20 00 17 50	175 00 150 00
balled, 1½ to 2from 5 in. pots, 1½ to 2from 5 in. pots, 1 to 1½from 5 in. pots	ft. 1 50 ft. 1 25 ft. 1 00 ft. 75 ln. 50	10 00 8 00 6 00	60 00 50 00 30 00
T. baccata cheshuntensis	ft. 4 00 ft. 2 50 in. 1 00)	
T. baccata elegantissima		30 00	
¥ 41 ¥ 7 7 4 4	ft. 2 50 ft. 2 00 ft. 1 50 in. 1 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 125 & 00 \\ 100 & 00 \end{array}$
	ft. 5 00 ft. 4 00 ft. 3 50 ft. 3 00	30 00	275 00
balled, 2½ to 3 balled, 2 to 2½ balled, 1½ to 2 balled, 1 to 1½	ft. 2 00 ft. 1 50 ft. 1 00 ft. 75	15 00 12 50 7 50	$\begin{array}{ccc} 125 & 00 \\ 100 & 00 \\ 60 & 00 \\ 50 & 00 \end{array}$
T. baccata erecta aurea. GOLDEN ERECT YEW. balled, 8 to 12	in. 60 in. 50 in. 1 00	4 00	40 00 30 00
T. baccata fastiglata. IRISH YEW12x14 in. box, 4½ to 5	ft. 5 00		
12x14 in. box, 3½ to 4 balled, 4 to 4½ balled, 3½ to 4 balled, 3½ to 4 balled, 3 to 3½ balled, 2½ to 3	ft. 4 00 ft. 4 00 ft. 3 50 ft. 2 50 ft. 2 00	35 00 30 00 22 50 17 50	200 00 150 00
balled, 1½ to 2 balled, 1 to 1½ contact the second	ft. 1 75 ft. 1 25 ft. 1 00 ln. 60	$\begin{array}{ccc} 10 & 00 \\ 7 & 50 \\ 5 & 00 \end{array}$	$\begin{array}{c} 125 & 00 \\ 75 & 00 \\ 60 & 00 \\ 40 & 00 \end{array}$
T. baccata washingtoni. WASHINGTON GOLDEN YEW.		15 00	
	ft. 2 50 ft. 2 00 ft. 1 50 ft. 1 00	12 50 7 50	200 00 150 00 100 00 60 00
from 4 in. pots, 6 to 10	in. 60	5 00	40 00

TAXUS: Yew, Cont'd.					Each'	Per 10	Per 100
T. cuspidata. JAPANESE YEW from 5 in. from 5 in.			to to 1	2 ft. 12 in.	60	5 00 4 00	· 40 00 30 00
THUYA: Arbor Vitae T. giganteaGIANT ARBOR VITAE		_	to 1	.0 ft. 8 ft.	7 00 5 00		
	balled,	6 .	to	7 ft. 6 ft.	3 50 2 50	$\begin{array}{ccc} 30 & 00 \\ \cdot 20 & 00 \end{array}$	
	balled,	3		5 ft. 4 ft.	$\begin{array}{cc}2&00\\1&50\end{array}$	17 50	
T. gigantea aurea. GOLDEN GIANT ARBO	box,	8		9 ft.	8 00		
	boxed,	7	to	10 ft. 8 ft. 7 ft.	$\begin{array}{ccc} 7 & 00 \\ 6 & 00 \\ 4 & 00 \end{array}$	•	
	balled,	5		6 ft. 5 ft.	3 00 2 50	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	
T. occidentalis wareana. SIBERIAN ARBO	.balled, R VITAI	3		4 ft.	2 00	15 00	
	box, balled,			4 ft. 4 ft.	5 00 3 50		
T. orientalis. CHINESE ARBOR VITAE.				5 ft.	3 00		
	balled,	5	to 1 to to	10 ft. 6 ft. 5 ft.	$egin{array}{cccc} 5 & 00 \ 1 & 50 \ 1 & 25 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	$\frac{100}{75} \frac{00}{00}$
T. orientalis argentea	balled,	3	to to	4 ft. 9 ft.	1 00	7 50	50 00
	.boxed.	7	to to	8 ft. 7 ft.	5 00		
T. orientalis aurea. CHINESE GOLDEN A	.balled, RBÓR V	TTA:		5 ft.	2 50		
	.boxed,	5 4	to to	6 ft. 5 ft.	4 00		
T. orientalis aureo-variegata	.boxed,	8		3½ ft. 10 ft. 8 ft.	$\begin{array}{ccc} 3 & 50 \\ 6 & 00 \\ 5 & 00 \end{array}$		
T. orientalis filiformis stricta, JAPANESE	, boxed.	6	to	7 ft.			
	.boxed, .balled.	5 4	to to	6 ft. 5 ft.		40 00	
T. orientalis pendula. JAPANESE WEEPII	.boxed,	6	to	$egin{array}{ll} \mathrm{AE.} & & & \ 7 & \mathrm{ft.} \ & & & \mathrm{ft.} \end{array}$	4 00 3 00	35 00	
T. orientalis semperaurescens. EVERGOLDEN CHINESE ARBOR VI		5	to	0 11.	3 00		
	LAD.						
THUYOPSIS dolobrata. HATCHET-LEAVED	.balled, ARBOR	2½ VIT		3 ft.	2 50	20 00	
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in.	. balled, ARBOR box, .balled,	VIT.	AE. to to	2½ ft. 2½ ft.	2 00 1 50	12 50	100 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata	. balled, ARBOR box, .balled, .balled, .balled,	VITA 2 2 2 1½	AE. to to to to	2½ ft. 2½ ft. 2½ ft. 2½ ft.	$\begin{array}{c} 2 & 00 \\ 1 & 50 \\ 1 & 50 \\ 1 & 00 \end{array}$	12 50 12 50 8 00	100 00 60 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in.	.balled, ARBOR box, .balled, .balled, .balled, .balled, pots,	VITA 2 2 2 1½ 1½ 1½	AE. to to to to to to	2½ ft. 2½ ft. 2½ ft. 2½ ft. 1½ ft.	2 00 1 50 1 50 1 00 75 75	12 50 12 50	
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata	. balled, ARBOR box, .balled, .balled, .balled, .balled, pots, pots,	VITA 2 2 1½ 1 1½ 1	AE. to to to to to	2½ ft. 2½ ft. 2½ ft. 2½ ft. 1½ ft.	2 00 1 50 1 50 1 00 75 75 50	12 50 12 50 8 00 6 00 6 00	60 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED .12x14 in. T. dolobrata variegata	.balled, ARBOR box, .balled, .balled, .balled, .balled, pots, pots, of 50,	VITA 2 2 1½ 1½ 1½ 1½	AE. to to to to to to to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft.	2 00 1 50 1 50 1 00 75 75 50	12 50 12 50 8 00 6 00 6 00	60 00 50 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever.	balled, ARBOR box, balled, balled, balled, balled, pots, pots, of 50,	VITA 2 2 2 11½ 1 1½ 1 1½ 1 1½ 1	to to to to to to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft.	2 00 1 50 1 50 1 50 1 00 75 75 50	12 50 12 50 8 00 6 00 6 00 4 00	60 00 50 00 50 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever, are listed in preceding section, commencing at p ABELIA grandiflora 12x14 in.	balled, ARBOR box, balled, balled, balled, palled, pots, pots, of 50, Expreen treage 13. box,	VITA 2 2 2 11/2 11/2 11/2 11/2 /Elees a	to to to to to to to to to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. 2 ft. 3 ft. 4 ft	2 00 1 50 1 50 1 50 1 00 75 75 50 EENS excepting	12 50 12 50 8 00 6 00 6 00 4 00 g conifer	60 00 50 00 50 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora 12x14 in.	balled, ARBOR box, balled, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled,	VITA 2 2 2 11/2 11/2 11/2 /El ees a 3 3 2	AE. tto tto tto tto tto tto tto tto tto t	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. 3 ft.	2 00 1 50 1 50 1 00 75 75 50 EENS excepting	12 50 12 50 8 00 6 00 6 00 4 00 g conifer Per 10 12 50 10 00	60 00 50 00 50 00 20 00 20 00 es, which
THUYOPSIS dolobrata. HATCHET-LEAVED .12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 4 in. from 4 in.	balled, ARBOR box, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled, pots, pots,	VITA 2 2 11½ 11½ 11½ 11½ 1½ 15% E ees a 3 3 3 6 8	AE. to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. 2 ft. 3 ft. 4 ft. 4 ft. 3 ft. 12 in. 9 ft.	2 00 1 50 1 50 1 00 75 75 50 EENS excepting Each 2 00 1 50 1 25 35 2 00	12 50 12 50 8 00 6 00 6 00 4 00 g conifer Per 10 12 50 10 00 3 00 17 50	60 00 50 00 50 00 20 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in.	balled, ARBOR box, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled, pots,	VITA 2 2 1½ 1½ 1½ 1½ 1½ 2 6 8 7 6	AE. to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. Shrubs 4 ft ft. 3 ft. 12 in 9 ft. 7 ft.	2 00 1 50 1 50 1 50 1 00 75 75 50 EENS excepting 2 00 1 50 1 25 2 00 1 50 1 25	12 50 12 50 8 00 6 00 6 00 4 00 9 conifer Per 10 12 50 10 00 3 00 17 50 12 50	60 00 50 00 50 00 20 00 20 00 es, which
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever, are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new).	balled, ARBOR box, balled, balled, balled, pots, pots, of 50, DEV green trage 13. box, balled, pots, pots, pots, pots, pots, pots,	VITA 2 2 2 11/2 11/2 11/2 /E ees a 3 3 3 6 8 7 6 6	R(C)	2½ ft. 2½ ft. 2½ ft. 1½ ft. 2 ft. 1½ ft. 2 ft. 3 ft. 1½ ft. 7 ft.	2 00 1 50 1 50 1 50 1 00 75 75 50 Each 2 00 1 50 1 25 35 2 00 1 50 1 25 1 00	12 50 12 50 8 00 6 00 6 00 4 00 g conifer Per 10 12 50 10 00 3 00 17 50	60 00 50 00 50 00 20 00 20 00 es, which
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 4 and 5 in. from 4 and 5 in.	balled, ARBOR box, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled, pots, pots, pots, pots, pots, pots, pots, pots, pots,	VITA 2 2 1½ 1½ 1½ 1½ 1½ 2 6 8 7 6	AE. to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. Shrubs 4 ft ft. 3 ft. 12 in 9 ft. 7 ft.	2 00 1 50 1 50 1 00 75 75 50 EENS excepting 2 00 1 50 1 25 2 00 1 25 1 00 1 25 1 00 1 25 1 00	12 50 12 50 8 00 6 00 6 00 4 00 9 conifer Per 10 12 50 10 00 3 00 17 50 12 50 8 00	60 00 50 00 50 00 20 00 20 00 es, which Per 100 25 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 4 and 5 in. A. cultriformis from 5 in.	balled, ARBOR box, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled, pots,	VITA 2 2 11/2 11/2 11/2 11/2 /E es a 3 3 2 6 8 7 6 6 3 1 4 3 2	RC to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. 2 ft. 3 ft. 1½ ft. 1½ ft. 1½ ft. 1½ ft. 4 ft. 1½ ft. 1½ ft. 4 ft. 1½ ft.	2 00 1 50 1 50 1 50 1 00 75 75 50 Each 2 00 1 50 1 25 2 00 1 25 1 00 1 50 1 25 1 00 1 35 2 00 1 35 35 2 00 1 35 35 35 35 35 36 37 37 37 37 37 37 37 37 37 37 37 37 37	12 50 12 50 8 00 6 00 6 00 4 00 4 00 g conifer Per 10 12 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50	60 00 50 00 50 00 50 00 20 00 25 00 25 00 20 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 7 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 5 and 6 in. from 4 and 5 in. from 6 in. from 7 in.	balled, ARBOR box, balled, balled, balled, balled, pots, pots, of 50, Freen trage 13. box, balled, balled, pots,	VITA 2 2 11/2 11/2 11/2 /E aes a 3 3 2 6 8 7 6 6 3 1 4 3 2 1	RC nd to	2½ ft. 2½ ft. 2½ ft. 2½ ft. 2 1½ ft. 2 1½ ft. 2 1½ ft. 3 ft. 12 in ft. 3 ft. 12 in ft. 15 ft. 3 ft. 15 ft. 3 ft. 16 ft. 17 ft. 17 ft. 17 ft. 17 ft. 18 ft. 1	2 00 1 50 1 50 1 50 1 00 75 75 50 EENS excepting 2 00 1 50 1 25 35 2 00 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	12 50 8 00 6 00 6 00 4 00 g conifer Per 10 12 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50 2 00	60 00 50 00 50 00 50 00 20 00 25 00 25 00 25 00 26 00 27 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 5 and 6 in. from 5 in. A. cultriformis from 5 in. from 6 in. from 6 and 7 in. from 6 and 7 in. from 6 and 7 in.	balled, ARBOR box, balled, balled, balled, balled, pots, pots, of 50, DEV green treage 13. box, balled, pots,	VITA 2 2 11/2 11/2 11/2 11/2 /E es a 3 3 2 6 8 7 6 6 3 1 4 3 2	RC to	2½ ft. 2½ ft. 2½ ft. 1½ ft. 1½ ft. 2 ft. 2 ft. 3 ft. 1½ ft. 1½ ft. 1½ ft. 1½ ft. 4 ft. 1½ ft. 1½ ft. 4 ft. 1½ ft.	2 00 1 50 1 50 1 50 1 00 75 75 50 Each 2 00 1 50 1 25 2 00 1 25 1 00 1 25 1 00 1 25 1 00 2 50 2 50 2 75 5 60	12 50 12 50 8 00 6 00 6 00 4 00 4 00 g conifer Per 10 12 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50	60 00 50 00 50 00 50 00 20 00 25 00 25 00 20 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever, are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 7 in. from 7 and 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 5 and 6 in. from 4 and 5 in. from 6 in. from 6 and 7 in. from 6 and 7 in. from 6 and 7 in. from 6 in. from 6 in. from 6 in. from 6 in. from 5 in. from 6 in. from 5 in.	balled, ARBOR box, balled, balled, balled, balled, pots,	VITA 2 2 11/2 11/2 /E a 3 3 2 6 8 7 6 6 3 1 4 3 2 1 6 5 4 2	RC nd to	2½ ft. 2½	2 00 1 50 1 50 1 50 1 00 75 75 50 Excepting Each 2 00 1 50 1 25 2 00 1 50 1 25 1 00 1 50 1 25 1 00 2 5 1 40 30 25 40 40 40 40	12 50 8 00 6 00 6 00 4 00 4 00 2 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50 2 00 6 00 5 00	60 00 50 00 50 00 50 00 20 00 25 00 25 00 25 00 26 00 27 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 4 and 5 in. from 5 in. from 5 in. from 5 in. from 6 and 7 in. from 5 in.	balled, ARBOR box, balled, balled, balled, balled, balled, pots,	VITA 2 2 11/2 11/2 /E aes 3 3 2 6 8 7 6 6 3 1 4 3 2 1 6 5 4 2 4 3	RC nd to	2½ ft. 2½	2 00 1 50 1 50 1 00 75 75 50 EENS excepting Each 2 00 1 50 1 25 35 2 00 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	12 50 12 50 8 00 6 00 6 00 4 00 2 conifer Per 10 12 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50 2 00 6 00 4 00 4 00	60 00 50 00 50 00 50 00 20 00 20 00 25 00 25 00 20 00 15 00 50 00
THUYOPSIS dolobrata. HATCHET-LEAVED 12x14 in. T. dolobrata variegata from 4 and 5 in. from 4 in. in flats BROAD-LEAVE This division includes all hard-wooded ever are listed in preceding section, commencing at p ABELIA grandiflora from 4 in. from 8 in. from 7 and 8 in. from 7 and 8 in. from 5 in. A. cavenia. CAVAN (new). from 5 and 6 in. from 5 in. A. cultriformis from 5 in. from 6 and 7 in. from 6 in. from 5 in. from 6 in. from 6 in. from 6 in. from 6 in. from 5 in. from 6 in. from 5 in. from 6 in. from 5 in. from 6 in. from 6 in. from 6 in. from 6 in. from 5 in. from 6 in.	balled, ARBOR box, balled, balled, balled, balled, pots,	VITA 2 2 11/2 11/2 11/2 /E a 3 3 2 6 8 7 6 6 3 1 4 3 2 1 6 5 4 2 4	RC nd to	2½ ft. 2½	2 00 1 50 1 50 1 50 1 00 75 75 50 Excepting Each 2 00 1 50 1 25 35 2 00 1 25 1 00 1 25 1 00 1 25 1 00 1 50 1 25 1 00 1 25 1 00 1 50 1 00 1 00 1 00 1 00 1 00 1 0	12 50 12 50 8 00 6 00 6 00 4 00 2 50 12 50 10 00 3 00 17 50 12 50 8 00 4 00 3 00 2 50 2 00 4 00	60 00 50 00 50 00 50 00 20 00 20 00 25 00 25 00 25 00 25 00 50 00

Section Sect	A decument DEACE WAS TRANSFER	Til o a lo	D-11 10	D 100
From 6 in potes 1 to 6 1 to 6 3 00 40 00	A. decurrens. BEACK WATTLEfrom 6 in. pots, 6 to 8 ft.	Each 75	Per 10 . 6 00	Per 100
A. Juniperina	from 6 in pots 5 to 6 ft	60	5.00	40 00
A. juniperina	from 5 and 6 in. pots, 4 to 5 it.			
A. longifolia (A. latifolia)	from 5 in, pots, 2 to 3 ft.	30	$\frac{2}{2}$ 50	20 00
A. longifolia (A. latifolia)	A. jumperina			.40 00
A. melanoxyion. BLACK ACACATOR 5 in, pots, 8 to 9 ft. 25 3 00 0	A. longifolia (A. latifolia)from 5 in. pots, 6 to 7 ft.	50	4 00	
A. meianoxylon. BLACK ACACLAN 7 in, pots, 8 to 4 ft. 30 2 56 A. meianoxylon. BLACK ACACLAN 7 in, pots, 8 to 9 ft. 1 55 10 6 Grown 6 and 7 in, pots, 6 to 7 ft. 5 6 60 6 70 00 Grown 6 and 7 in, pots, 6 to 7 ft. 5 6 60 6 70 00 Grown 6 and 6 in, pots, 6 to 7 ft. 5 6 60 6 00 00 Grown 6 and 6 in, pots, 6 to 6 ft. 60 1 50 0 40 00 Grown 6 and 6 in, pots, 4 to 5 ft. 60 1 50 0 40 00 Grown 6 in, pots, 4 to 5 ft. 60 1 50 0 40 00 Grown 6 in, pots, 3 to 4 ft. 55 2 50 0 1 50 00 Grown 6 in, pots, 4 to 5 ft. 60 1 50 0 20 00 Grown 6 in, pots, 3 to 4 ft. 55 2 50 0 1 15 00 Grown 6 in, pots, 4 to 5 ft. 60 1 50 0 1 15 00 Grown 6 in, pots, 6 to 7 ft. 60 5 00 1 15 00 Grown 6 in, pots, 6 to 7 ft. 60 5 00 1 15 00 Grown 6 in, pots, 6 to 7 ft. 60 5 00 1 15 00 Grown 6 in, pots, 6 to 8 ft. 7 50 1 2 00 Grown 6 in, pots, 6 to 8 ft. 7 50 1 2 00 Grown 6 in, pots, 6 to 8 ft. 7 50 1 2 00 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 5 00 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 5 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 Grown 6 in, pots, 6 to 8 ft. 7 55 6 0 0 0 0 Grown 6 in, pots, 7 to 8 in, pots, 7 to 8 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 Grown 6 in, pots, 7 to 8 in, pots, 7 to 8 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 3 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 4 0 0 0 0 0 Grown 6 in, pots, 1 to 2 ft. 8 5 4 0 0 0 0 0 Grown 6 in, pots, 1 to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				25 00
From 7 in, pots, 8 to 9 ft, 1 25 10 00	from 5 in. pots, 3 to 4 ft.			
From 5 and 6 in, pots, 6 to 7 ft. 10 8 ft. 1 00 8 00 70 00 6 00		1 25	10.00	
From 5 and 6 in, pots, 5 10 6 ft, 60 5 60 10 10 10 10 10 10 10	from 7 in. pots. 7 to 8 ft.	1 00	8 00	
From 5 and 6 in, pots, 4 to 5 ft. 50 4 00 30 20 00	from 5 and 6 in pots, 6 to 7 ft.			
From 4 in, pots, 3 to 4 ft. 35	from 5 and 6 in. pots, 4 to 5 ft.			
A. nerilifolia (A. floribunda).	from 4 in. pots, 3 to 4 ft.		2 50	
A. nerifolia (A. floribunda). from 5 in. pots, 6 to 7 ft. 60 5 00 6 00 A. podalyriaefolia. (New) from 5 in. pots, 4 to 5 ft. 2 pon. From 5 in. pots, 3 to 4 tt. 1 50 12 50 1				
A. podalyriaefolla. (New) from 5 in. pots, 4 to 5 ft. 2 00 12 50 from 5 in. pots, 5 in. pots, 10 pots,				12 00
Section		9 00		6 00
Section Sect	from 5 in. pots, 3 to 4 ft.		12 50	
From 5 and 6 in, pots, 4 to 6 ft. 60 5 00 35 00	from 5 in. pots, 2½ to 3 ft.	1 25		
From 5 and 6 in, pots, 4 to 6 ft. 60 5 00 35 00	A. pravissima		6 00	
From 4 and 5 in, pots, 2 to 3 ft. 40 35 50 30 00 00	from 5 and 6 in, pots, 4 to 6 ft.	60	5 00	05.00
A. pycnantha. GOLDEN WATTLE.				
From 5 in, pots, 1 to 2 ft. 50 4 00 30 00	from 4 ln. pots, 1 to 2 ft.			
A. saligna. from 5 ln, pots, 1 to 2 ft, 30 2 50 25 00 A. verticilata in flats of 100, 1 to 1½ ft, 50 4 00 A. verticilata from 5 ln, pots, 2 to 3 ft, 50 4 00 30 00 A. verticilata from 5 ln, pots, 2 to 3 ft, 50 4 00 30 00 A. verticilata from 5 ln, pots, 2 to 3 ft, 50 4 00 30 00 A. verticilata from 5 ln, pots, 2 to 3 ft, 50 4 00 30 00 A. verticilata from 4 and 5 ln, pots, 1 to 2 ft, 35 3 00 25 00 AGONIS flexuosa. (new) from 6 ln, pots, 6 to 7 ft, 125 10 00 Fto 10 10 10 10 10 10 10 10 10 10 10 10 10		50	4 00	30 00
A. verticilitata	from 5 in pots, 1 to 2 ft.			20 00
AGONIS flexuosa. (new) from 4 and 5 in. pots, 1 to 2 ft. 35		60	5.00	
AGONIS flexuosa (new) from 6 in, pots, 7 to 8 ft. 1 50 12 50	from 5 in, pots. 2 to 3 ft.	50	4 00	30 00
## Company of the poly of the	ACONIS flavores (new) from f in pots, 1 to 2 ft.			25 00
## ALBIZZIA lophantha (Acacla lophantha) ## ALBIZZIA lophantha (Acacla lophantha (Acacla lophantha) ## ALBIZZIA	rom 6 in, pots, 6 to 7 ft.			
ALBIZZIA lophantha (Acacla lophantha)	from 5 and 6 in. pots, 4 to 5 ft.			
ALBIZZIA lophantha (Acacla lophantha)				
ALECTRYON excelsum. NEW ZEALAND OAK. (new).	ALBIZZIA lophantha (Acacla lophantha)		_	
ALECTRYON excelsum. NEW ZEALAND OAK. (new). from 5 in. pots, 1 to 2 ft. 25 2 00				
ALECTRYON excelsum. NEW ZEALAND OAK. (new).	from 4 in. pots, 2 to 3 ft.		3 00	
Second		25	2 00	
ANGOPHORA lanceolata. (new)		1 00	8 00	60.00
ARBUTUS menziesi. MADRONE from 6 in. pots,	from 5 in. pots, 1 to 1½ ft.			
	ANGOPHORA lanceolata. (new)from 4 in. pots, 1½ to 2 ft.	1 00		
A. unedo. STRAWBERRY TREE balled, 1½ to 2 ft. 1 25 6 00 AUCUBA japonica. GOLD DUST PLANT balled, 1½ to 2 ft. 1 00 8 00 ——————————————————————————————	ARBUTUS menziesi. MADRONEfrom 6 in. pots, 2 to 2½ ft.		15 00	
A. unedo. STRAWBERRY TREE balled, 1½ to 2 ft. 125	from 5 in. pots, 1 to 1½ ft.			
AUCUBA Japonica GOLD DUST PLANT Delta South	from 5 in pots 6 to 10 in	75		
AUCUBA japonica. GOLD DUST PLANTballed, 1 to 2 ft. 60 5 00 40 00 from 6 in. pots, 1½ to 2 ft. 50 4 00 5 00 40 00 from 6 in. pots, 1½ to 2 ft. 50 4 00 3 50 30 00 6 in. pots, 1 to 1½ ft. 50 4 00 3 50 30 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 4 00 6 in. pots, 1 to 1½ ft. 50 6 in. pots, 1 to 1½ ft. 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 3 to 4 ft. 1 00 8 00 6 in. pots, 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 3 to 4 ft. 1 00 8 00 6 in. pots, 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 1 50 6 in. pots, 2 to 2 to 2 to 3 ft. 2 to 4 ft. 2 to 4 ft. 3 in. pots, 2 to 2 to 3 ft. 3 in. pots, 2 to 2 to 3 ft. 3 in. pots, 2 to 2 to 3 ft. 3 in. pots, 3 to 4 ft. 4 ft. 4 in. pots, 2 to 2 to 3 ft. 3 in. pots, 3 to 4 ft. 4 ft. 4 in. pots, 3 to 4 ft. 4 ft. 4 in. pots, 4 ft. 4 in. pots, 5 to 6 ft. 1 ft. 4 in. pots, 5 to 6 ft. 1 ft. 4 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 6 ft. 5 in. pots, 5 to 6 ft. 1 ft. 6 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft. 1 ft. 5 in. pots, 5 to 6 ft.	bailed, 1 to 1½ ft.		8 00	
Store Stor	from 4 in, pots, 6 to 10 in.	75	6 00	
A. Japonica serratifolia from 6 in. pots, 6 to 10 in. 30 2 50 20 00 A. Japonica maculata mascula. from 6 in. pots, 1 to 1½ ft. 50 4 00 A. Japonica viridis latifolia 12x12 in. box, 4 to 5 ft. 2 50 10x12 in. box, 3 to 4 ft. 1 50 balled, 1½ to 2 ft. 75 6 00 from 6 in. pots, 3 to 4 ft. 1 00 8 00 from 6 in. pots, 2½ to 3 ft. 75 6 00 from 6 in. pots, 2½ to 3 ft. 75 6 00 from 6 in. pots, 2½ to 3 ft. 75 6 00 AZALEA indica from 7 and 8 in. pots, 1 to 1½ ft. 1 50 4 00 AZARA microphyila 18x18 in. box, 12 to 1½ ft. 1 50 12 50 AZARA microphyila 18x18 in. box, 10 to 12 ft. 4 00 14x16 in. box, 7 to 8 ft. 3 00 12x14 in. box, 6 to 7 ft. 2 50 boxed, 8 to 10 ft. 3 00 25 00 boxed, 8 to 10 ft. 3 00 25 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 7 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 12 to 14 ft. 4 00 boxed, 8 to 10 ft. 3 00 25 00 from 7 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 5 to 6 ft. 1 00 8 00	AUCUBA Japonica. GOLD DUST PLANTballed, 1 to 2 ft.		00	40 00
A. japonica serratifolia from 6 in. pots, 1 to 1½ ft. 60 A. japonica maculata mascula from 6 in. pots, 1 to 1½ ft. 60 A. japonica viridis latifolia 12x12 in. box, 4 to 5 ft. 2 50 10x12 in. box, 3 to 4 ft. 2 00 10x12 in. box, 2 to 3 ft. 75 6 00 10x12 in. pots, 3 to 4 ft. 1 00 8 00 from 7 in. pots, 2 to 2½ ft. 60 5 00 AZALEA indica from 7 and 8 in. pots, 1½ to 2 ft. 50 4 00 AZALEA indica from 7 and 8 in. pots, 1½ to 2 ft. 50 4 00 AZALEA indica from 7 and 8 in. pots, 1½ to 2 ft. 50 4 00 AZALEA indica from 7 and 8 in. pots, 1 to 1½ ft. 1 50 12 50 AZALEA indica from 7 and 8 in. box, 12 to 14 ft. 5 00 18x18 in. box, 10 to 12 ft. 4 00 18x18 in. box, 7 to 8 ft. 3 00 12x14 in. box, 6 to 7 ft. 2 50 boxed, 8 to 10 ft. 3 00 25 00 boxed, 8 to 10 ft. 3 00 25 00 from 7 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 3 to 4 ft. 60 5 00 from 6 in. pots, 3 to 4 ft. 60 5 00 from 6 in. pots, 3 to 4 ft. 50 4 00	1 to $1\frac{1}{2}$ ft.	40	3 50	30 00
A. Japonica maculata masculafrom 6 in. pots, 1 to 1½ ft. 60 A. Japonica viridis latifolia .12x12 in. box, 4 to 5 ft. 2 50 .10x12 in. box, 3 to 4 ft. 2 00 .10x12 in. box, 2 to 3 ft. 1 50 .10x12 in. box, 2 to 3 ft. 75 6 00				20 00
10x12 in. box, 3 to 4 ft. 2 00	A. japonica maculata masculafrom 6 in. pots. 1 to 1½ ft.		4 00	
10x12 in. box, 2 to 3 ft. 1 50				
Salled, 1½ to 2 ft. 75 6 00				
AZALEA indica from 7 and 8 in. pots, 2½ to 3 ft. 75 6 00 5 00		75		
AZALEA indica from 6 in. pots, 1½ to 2 ft. 50 4 00 30 00	from 6 in. pots, 2½ to 3 ft.			
AZALEA indica from 7 and 8 in. pots, 1 to 1½ ft. 1 50 12 50 AZARA microphylia .18x18 in. box, 12 to 14 ft. 5 00 .18x18 in. box, 10 to 12 ft. 4 00 .14x16 in. box, 7 to 8 ft. 3 00 .12x14 in. box, 6 to 7 ft. 2 50 .boxed, 12 to 14 ft. 4 00 .boxed, 8 to 10 ft. 3 00 25 00 .boxed, 8 to 10 ft. 3 00 25 00 .boxed, 8 to 10 ft. 3 00 8 00 .from 7 in. pots, 5 to 6 ft. 1 00 8 00 .from 6 in. pots, 3 to 4 ft. 60 5 00 .from 5 in. pots, 2 to 3 ft. 50 4 00			5 00	20.00
AZARA microphyila	AZALEA indicafrom 7 and 8 in. pots, 1 to 11/2 ft.			30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AZARA microphylla $18x18$ in. box, 12 to 14 ft.	5 00	50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				
boxed, 8 to 10 ft. 3 00 25 00 balled, 7 to 8 ft. 2 50 20 00 from 7 in. pots, 5 to 6 ft. 1 00 8 00 from 6 in. pots, 3 to 4 ft. 60 5 00 from 5 in. pots, 2 to 3 ft. 50 4 00	12x14 in. box, 6 to 7 ft.	2 50		
balled, 7 to 8 ft. 2 50 20 00			25 00	
	balled, 7 to 8 ft.	2 50	20 00	
from 5 in. pots, 2 to 3 ft. 50 4 00	from 6 in pots, 5 to 6 ft.			
READ INSIDE FRONT COVER.				
	READ INSIDE FRONT COVER.			

BERBERIS darwini	Each 50	Per 10 4 00	Per 100
B. Ilicifolia	1 50 1 50 1 25	12 50 12 50 10 00	
BUDDLEIA giobosa	75 35	6 00 3 00	25 00
B. variabilis	50 35	4 00 3 00	25 00
B. balearica	3 00 2 50	20 00	
B. fortunel rotundifoliaballed, 4 to 5 ftballed, 3 to 4 ft.	$\begin{array}{cccc} 2 & 00 \\ 1 & 50 \end{array}$	$15 00 \\ 12 50$	
B. japonica. JAPANESE BOX10x10 in. box, 1½ to 2 ft. balled, 1 to 1½ ft. B. japonica angustifolia. JAPANESE NARROW-LEAVED BOX.	1 25 75	6 00	40 00
box, 15 to 18 in. balled, 1 to 1½ ft.	1 75 75	6 00	40 00 30 00
B. sempervirens. BOXWOOD. (standards)	50 15 00	4 00	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 00 5 00 1 50	12 50	
balled, 2 to 3 ftballed, 1½ to 2 ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{c} 12 & 50 \\ 7 & 50 \end{array}$	100 00 50 00
(\$300.00 per 1,000)	$75 \\ 50 \\ 1 00$	$egin{array}{ccc} 6 & 00 \\ 4 & 00 \\ 7 & 50 \\ \end{array}$	40 00 30 00
B. sempervirens aureo-marginata. GOLDEN MARGINED BOX	2 50		
B. sempervirens elegans variegata. ELEGANT VARIEGATED BOX balled, 2½ to 3 ft.	$\begin{array}{c} 2 & 00 \\ 2 & 00 \end{array}$	17 50	
balled, 2 to 2½ ft. balled, 1 to 1½ ft. balled, 8 to 12 in.	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \\ & 75 \end{array}$	7 50 6 00	
B. sempervirens suffruticosa. DWARF BOX. balled, 8 to 12 in.	75	6 00	40 00
CALLISTEMON: Bottle Brush		1 50	10 00
C. coccineus	75 60 75	e 00	
	$\begin{array}{c} 60 \\ 75 \end{array}$	6 00 5 00 6 00	50 00
from 5 in. pots, 5 to 6 ft. from 5 in. pots, 3 to 4 ft. from 4 in. pots, 1 to 2 ft.	60 50 30	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \\ 2 & 50 \end{array}$	
C. lanceolatus .4	$\begin{array}{c} 75 \\ 40 \end{array}$	6 00	
C. robustus	1 00	6 00	
CAMELLIA japonica. Double Pink	$\begin{array}{cc} 3 & 00 \\ 2 & 50 \end{array}$		
Double Red	3 00 2 50 2 00		
Seedlings	$\frac{1}{75}$	6 00	
from 5 in. pots, 1 to $1\frac{1}{2}$ ft. from 5 and 6 in. pots, 6 to 12 in.	60 50	5 00 4 00	
CAMPHORA officinalis. CAMPHOR TREE	3 00 3 00	25 00	
balled, 6 to 8 ft. balled, 5 to 6 ft.	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	$\begin{array}{ccc} 150 & 00 \\ 125 & 00 \\ \end{array}$
balled, 4 to 5 ft. balled, 3 to 4 ft. balled, 2 to 3 ft.	$egin{array}{ccc} 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ \end{array}$	$12 50 \\ 10 00 \\ 7 50$	$100 00 \\ 75 00 \\ 60 00$
from 4 in. pots, 1 to 2 ft. from 4 in. pots, 6 to 12 in.	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{smallmatrix}3&00\\2&00\end{smallmatrix}$	15 00
CARPENTERIA californicafrom 6 and 7 in. pots, 3 to 4 ftfrom 6 and 7 in. pots, 2 to 3 ft.	$\begin{array}{ccc} {f 1} & 25 \\ {f 1} & {f 00} \end{array}$	$\begin{array}{cc} 10 & 00 \\ 8 & 00 \end{array}$	
CASSIA corymbosa	50 50	$\begin{array}{ccc} 4 & 00 \\ 4 & 00 \\ 3 & 00 \end{array}$	20.00
C. iaevigata	35 25 35	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$
C. polyantha	60 50 40	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \\ 3 & 00 \end{array}$	25 00
from 5 in. pots, 3 to 4 ft.	35	2 50	20 00

					. Flo	ah De	10	Don aloo
CASUARINA cunninghamiana from 6 in	pots,	3		4 ft			4 00	30 00
from 6 in from 6 in	. pots, . pots,	11/2		2½ ft 2 ft			$\begin{array}{c} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CEANOTHUS thyrsiflorus. CALIFORNIA WIL	D LILAC		4	4 64	. 4			
from 6 and 7 infrom 6 and 7 in	pots,	3 2	to	4 ft	•	75	6 00	
from 5 in from 4 and 5 in	. pots, . pots,	2½ 1	to to	3 ft 2 ft			$\begin{bmatrix} 5 & 00 \\ 3 & 00 \end{bmatrix}$	$\begin{array}{c} 40 \ 00 \\ 25 \ 00 \end{array}$
White Floweringfrom 5 in	. pots,	2	to	3 ft		00		
CERATONIA siliqua. CAROBfrom 5 in from 4 in		6	to to	12 in 6 in			$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	30 00
CESTRUM aurantiacumfrom 5 in			to	2 ft			3 00	25 00
C. elegans	. pots, . pots,	1 4	to to	1½ ft 5 ft			$\begin{array}{ccc} 2 & 50 \\ 6 & 00 \end{array}$	20 00
C. fasciculatum	, pots,	2 4	to to	3 ft 5 ft			$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	50 00
from 5 and 6 in from 5 and 6 in from 5 in	. pots,	$\frac{3}{2}$	to to	4 ft 3 ft			$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	$\frac{40}{30} \frac{00}{00}$
C. nocturnum	. pots,	1½ 2	to	2 ft 3 ft	•		4 00	
CHOISYA ternata. MEXICAN ORANGE				2 ft			8 00	
	.balled,	1 8	to	$1\frac{1}{2}$ ft 12 in		75 19 .	6 00	
CINNAMOMUM: Cinnamon	· barrou,	Ç		12 11.	•	0, 0 ,	0 00	
C. cassia. CASSIA-BARK TREEfrom 10 in.	nots	6	to	7 ft	. 1	50 1	2 50	
C. loureirifrom 8 in	pots,	5	to	6 ft	. 1	25	0 00	
or tourent		11/2	to	2 ft			0 00	
CISTUS: Rock Rose C. albidusfrom 4 in	nots	1	to	1½ ft		30	2 00	15 00
C. ladaniferus maculatus. SPOTTED ROC. from 4 in	K ROSE.	6	to :				4 00	
C. laurifollusfrom 5 in	pots,	3	to	4 ft	•	50	4 00	30 00 30 00
from 5 in.	pots,	1		3 ft 2 ft		30	$\frac{3}{2} \frac{00}{50}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
C. monspellensis	pots.	$\frac{3}{2}$	to	4 ft 3 ft		40	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	
C. salvifolius	pots,	$1\frac{1}{2}$	to	2 ft	•	50	1 00	
from 5 in	- ,	2	to	2½ ft				
COPROSMA baueri	.balled.	3 1	to to	4 ft 1½ ft			$\begin{array}{ccc} 0 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cccc} 80 & 00 \\ 40 & 00 \end{array}$
from 5 in	pots,	3 2½	to to	4 ft			4 00 3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
C. baueri variegata	pots,	3 2	to to	4 ft 3 ft				
from 5 infrom 4 in.	pots,	$\frac{1}{6}$		11/2 ft	•	75	3 00 5 00	
CORDIA francisi (new)from 6 in.	pots,	4	to	6 ft	. 1	25	9 00	
cornus capitata. EVERGREEN DOGWOOD.	pots,	3	to	4 ft	. 1	00		
from 7 in. from 6 and 7 in.		5 4	to to	6 ft 5 ft			3 00 6 00	50 00
		3 2	to to	4 ft	•	60	5 00	40 00 30 00
from 5 in		ī	to	3 ft 2 ft			3 00	25 00
CORONILLA emerus. SCORPION SENNA	pots,	1	to	1½ ft		50		
C. glauca	pots.	4 1	to to	6 ft 2 ft			5 00 3 00	
C. glauca variegatafrom 5 and 6 in.	pots,	4	to to	6 ft 3 ft		60	5 00 3 00	40 00 25 00
from 4 in.	pots,	1	to	2 ft			2 50	20 00
CORYNOCARPUS laevigata. NEW ZEALANDfrom 6 in.		1. 1½	to	2 ft	. 1	00	8 00	
COTONEASTER acuminata (C. nepalensis)12x14 in.			to	5 ft				
	.balled,	6	to	7 ft	. 2	00 - 1	7 50	100.00
frame to	.balled,	3	to	5 ft 4 ft	. 1	25 - 10	50	100 00 80 00
C. angustifoliafrom 5 in.	box,	4	to to	4 ft 5 ft	. 3 (00	6 00	40 00
••••••	.balled,	4	to to	6 ft 5 ft	. 2	50 20	00	150 00
from 4 and 5 in.	.balled,	3	to to	4 ft 3 ft	. 1 :	75 1	00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
C. buxifolla	pots,	1	to to	1½ ft 4 ft	, ,	40 :	3 00	25 00
	.balled,	3	to to	4 ft 3 ft	. 1 :	75 13	00	$\begin{array}{ccc} 125 & 00 \\ 80 & 00 \end{array}$
***************************************	EDON'T	_		9 16		14 A	, 00	00 00

COTONEASTER, Cont'd.			٠	Each	Per 10	Per 100
C. frigida balled, balled,			7 ft. 6 ft.	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	125 00
C. horizontalisballed,			5 ft. 3 ft.	1 50 1 50	$12 50 \\ 12 50$	100 00
balled, balled,			2 ft. 1½ ft.	$\begin{array}{cc} 1 & 00 \\ 75 \end{array}$	$\begin{smallmatrix} 8 & 00 \\ 6 & 00 \end{smallmatrix}$	
from 5 in. pots, C. microphylla			1½ ft. 4 ft.	$\begin{array}{c} 60 \\ 2 \ 00 \end{array}$	5 00	40 00
balled,	4 t		5 ft. 4 ft.	$\begin{array}{cc}2&00\\1&75\end{array}$	15 00	
balled, balled, balled,	1½ t	to	2½ ft. 2 ft.	$\begin{array}{ccc} {f 1} & {f 50} \\ {f 1} & {f 25} \end{array}$		
from 4 in. pots, from 4 in. pots, from 4 in. pots,	11/2	to	2½ ft. 2 ft.	60 50	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
C. microphylla thymifoliaballed,			1½ ft. 1½ ft.	$\frac{40}{1}$ 25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
C. pannosa	7 t	to	6 ft. 8 ft.	$\frac{4}{5} \frac{00}{00}$	40 00	
boxed, balled,	5 t	to	7 ft. 6 ft.	4 00 3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
balled,		to to	5 ft. 2 ft.	$\begin{array}{c}2 & 50 \\ & 75\end{array}$	20 00	
CYTISUS: Broom						
C. albus. PORTUGAL BROOMfrom 5 and 6 in. pots,	5 1		6 ft.	1 00	8 00	70.00
from 5 in. pots, from 5 in. pots, from 5 in. pots,	3 1	to	5 ft. 4 ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccc} 50 & 00 \\ 40 & 00 \\ \end{array} $
C. canariensis	5 1	to to	2 ft. 6 ft.	35 75	$\begin{smallmatrix} 3 & 00 \\ 6 & 00 \end{smallmatrix}$	20 00
from 5 in. pots, from 5 in. pots,		to to	4 ft. 3 ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
C. racemosus (Genista racemosa). (new)from 4 in. pots,	4	to	6 in.	50	4 00	
C. scoparius. SCOTCH BROOM.			6 ft.	50	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	35 00
C. scoparius andreanusfrom 5 and 6 in. pots,	5 1	to	1½ ft. 6 ft.	$\begin{array}{c} 35 \\ 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
from 5 in. pots, from 6 in. pots,	3 1	to	5 ft. 4 ft. 3 ft.	$\begin{array}{c} 1 & 00 \\ 75 \\ 60 \end{array}$	6 00 5 00	
DAPHNE odora. WHITE DAPHNEballed,	1½ 1		2 ft.	1 50	5 00	
D. odora marginata. PINK DAPHNEballed,	11/2		2 ft.	2 00		
DAPHNIPHYLLUM macropodum balled, balled,	2 1	to	3 ft. 2½ ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25. \end{array}$. 10 00 .	
balled, from 6 in. pots,		to	2 ft. 6 ft.	1 00 75	8 00 6 00	
DEERINGEA celosioides variegatafrom 5 in. pots,	_		4 ft. 3 ft.	50 50	4 00	20.00
DIOSMA ericoides. BREATH OF HEAVENballed,	1½ 1		2 ft.	1 00	8 00	30 00
balled,	1 t		1½ ft. 2 ft.	75 75	6 00	
D. purpurea			1½ ft. 1½ ft.	$\begin{smallmatrix} 5.0\\1&00\end{smallmatrix}.$	4 00	
DODONAEA cuneata		to to	3 ft. 2 ft.	$\frac{75}{60}$		
DURANTA plumieri			3 ft.	50	4 00	
	1½ t		2 ft.	40	3 50	20.00
ECHIUM fastuosum	-		3 ft. 3 ft.	50 35	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	30 00
ELAEAGNUS pungens argentea16x18,in. box,		to to	6 ft. 5 ft.	$\frac{4}{3} \frac{00}{50}$		
balled, balled,	4 1	to	5 ft. 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
balled, balled, balled,			2½ ft. 2 ft.	$\begin{array}{ccc} {f 1} & 25 \\ {f 1} & 00 \end{array}$	$\begin{array}{c} 10 & 00 \\ 8 & 00 \end{array}$	
E. pungens aurea		to 1 to	l2 in. 5 ft.	$\begin{array}{c} 60 \\ 3 \ 50 \end{array}$	5 00	40 00
balled, balled,		to to 1	4 ft. l2 in.	$\begin{smallmatrix}3&00\\1&00\end{smallmatrix}$		
ERICA: Heath or Heather						
E. mediterranea. MEDITERRANEAN HEATH.			2½ ft.	2 00	4.0	
balled,balled,		to	2 ft. 1½ ft.	1 25 75	$\begin{array}{ccc} 10 & 00 \\ 6 & 00 \\ 2 & 00 \end{array}$	50 00
E. multiflora grandiflora	1 1	to	1½ ft. 1½ ft.	40 60	3 00 5 00	25 00
E. persoluta alba from 5 in. pots,	6	to to 1		40 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20.00
E. persoluta roseafrom 4 in pots,	0	to 1	l2 in.	50	4 00	30 00

E. diversicolor (E. colossea). KARRI. from 5 in. pots, 6 to 7 ft. 60 5 00 40 00 from 5 in. pots, 4 to 6 ft. 50 4 00 30 00 E. ficifolia. SCARLET-FLOWERING GUM. from 6 in. pots, 3 to 4 ft. 125 from 6 in. pots, 2 to 3 ft. 1 00 9 00 E. giobulus. BLUE GUM. from 5 in. pots, 6 to 7 ft. 50 4 00 35 00 E. globulus. BLUE GUM. from 5 in. pots, 6 to 7 ft. 50 4 00 35 00 E. globulus compacta. BUSHY BLUE GUM. from 5 in. pots, 1 to 6 ft. 40 0 3 50 00 E. globulus compacta. BUSHY BLUE GUM. from 5 in. pots, 1 to 1½ ft. 35 3 00 25 00 E. globulus compacta. BUSHY BLUE GUM. pots, 6 to 8 ft. 1 00 8 00 60 00 from 6 in. pots, 5 to 6 ft. 75 6 00 50 00 from 6 in. pots, 4 to 6 ft. 75 6 00 50 00 from 6 in. pots, 4 to 6 ft. 50 4 00 30 00 (\$\$55.00 per 1,000) in flats of \$80, 1 to 1½ ft. 50 4 00 30 00 (\$\$55.00 per 1,000) in flats of \$80, 1 to 1½ to 2 ft. 50 4 00 30 00 E. gunni. CIDER GUM. from 5 in. pots, 4 to 6 ft. 60 5 00 (\$\$55.00 per 1,000) in flats of \$80, 1 ½ to 2 ft. 50 4 00 30 00 E. lehmanni from 5 and 6 in. pots, 4 to 6 ft. 60 5 00 (\$\$55.00 per 1,000) in flats of \$80, 1 ½ to 2 ft. 50 4 00 30 00 E. obliqua. MESSMATE GUM. in flats of \$80, 1 0 5 in. 50 4 00 E. obliqua. MESSMATE GUM. in flats of \$80, 1 0 5 in. 50 4 00 E. plperita. PEPPERMINT STRINGY BARK. from 5 in. pots, 4 to 5 ft. 60 5 00 E. rostrata. RED BOX. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 (\$\$35.00 per 1,000) in flats of \$80, 2 to 2½ ft. 40 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 (\$\$35.00 per 1,000) in flats of \$80, 2 to 2½ ft. 40 E. sideropholol. LARGE-LEAVED IRONBARK. 4 to 6 ft. 50 4 00 E. sideropholol. LARGE-LEAVED IRONBARK. 5 to	ESCALLONIA berterlana boxed, 8 to 10 ft. balled, 6 to 8 ft. balled, 4 to 6 ft. balled, 1 to 2 ft. E. Crimson Flowering balled, 1 to 2 ft. ba	Each 3 00 1 25 1 00 50 75 50	Per 10 25 00 10 00 7 50 4 00 6 00 4 00	80 00 60 00 35 00 50 00
E. rubra	balled, 5 to 6 ft. balled, 4 to 5 ft. from 7 in, pots, 4 to 5 ft. from 7 in, pots, 3 to 4 ft. from 5 in, pots, 1 to 2 ft. from 4 in, pots, 8 to 12 in, E. rosea balled, 6 to 7 ft.	2 50 2 00 1 50 1 25 75 50 2 50	$\begin{array}{cccc} 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 6 & 00 \\ 4 & 00 \\ 20 & 00 \end{array}$	
EUCALYPTUS amygdalina angustifolia (E. linearis).	balled, 1 to 1½ ft,	$\begin{smallmatrix} 50 \\ 1 & 25 \\ 60 \\ 60 \end{smallmatrix}$	4 00 5 00 5 00	40 00
E. angulosa (E. incrassata angulosa). E. bicolor (E. largifforens). BLACK BOX. E. calophylla	EUCALYPTUS amygdalina angustifolia (E. linearis)	60		
E. calophylla	E. angulosa (E. incrassata angulosa)	50	4 00	4 00
E. corlacea (E. pauciffora). WHITE GUM.	E. calophylla	1 00	8 00	1 00
from 5 in, pots, 1 to 2 ft, 25 2 00 15 00	E. coriacea (E. paucifiora). WHITE GUM. from 5 in. pots, 2 to 3 ft. from 5 in. pots, 3 to 4 ft.	50 40	4 00 3 50	
E. diversicolor (E. colossea), KARRI. from 5 in. pots, 6 to 7 ft. 60 5 00 40 00 00 from 5 in. pots, 4 to 6 ft. 50 4 00 30 00 00 00 00 00 00 00 00 00 00 00	from 5 in. pots, 1 to 2 ft. in flats of 50, 3 to 6 in. E. corynocalyx, SUGAR GUMfrom 5 in. pots, 4 to 6 ft.	25 50	2 00	15 00 3 00 30 00
E. ficifolia. SCARLET-FLOWERING GUM.	E. diversicolor (E. colossea). KARRI. from 5 in. pots, 6 to 7 ft.			4 00· 40 00· 30 00·
E. globulus. BLUE GUM from 5 in. pots, 4 to 6 tt. 40 3 50 30 00 from 5 in. pots, 4 to 6 ft. 40 3 50 30 00 from 5 in. pots, 3 to 4 ft. 35 3 00 25 00 (\$25.00 per 1,000) in flats of 80, 1 to 1½ ft. 35 3 00 25 00 from 6 and 7 in. pots, 5 to 6 ft. 75 6 00 50 00 from 6 in. pots, 5 to 6 ft. 75 6 00 50 00 from 6 in. pots, 4 to 5 ft. 60 5 00 from 6 in. pots, 2 to 3 ft. 40 (\$35.00 per 1,000) in flats of 80, 1½ to 2 ft from 6 in. pots, 4 to 6 ft. 50 4 00 30 00 from 6 in. pots, 4 to 6 ft. 50 4 00 30 00 from 5 in. pots, 4 to 6 ft. 50 4 00 30 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 5 ft. 60 5 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. pots, 4 to 6 ft. 50 4 00 from 5 in. p	E. ficifolia. SCARLET-FLOWERING GUM.	1 50 1 25	3 00	25 00
E. globulus compacta. BUSHY BLUE GUM.	E. globulus. BLUE GUMfrom 5 in. pots, 6 to 7 ftfrom 5 in. pots, 4 to 6 ftfrom 5 in. pots, 3 to 4 ft.	50 40	$\begin{array}{c}4&00\\3&50\end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Section Sect	E. globulus compacta. BUSHY BLUE GUM. from 6 and 7 in. pots, 6 to 8 ft. from 6 in. pots, 5 to 6 ft. from 6 in. pots, 4 to 5 ft.	75 60	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	60 00 50 00
(\$35.00 per 1,000)		50 60	4 00 5 00	$\frac{10}{30} \frac{00}{00}$
E. piperita. PEPPERMINT STRINGY BARK. in flats of 80, 3 to 6 in. E. polyanthemos. RED BOX. from 5 in. pots, 4 to 5 ft. 75 from 5 in. pots, 3 to 4 ft. 60 5 00 40 00 E. robusta. SWAMP MAHOGANY. from 5 in. pots, 3 to 4 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 E. rostrata. RED GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 (\$35.00 per 1,000). in flats of 80, 2 to 2½ ft. E. rudis. DESERT GUM. from 5 in. pots, 4 to 6 ft. 50 4 00 30 00 (\$35.00 per 1,000). in flats of 80, 2 to 2½ ft. E. siderophiola. LARGE-LEAVED IRONBARK. from 5 in. pots, 4 to 6 ft. 60 5 00 E. slderoxylon. RED IRONBARK.	(\$35.00 per 1,000)in flats of 100, 8 to 15 in. E. obliqua. MESSMATE GUMin flats of 80, 3 to 6 in. E. occidentalis. FLAT-TOPPED YATE.		3 00	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$
E. polyanthemos. RED BOX			5 00	3 00
		60		40 00
		40 50	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	36 00
(\$35.00 per 1,000)		30 50	2 50 4 00	$\begin{array}{cccc} 20 & 00 \\ 4 & 00 \\ 30 & 00 \end{array}$
E. slderoxylon, RED IRONBARK.	(\$35.00 per 1,000)in flats of 80, 1½ to 2 ft. F. siderophloja, LARGE-LEAVED IRONBARK.			25 00 4 00
READ INSIDE FRONT COVER.	E. sideroxylon. RED IRONBARKfrom 5 in. pots, 4 to 6 ft.			30 00

EUCALYPTUS; Cont'd.	Each	Per 10	Per 100
E. tereticornis. GRAY GUM; FLOODED GUM.	75	6 00	
from 5 in pots, 6 to 7 ft. from 5 in pots, 4 to 6 ft.	75 50	4 00	30 00
from 5 in pots, 3 to 4 ft. from 5 in pots, 2 to 3 ft.	$\begin{array}{c} 40 \\ 30 \end{array}$	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	25 00
(\$20.00 per 1,000)in flats of 80, 6 to 12 in.	. 60	5 00	2 50
from 5 in. pots, 4 to 6 ft.	50	4 00	30 00
E. viminalis fertilis	75	6 00	4 00
from 5 in. pots, 3 to 4 ft.	50	4 00	4 00
E. virgata			1 00
balled, 3 to 4 ft,	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$		
from 5 and 6 in, pots, 1 to 2 ft.	75	6 00	
E. uniflora. SURINAM CHERRY. (new).	50	4 00	
from 4 in. pots, 1½ to 2 ft, from 4 in. pots, 1 to 1½ ft.	$\frac{1}{75}$	8 00 6 00	
EUONYMUS japonicusballed, 6 to 8 ft.	1 00	8 00	60 00
balled, 5 to 6 ft.	75	6 00	50 00 35 00
E. japonicus albo-marginatus. SILVER-MARGINED EUONYMUS.	50	4 00	35 00
	$\begin{array}{ccc} 2 & 00 \\ 1 & 25 \end{array}$	10 00	75 00
balled, 2 to 3 ft.	1 00 60	7 50 5 00	50 00 40 00
from 6 in pots. 3 to $3\frac{1}{2}$ ft.	75	5 00	10 00
E. japonicus albo-variegatus. SILVER VARIEGATED EUONYMUS balled, 4 to 6 ft.	75	6 00	50 00
E. japonicus aureo-marginatus. GOLDEN EUONYMUS.	50	4 00	35 00
10×10 in, box, 2 to 3 ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	10 00	75 00
balled, 3 to 4 ft.	75	6 00	50 00
balled, 2 to 3 ft. balled, 1½ to 2 ft.	60 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	40 00
E. japonicus microphyllus (E. pulchelius). 10x10 in. box, 12 to 15 in.	1 50		
balled, I to 1/2 It.	1 00	8 00	60 00
balled, 6 to 12 in. balled, 4 to 6 in.	75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	35 00
E. japonicus microphyllus variegatusballed, 6 to 8 in. from 4 in. pots, 4 to 6 in.	75 50	4 00	
F Janonicus virldi-variegatus. DUC D'ANJOU.	1 25	10 00	75 00
balled, 4 to 6 ft.	1 00	7 50	50 00
F radicans argenteo-marginatusballed, 1 to 1½ ft.	60 75	5 00 6 00	50 00
balled, 6 to 8 in.	50	4 00	
FATSIA: Aralia F. japonica (Aralia sieboldi)from 8 in. pots, 5 to 6 ft.	1 50		
from 5 and 6 in. pots, 2 to 2½ ft. from 5 and 6 in. pots, 1½ to 2 ft.	75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	50 00 30 00
	40	3 00	25 00
F. japonica variegatafrom 7 in. pots, 1 to 1½ ft. E. papyrifera. CHINESE RICE PAPER TREE.	1 25		
from 6 and 7 in. pots, 4 to 5 ft. from 5 and 6 in. pots, 2½ to 3 ft.	$\begin{array}{c} 1 & 00 \\ 75 \end{array}$		
	50		
FICUS elastica. INDIA RUBBER PLANT	2 50		
from 7 in. pots, 4 ft.	2 00		
from 6 in. pots, 3 ft. from 5 in. pots, 1½ to 2 ft.	$\begin{array}{c} 1 & 25 \\ 1 & 00 \end{array}$		
F. macrophylla. MORETON BAY FIG.	75	6 00	
from 8 and 9 in. pots, 5 to 5½ ft. from 6 in. pots, 2 to 3 ft.	$\begin{array}{c}2&00\\1&00\end{array}$		
F. rubiginosa (F. australis), (new)	2 00		
from 6 in. pots, 2½ to 3 ft. from 6 in. pots, 1½ to 2 ft.	1 50		
F. ulmifolla. (new)from 6 in. pots, 2½ to 3 it.	2 50		
GARRYA elliptica	1 50		
GENISTA: Broom G. aetnensis	1 00	8 00	
from 6 in. pots, 3 to 4 ft.	75 60		
G. monosperma. BRIDAL VEIL. from 6 in. pots, 4 to 5 ft. from 6 in. pots, 3 to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 00	
from 6 in pots, 2 to 3 ft.	75		
from 4 in. pots, 6 to 12 in.	50	4 00	

				Each	Don 10	Don 100
GREVILLEA robusta. SILK OAK.					Per 10	Per 100
from 7 and 8 in. pots	5. 5.	to 8	ft. ft.	$\begin{array}{cc} 1 & 25 \\ & 75 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 6 & 00 \end{array}$	
from 7 in. pots from 5 in. pots	s, 4 s, 2	to 5 to 3	ft. ft.	$\begin{array}{c} 60 \\ 40 \end{array}$	$\begin{array}{cc} 5 & 00 \\ 3 & 50 \end{array}$	25 00
G. thelemanniana	$\frac{12}{2}$	to 15 to 3	in. ft.	1 50	12 50	10 00
from 4 in. pots from 4 in. pots	s, 1	to 1½ to 12	ft. in.	75 60	$\frac{6}{5} \frac{00}{00}$	50 0 0 40 00
HAKEA suaveolens (H. pectinata).	,					-0 00
from 7 and 8 in, potsfrom 7 in pots	5, 5	to 8	ft. ft.	$\frac{1}{75}$	8 00	60 00
from 5 and 6 in. pots	s, 3	to 4	ft.	60		
HETEROCENTRON mexicanum (Heeria rosea)		11/2		1 00		
HYMENOSPORUM flavumfrom 5 in. pots		6 to 5	in. ft.	75 1 25		
from 5 in. pots	s, 2	to 3	ft.	75		
HYPERICUM moserianum ball from 5 in, pots	eđ, 1 s, 1	to 1½ to 1½		60 50	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	40 00
from 4 and 5 in, pots		to 12	in.	35	3 00	25 00
ILEX: Holly I. aquifolium. ENGLISH HOLLY.						
(imported)	, 5 . 3	to 6 to 4	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
(home grown)	, 7	to 8	ft.	5 00	40.00	
ball	ed, 6	to 10 to 8	ft.	3 50	40 00 30 00	250 00
ball	ed; 3	to 6	ft.	2 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$175 00 \\ 150 00$
ballball	ed. 1½	to 3	ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 8 & 00 \end{array}$	$\begin{array}{c} 100 & 00 \\ 60 & 00 \end{array}$
I. aquifolium bicolor	ed, 6	to 3 to 7	ft. ft.	$\begin{array}{ccc} 1 & 00 \\ 5 & 00 \end{array}$		
balle balle	ed, 2½	to 5 to 3	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
I. aquifolium Golden-Marginedbaxe		to 7 to 6	ft. ft.	5 00 3 50		
balle balle		to 5 to 4	ft. ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$		
I. aquifollum Golden Queenballe I. aquifollum Golden Variegatedballe	ed, 3	to 4 to 6	ft. ft.	3 00 4 00		
I. aquifollum pendula variegata balle balle	ed, 1½	to 2	ft. ft.	1 50 1 25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
I. aquifollum Scotch Golden balleballeballe	e d, 2	to 2½ to 1½	ft. ft.	2 00 1 25	10 00	
I. aquifolium serratifolia aureaballe balle	ed, 2	to 3	ft.	2 00 1 50		
I. aquifolium Silver-Margined16x18 in. box,	5	to 6	ft. ft.	6 00 3 00		
balle balle		to 4		2 50		
IOCHROMA fuchsioidesfrom 7 and 8 in. potsfrom 8 in. pots		to 4 to 3	ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 00	
from 7 and 8 in. pots. l. lanceolata purpureafrom 7 in. pots.	11/2		ft. ft.	50 75	6 00	
from 4 in. pots	i, 2	to 3	ft.	40	3 50	
LAGUNARIA patersonifrom 5 in. pots	, 3 1	to 4	ft.	7 5		
LAURUS: Laurel L. nobilis. BAY TREE.						
(standards)		8		20 00 12 50		
(light standards) pott pott		to 5 to 4	ft. ft.	2 00 1 50	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	
(bushy) pott	ed, 2½ 1		ft. ft.	1 25 3 50	10 00 30 00	
balle balle	ed, 6 1	to 8	ft. ft.	2 50 2 00	20 00 17 50	175 00
from 5 in. pots	, 3 1	to 4 to 3	ft. ft.	75 50	6 00	150 00
(fine hedge plants)from 5 in. pots		to 2	ft.	30	$\begin{array}{cc} 4 & 00 \\ 2 & 50 \end{array}$	20 00
LAVENDULA vera. LAVENDERfrom 5 in. potsfrom 2 in. pots			ft. ft.	$\begin{array}{c} 50 \\ 25 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 2 & 00 \end{array}$	15 00
LEPTOSPERMUM laevigatum. AUSTRALIAN TEA	TREE.					
(\$50.00 per 1,000)		to 3 to 8	ft. ln.	75	6 00	6 00
LEUCAENA glauca (Acacia leucocephala).		4 . 10	:		4.65	
from 5 in. pots	-	to 12	in.	50	4 00	
READ INSIDE FROM	MI COV	ER.				

LIGUSTRUM: Privet	Each	Per 10	Per 100
L. coriaceum	2 00		
L. Japonicum. JAPANESE PRIVETballed, 4 to 6 ft.	$\begin{array}{c}1 & 25 \\ & 40\end{array}$	$\begin{array}{ccc} 10 & 00 \\ 3 & 50 \end{array}$	
······from 4 in. pots, 1 to 2 ft.	30	$\frac{3}{2} \frac{50}{50}$	20 00
L. lucidum tricolor. THREE-COLORED PRIVET.			10 00
balled. 2 to 3 ft.	1 00		
L. lucidum variegatum. VARIEGATED PRIVETnaked roots, 8 to 10 ft.	0.00	15 00	
·····naked roots. 6 to 8 ft	$egin{array}{ccc} 2&00\ 1&50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 12 & 50 \end{array}$	
L. ovalifolium. CALIFORNIA PRIVET.	_ 00	22 00	
······naked roots, 4 to 6 ft. ·····naked roots, 3 to 4 ft.	50	4 00	00.00
naked roots, 2 to 3 ft.	$\frac{40}{35}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc}39&00\\20&00\end{array}$
·····naked roots 1 to 11/ ft		5 00	10 00
(\$50.00 per 1,000)	75	6 00	6 00
balled, 1½ to 2 ft.	50	4 00	
L. spicatum macrophyllum18x18 in. box, 7 to 8 ft.	35	3 00	
	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$		
boxed, 6 to 7 ft.	3 00		
L. vulgare. EVERGREEN or ENGLISH PRIVET.	75	6 00	
naked roots, 4 to 6 ft.	50	4 00	
naked roots, 3 to 4 ftnaked roots. 14 to 2 ft	40	3 00	
naked roots 1 to 114 ft	25	2 00	10 00
(\$50.00 per 1,000)naked roots, 6 to 12 in.			6 00
LYONOTHAMNUS floribundus asplenifolius. ISLAND IRONWOOD.			
from 4 in. pots, 6 to ,8 in.	60	5 00	
MAGNOLIA grandifloraballed, 5 to 6 ft.	4 00		
	3 00	$\frac{25}{15} \frac{00}{00}$	107 00
balled, 3 to 4 ft.	$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$	$15 00 \\ 12 50$	$125 00 \\ 100 00$
balled, 1½ to 2 ft.	1 00	8 00	60 00
M. grandiflora lanceolata (M. exoniensis)balled, 2 to 3 ft.	$\begin{array}{c} 50 \\ 1 \ 75 \end{array}$	$\begin{array}{c} 4 \ 00 \\ 15 \ 00 \end{array}$	30 00
balled, 1½ to 2 ft.	1 50	19 00	
M. grandiflora gallssonlensisballed, 1½ to 2 ft. balled, 1 to 1½ ft.	1 50	10.00	
MALLONIA III OPPOSE PER LED	1 25	10 00	
balled. 1 to 11/4 ft.	1 00 75	8 00	
M. fortunei. (new)from 5 in. pots, 15 to 18 in.	1 50		
M. japonica (M. beali). JAPANESE MAHONIAballed, 3 to 4 ft.	2 00	15 00	
balled, 2½ to 3 ft.	$\vec{1}$ $\vec{50}$	10 00	
MAYTENUS boaria (M. chilensis). MAYTEN.			
from 6 in. pots, 4 to 5 ftfrom 6 in. pots, 3 to 4 ft.	$\begin{array}{c}1~50\\1~25\end{array}$		
	1 00		
MELALEUCA armillarisfrom 5 in. pots, 4 to 6 ft.	60	5 00	40 00
from 4 and 5 in. pots, 3 to 4 ft.	50	4 00	30 00
from 4 and 5 in. pots, 2 to 3 ftfrom 4 in. pots, 1 to 2 ft.	$\frac{40}{30}$	$\begin{smallmatrix}3&00\\2&50\end{smallmatrix}$	$\begin{array}{c} 25 & 00 \\ 20 & 00 \end{array}$
M. decussatafrom 5 in. pots, 5 to 6 ft,	75	$\frac{5}{6}$ 00	20 00
from 5 in. pots, 3 to 4 ft.	50	4 00	30 00
from 4 in. pots, 1 to 2 ft.	40 30	$\begin{smallmatrix}3&00\\2&50\end{smallmatrix}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$
M. hypericifoliafrom 6 in. pots, 3 to 4 ft.	50	4 00	30 00
M. incana. (new)from 6 in. pots, 2 to 3 ft.	$\frac{40}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
M. wilsonifrom 5 in. pots, 6 to 7 ft.	75	6 00	
from 5 in. pots, 4 to 5 ftfrom 5 in. pots, 3 to 4 ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	4 00	30 00
from 4 in. pots, 2 to 3 ft.	35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
MICHELIA fuscata (Magnolia fuscata). BANANA SHRUB.			
$1\frac{1}{2}$ to 2 ft.	2 00	10 50	
MYOPORUM laetumfrom 7 in. pots, 6 to 7 ft.	1 50	12 50	
MYOPORUM laetumfrom 7 in. pots, 6 to 7 ftfrom 6 and 7 in. pots, 4 to 6 ft.	$\begin{array}{c} 1.00 \\ 75 \end{array}$	$\begin{array}{cc} 8 & 00 \\ 6 & 00 \end{array}$	50 00
from 6 and 7 in. pots, 2 to 3 ft.	50	4 00	30 00
MYRTUS: Myrtle M. communic COMMON MYRTLE holled 1 to 11/ ft	Prog. 400	0.00	F0 00
M. communis. COMMON MYRTLEballed, 1 to 1½ ftfrom 5 in. pots, 1 to 1½ ft.	75 6 0	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	50 00
from 4 in. pots, 6 to 10 in.	35	3 00	25 00
M. communis flore pleno. DOUBLE-FLOWERING MYRTLE. balled, 1 to 1½ ft.	1.00		
	$\begin{array}{c} 1 & 00 \\ 75 \end{array}$		
M. communis microphylla. SMALL-LEAVED MYRTLE.			
balled, 1½ to 2 ft. balled, 1 to 1½ ft.	$\begin{array}{c} 1 & 25 \\ 1 & 00 \end{array}$	8 00	
from 4 in. pots, 1 to $1\frac{1}{2}$ ft.	50	4 00	30 00

							To al	n Don 1	0 Don 100
M. communis variegata			11/	to.	2	£ŧ.	Each		
		balled.	1 1/2	to	1 1/2		1 25	8 00)
M. luma (Eugenia apid NANDINA domestica			6	to :		in. ft.	2 00)	25 00
		balled,	4 3	to to		ft. ft.	$\frac{2}{1} \frac{00}{50}$		100 00
	from 6 and 7 in.	balled,	2			ft. ft.	1 00	8 00	60 00
	from 5 in.	pots,	8	to	12	in.	5	4 00	0 30 00
		balled,	3			ft. ft.	$\frac{2}{1} \frac{00}{50}$	12 50	0 100 00
Double Pink	Henry Mares	.balled,	2		3 Iad.	ft.	1 00	8 00	0 60 00
Single White Claude Blanc	Lilacinum Mad. Chas. Ba	ltot		7/	Iado	nna		diflorum	
De Brun Dr. Golfin	Mad. Dubois Mad. Peyre				rof.				
N. oleander Prof. Dura	and. (yellow)								
N. oleander Varlegated	from 4 in.	pots,	1 1½	to to	$\frac{1\frac{1}{2}}{2}$	ft. ft.	1 0		
OSMANTHUS aquifolium		. balled,	3	to	4	ft.	2 5		
O. aquifolium ilicifoliu	s. HOLLY-LEAVED	OSMAN	$\tilde{\mathbf{T}}\mathbf{H}$	us.	3	ft.	2 0		
		balled,	3	to	6	ft.	$\frac{3}{2} \frac{0}{0}$	0	
O. fragrans (Olea frag	rans). SWEET OLIV	E.	2	to	3	ft.	15		
Yellow Flowering		.balled.	1½ 6	to	27	ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	
		.balled, .balled,	5 4	to to	$\frac{6}{5}$	ft. ft.	$\begin{array}{ccc} 2 & 5 \\ 2 & 2 \end{array}$	0 5	
PAVONIA hastata	from 5 in. from 5 in.		5 3	to to	6	ft. ft.	7 5		0
PERSEA Indica	from 5 in.	pots,	21/2	to	3	ft.	1 0	0 8 0	-
PHILLYREA latifolia	from 5 in.		2	to to	21/2	ft.	7		
PHOTINIA arbutifolia (H	eteromeles arbutifolia)					•			
	from 6 in.		21/2		3	ft.	1 0	-	-
	from 6 in.	pots,	2 1½		21/2	ft.	7 6	0 = 5 0	0
	from 5 in.	pots,	6	to		in.	5 4	0 3 0	0 25 00
		balled,	5	to	6 5	ft.	$\begin{array}{c} 1 & 5 \\ 1 & 2 \\ \end{array}$	5 10 0	0
PIMELEA ferruginea (P.	decussata).from 5 in.		3	to	4 2½	ft.	$\begin{array}{c} 1 \ 0 \\ 1 \ 5 \end{array}$		
	from 5 in. from 4 in.	pots,	$\frac{1\frac{1}{2}}{1}$	to to	2 1½	ft. ft.	$\begin{array}{ccc} 1 & 2 \\ 1 & 0 \end{array}$	5 10 0	0
	from 4 in.	pots,	6	to	12	in.	7	5 60	0
	from 5 in.		4	to	5	ft.	7		
	from 5 in. from 5 in.		3 2	to	3	ft. ft.		$ \begin{array}{cccc} 0 & 4 & 0 \\ 0 & 3 & 0 \end{array} $	
PITTOSPORUM crassifoli	ium		2 1 1/2	to to	3	ft. ft.	· 6	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
P. eugenioides. (stan-		balled.	8 9	to to		in. ft.		0 3 0	
(bushy)		.balled,	$\frac{2}{1\frac{1}{2}}$	to to	3 2	ft.	7		
	in flats of	.balled,	$\frac{1}{1\frac{1}{2}}$	to to	$\frac{1\frac{1}{2}}{2}$	ft. ft.	อ็	0 4 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
P. heterophyllum	from 5 in. from 6 in.	pots,	$\frac{3}{2}$	to to	4 3	ft. ft.	$\begin{array}{ccc} 1 & 0 \\ 7 & \end{array}$	0 5	
P. phillyraeoides. NA	\dots from 4 and 5 in.	pots.	$^{1}_{ m UM}$	to [.	2	ft.	5	0	
	from 5 in. from 4 in.	pots.	4 2	to to	5 2½	ft. ft.	$\begin{array}{c} 1 & 2 \\ 1 & 0 \end{array}$		0
P. tenuifolium (P. ni	gricans)16x18 in.	box, .boxed,	$\frac{6}{10}$	to to		ft. ft.	$\begin{array}{c} 3 \ 5 \\ 4 \ 0 \end{array}$	0	
		.balled,	$\frac{8}{1\frac{1}{2}}$		2	ft.		0 5 0	
P. tobira. JAPANESI	E PITTOSPORUM.	.balled,	1	to		ft.		0 4 0	00 30 00
	12x14 in.	.boxed,	3	to	3 4	ft.	$\frac{2}{3}.0$	ė.	
		. balled,	2 1	to	$\frac{3}{1\frac{1}{2}}$	ft. ft.	1 5 1 0		
	READ INSIDE	FRONT	CC	VE	R.				

PITTOSPORUM, Cont'd.						- T		
P. tobira variegatum	box,	3	to	4	ft.	Each 3 00	Per 10	Per 100
***************************************	.balled,	$\frac{3}{2}$	to	3	ft. ft.	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	15 0 0	
• • • • • • • • • • • • • • • • • • • •		$\frac{1\frac{1}{2}}{1}$	to	$\frac{2}{1\frac{1}{2}}$	ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	
P. undulatum. VICTORIAN BOX	Í	6		12				20.00
POLYGALA brachypodafrom 5 in.		5	to	6	in. ft.	50 50	4 00 4 00	30 00 3 0 0 0
P. daimaisiana	balled,	$\frac{3}{1}$	to	4	ft. ft.	2 00		
from 5 in.	pots,	$1\frac{1}{2}$	to	1½ 2	ft.	60 50	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	$\frac{40}{30} \frac{00}{00}$
P. virgata speciosafrom 5 in.	pots,	$\frac{1}{5}$	to to	$\frac{1}{6}$	ft. ft.	40 60	$\begin{array}{ccc} 3 & 00 \\ 5 & 00 \end{array}$	25 0 0
PRUNUS ilicifolia. CALIFORNIA EVERGREEN	N CHER							
from 6 in. from 5 and 6 in.	pots,	2 1½	to	$\frac{2\frac{1}{2}}{2}$	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 00 5 00	$\begin{array}{ccc} 50 & 00 \\ 40 & 00 \end{array}$
from 4 in.	pots,	1 6	to to	1½ 12	ft.	50 35	4 00 3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
P. ilicifolia integrifolia. CATALINA CHERF	RY.						5 00	#0 VV
from 6 in.	pots,	3 2	to	3	ft.	1 00 75	6 00	50 00
P. laurocerasus. ENGLISH LAUREL	pots, balled,	6 5	to	8	in. ft.	$\frac{35}{300}$	$\begin{array}{c} 3 & 00 \\ 25 & 00 \end{array}$	
	balled,	4	to to	5 4	ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 15 & 00 \\ 12 & 50 \end{array}$	
***************************************	balled,	2	to	3	ft.	1 00	8 00	60 00
P. laurocerasus camelliaefolia. CAMELLIA-	LEAVE	$\frac{1}{D}$ L	to AUI	$^2_{ m REL}$	ft.	75	6 00	50 00
***************************************		6 5	to to	8	ft. ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 15 & 00 \end{array}$	
P. laurocerasus latifolia. LARGE-LEAVED20x20 in.	LAURE	EL. 8	to.				20 00	
16x18 in.	hox	6	to	$\frac{10}{7}$	ft.	$\begin{array}{ccc} 8 & 00 \\ 5 & 00 \end{array}$		
14x16 in.	box, boxed,	5 6	to	6 8	ft. ft.	$\begin{array}{ccc} 4 & 00 \\ 4 & 00 \end{array}$	35 0 0	300 00
••••••	balled,	5 4	to to	6 5	ft. ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{cccc} 200 & 00 \\ 150 & 00 \end{array}$
• • • • • • • • • • • • • • • • • • • •	balled,	3	to	4	ft.	2 00	15 00	190 00
	balled.	1	to	3 2	ft.	1 50 1 00	$\begin{array}{ccc} 12 & 50 \\ 7 & 50 \end{array}$	60 00
P. laurocerasus rotundifolia	boxed, balled,	6 5	to	8	ft. ft.	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
P. lusitanica. PORTUGAL LAUREL.	balled,	3	to	4	ft.	1 50	12 50	
	box,	4	to to	5 4	ft. ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
	balled,	5	to	6	ft.	3 00	25 00	200 00
***************************************	balled,	3	to to	5 4	ft. ft.	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	20 0 0 12 50	15 0 0 0 10 0 00
	balled, balled.	$\frac{2}{1\frac{1}{2}}$	to to	3 2	ft.	$\begin{array}{c} 1 & 00 \\ & 75 \end{array}$	8 00 6 0 0	60 00
PSIDIUM: Guava	,	_,2				,,,	0 00	
P. cattlelanum. STRAWBERRY GUAVAfrom 7 in.	pots,	2	to	21/2	ft.	1 00	8 00	
	pots,		to	$\frac{2}{12}$	ft.	75 50	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	30 00
P. friedrichsthallanum. (new)from 6 in.	pots,	31/2	to	4	ft.	2 00	4 00	30 00
from 6 infrom 6 in.		$\frac{2\frac{1}{2}}{2}$	to to	3 2½	ft.	$\begin{array}{cc} 1 & 50 \\ 1 & 25 \end{array}$		
PYRACANTHA (Crataegus): Evergreen Hawthor	rn borra-3	c	4-	7	e.	0.00	05 00	
P. coccinea. BURNING BUSH	balled,	6 5	to	$\frac{7}{6}$	ft.	3 00 2 50	25 00 20 00	
•••••••••••••••••••••••••••••••••••••••		3	to to	5 4	ft.	$\begin{array}{cccc} 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	100 00
from 5 in.	balled,	2	to to	3	ft. ft.	1 00 60	$\begin{array}{cc} 8 & 00 \\ 5 & 00 \end{array}$	60 00 40 00
from 5 in.	pots,	11/2	to	2	ft.	40	3 50	40 00
P. coccinea lalandi	balled,	6	to	7 5	ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
••••••••••		3 2	to to	3	ft. ft.	$\begin{array}{ccc}2&00\\1&50\end{array}$	12 50	
		3 1½	to to	4 2	ft.	1 00 50		
P. crenulata. CHINESE EVERGREEN HAW	VTHOR	N.						
14x16 and 16x16 in.	box,	5	to to		ft. ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
••••••••••••••		6 5	to to	7 6	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$	
••••••	balled,	3	to to	5 4	ft. ft.	2 00 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	150 0 0
* * * * * * * * * * * * * * * * * * * *	balleď,	$1\frac{1}{2}$	to	2	ft.	75	6 00	50 00
	pots,	3	to to	5	ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 00 5 00	50 00 40 00
from 5 and 6 lnfrom 4 in.		2 2	to to	3	ft. ft.	50 40	4 00 3 00	30 00 25 00
4 444	-					_ ,		

QUERCUS: Oak	11/ +	0 9	ft.	Each 1 00	Per 10	Per 100
Q. acutaballed,	1½ t	o 2	ft.	75	6 00	
Q. agrifolla. CALIFORNIA LIVE OAK.	6 t		in.	50	4 00	== 00
from 6 in. pots, from 5 in. pots,		0 6 0 5	ft. ft.	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	10 00 8 00	75 00
from 5 in. pots,	3 t 1½ t	o 4 o 2	ft. ft.	$\begin{array}{c} 75 \\ 1 50 \end{array}$	6 00	50 00
Q. cuspidata balled, Q. glauca balled,	3 t	o 4	ft.	2 00	19 50	
balled,	1½ t	0 3 0 2	ft.	$\begin{array}{c}1&50\\1&25\end{array}$	12 50	
Q. "Holly-Leaved" from 7 in. pots, from 7 in. pots,		io 7 io 5	ft. ft.	$\begin{array}{c} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 8 \ 00 \end{array}$	
from 7 in. pots,	-	o 4	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	50 00
from 7 in. pots, from 5 in. pots,	1½ t	0 2	ft. ft.	50 75	4 00 6 00	35 00 40 00
Q. suber. CORK OAKfrom 6 in. pots, from 6 in. pots,		to 3	ft.	50	4 00	30 00
RAPHIOLEPIS japonica (R. ovata)balled,		to 12	in. ft.	50 1 00	4 00 8 00	3 5 0 0
from 6 in. pots,		o 2	ft.	75	6 00	
RHAMNUS purshiana californica. CASCARA: CALIFORNIA WILD COFFEE.						
from 6 in. pots,		to 4	ft. ft.	$\frac{1}{75}$	8 00 6 00	60 00 50 00
from 5 and 6 in. pots, from 5 and 6 in. pots,	1½ t	o 2	ft.	50	4 00	00 00
R. purshiana tomentella. (new)from 4 in. pots,from 4 in. pots,		to 1½ to 12	ft. in.	75 50	4 00	1
RHODODENDRON			ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
from 8 and 10 in. pots, ROSMARINUS officinalis. ROSEMARY.	ے د	to 2½	1	2 30		
from 6 in. pots,	1 t	3½ to 2	ft. ·	· 75 50	4 00	30 00
RUSCUS aculeatus. BUTCHER'S BROOMballed,	2 t	to 3	ft.	75		00 00
baned,	1½ t	to 2	ft.	50	4 00	
SCHINUS: Pepper Tree S. molle. CALIFORNIA PEPPER TREE.					40.0	
		to 8 to 7	ft. ft.	1 25 7 5	$\begin{array}{c} 10 & 00 \\ 6 & 00 \end{array}$	50 00
from 6 in. pots, from 6 in. pots,		to 6 to 5	ft. ft.	60 50	5 00 4 00	40 00 35 00
in flats of 80,	1½ t		ft.	00	1 00	10 00
S. terebinthifollus. BRAZILIAN PEPPER TREE. from 8 and 9 in. pots,		to §	ft.	75		
SOPHORA tetraptera microphylla (Edwardsia macnabia		to 7 (new)	ft.	60		
from 5 in. pots,	2 (to 3	ft. ft.	$\frac{1}{75}$		
SPARTIUM junceum. SPANISH BROOM.	1 (10 2	10.	10		
from 6 in. pots, from 6 in. pots,		to 7 to 6	ft. ft.	1 00 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
from 5 and 6 in, pots,	4 t	to 5	ft. ft.	60 50	5 00 4 00	$\frac{40}{35} \frac{00}{00}$
from 5 in. pots, in flats of 100,	1½ t		ft.	30	4 00	10 00
STATICE arborescensfrom 4 in. pots,		1	ft.	75		
STERCULIA (Brachychiton). S. acerifolia. FLAME TREE.						
from 6 and 7 in. pots, from 5 in. pots,		to 4 to 2	ft. ft.	$\frac{1}{75}$		
S. diversifolia. BOTTLE TREE. defoliated, naked roots,		to 5	ft.	1 50		
defoliated, naked roots,	2 1	to 3	ft.	75	2 =0	20.00
SUTHERLANDIA frutescens. BLADDER SENNA.	6	to 10	in.	30	2 50	20 00
from 4 in. pots,		to 1½		75		
SYZYGIUM operculatum. (new)from 6 in. pots, TEMPLETONIA retusafrom 6 in. pots,	_	to 2½ to 4	ft. ft.	$\begin{array}{c}1 & 50\\1 & 25\end{array}$	10 00	
from 5 in. pots,	11/2	to 2	ft.	75 60	10 00	
from 4 in. pots, from 4 in. pots,		to 1½ to 12	in.	50	4 00	
TRISTANIA conferta. BRISBANE BOXfrom 4 and 5 in. pots,	g ,	to 4	ft.	1 50	12 50	
UMBELLULARIA californica. CALIFORNIA LAUREL		AY.				
from 6 in. pots,		1	ft.	75 50	6 00 4 00	35 00
VERONICA decussataballed, V. decussata variegata. (new)balled,	6	to 12	in.	1 00	8 00	55 00
V. elliptica balled, balled,	6	to 3 to 12	ft. in.	75 50	6 00 4 00	22
V. speciosa andersoniballed, balled, balled,	3 6	to 4 to 12	ft. in.	1 00 50	8 00 4 00	60 00

VERONICA, Cont'd.				Each	Per 10	Per 100
V. speciosa imperialis. IMPERIAL VERONICA. balled, balled, balled, balled, V. speciosa variegata V. traversi balled,	2 t 1½ t 6 t 6 t	to 4 to 3 to 2 to 12 to 12	ft. ft. in. in. in.	1 00 75 60 50 60	7 50 6 00 5 00 4 00 5 00 5 00	50 00 40 00 30 00 40 00 40 00
VIBURNUM odoratissimumboxed,		0 6	ft.	3 50	m	
V. sandankwa (V. ellipticum)12x14 in. box, boxed,	3 t	0 8 0 4 0 6	in. ft. ft.	$\begin{array}{c} 60 \\ 2 & 00 \\ 3 & 00 \end{array}$	5 00	
balled,	3 t	0 4	ft.	1 50	12 50	
V. tinus. LAURUSTINUS balled,		o 8	ft. ft.	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	175 00
balled, balled, balled, balled, balled, balled,	2 t	0 4 0 3	ft. ft. ft.	1 00 75 60	7 50 6 00 5 00	50 00 40 00 35 00
V. tinus lucidum (Laurustinus grandiflora)boxed, boxed,	8 t	o 10 o 8	ft. ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cccc} 27 & 50 \\ 22 & 50 \end{array}$	33 00
balled, balled, balled,	-	0 5	ft. ft.	$\begin{array}{cc}2&00\\1&50\end{array}$	$15 00 \\ 12 50$	
V. tinus strictum (Laurustinus rotundifolia).	0	.0 4	10.	1 00	12 50	
balled,		o 8	ft. ft.	$\begin{array}{cc}2&00\\1&50\end{array}$	$17 50 \\ 12 50$	$150 00 \\ 100 00$
balled,		0 4	ft.	1 25	10 00	75 00
V. tinus variegatumballed,balled,		to 4	ft. ft.	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	8 00	
VITEX agnus-castus. CHASTE TREE.						
from 5 in. pots,		to 5	ft. ft.	$\begin{array}{cc} 1 & 00 \\ & 75 \end{array}$		
WIGANDIA macrophylla. LARGE-LEAVED WIGAND. from 4 in. pots,		new) to 10	in.	50	4 00	

DECIDUOUS ORNAMENTAL TREES

Please note that all trees in this class over 12 to 14 feet tall are graded and quoted according to their diameter measured at 4 feet above the ground. As a rule, such trees have been headed back to 9 feet and have good heads. With proper handling and after-care there should be little or no loss in using these large trees.

Diameter in			
inehes Height in feet	Each	Per 10	Per 100
ACER: Maple			
A. campestre. ENGLISH CORK-BARKED MAPLE. 3 to 4 2½ to 3 2 to 2½ 12 to 14 10 to 12	2 50 2 00 1 50 1 00 75	20 00 15 00 12 50 8 00 6 00	60 00 50 00
A. macrophyllum. OREGON or LARGE-LEAVED MAPLE. 3 to 4 2½ to 3 8 to 10 6 to 8	2 50 2 00 1 00 75	20 00 15 00	
A. negundo californicum. CALIFORNIA BOX ELDER. 4 to 6 3 to 4 2½ to 3 12 to 14 10 to 12 8 to 10	3 00 2 50 2 00 1 25 1 00 75	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 15 & 00 \end{array}$	
A. platanoides. NORWAY MAPLE. 3 to 4 2½ to 3 2 to 2½ 12 to 14 10 to 12 8 to 10	2 50 2 00 1 50 1 25 1 00 75	20 00 15 00 12 50 10 00 8 00 6 00	80 00 60 00 50 00
	PLE. 1 50 1 25 1 00	12 50 10 00 8 00	100 00 80 00
A. pseudo-piatanus. SYCAMORE MAPLE.	2 50 2 00 1 50 1 25 1 00	20 00 15 00 12 50 10 00 8 00	80 00

	Diameter in			
	A. rubrum. SCARLET MAPLE	Each 2 50 2 00	Per 10	Per 100
		1 50 1 25	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	75 00
	A. saccharinum (A. dasycarpum). SILVER MAPLE; SOFT MAPLE	3 00	27 50	
	2½ to 3 2 to 2½	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{array}$	$egin{array}{cccc} 20 & 00 \ 15 & 00 \ 12 & 50 \end{array}$	
		1 00 75	7 50 6 00	$50 00 \\ 40 00$
	A. saccharum. SUGAR MAPLE; ROCK MAPLE12 to 14	60 50	5 00 4 00	35 00 25 00
	A. saccharum. SUGAR MAPLE; ROCK MAPLE12 to 14	1 25 1 00 75	$ \begin{array}{cccc} 10 & 00 \\ 8 & 00 \\ 6 & 00 \end{array} $	80 00 60 00 50 00
	6 to 8	60	5 00	40 00
Α		$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	15.00	
		1 50 1 00	15 00	
	Ae. carnea. RED-FLOWERING HORSE CHESTNUT.	75		
		10 00 7 50	10.00	
		1 25 1 00	10 00 8 00	60.00
		$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$	
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 17 & 50 \end{array}$	
		$ \begin{array}{c} 1 & 75 \\ 1 & 25 \\ 1 & 00 \end{array} $	10 00 8 00	60 00
		75	6 00	50 00
А	ALBIZZIA julibrissin (Acacia julibrissin). CONSTANTINOPLE ACACIA 	1 50 1 25	12 50 10 00	
	8 to 10	1 00	10 00	
Е	BETULA: Birch B. alba. EUROPEAN WHITE BIRCH.	F 00		
		$ \begin{array}{r} 5 & 00 \\ 4 & 00 \\ 3 & 00 \end{array} $	35 00 25 00	
		$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	17 50	
		1 75 1 25 1 00	$15 00 \\ 10 00 \\ 2 00$	80 00
	B. alba fastiglata. UPRIGHT BIRCH.	75	8 00 6 00	20 00 60 00
	B. lenta. SWEET or CHERRY BIRCH.	6 00		
		$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{array}$	$ \begin{array}{ccc} 20 & 00 \\ 17 & 50 \end{array} $	
	B. papyrifera, CANOE BIRCH; PAPER BIRCH 4 to 6	1 25 75	6 00	
_	B. populifolia. AMÉRICAN WHITE BIRCH 3 to 4	75	6 00	
C	C. betulus. EUROPEAN HORNBEAM	3 00	27 50	
		$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	
		1 25 1 00	10 00 8 00	
	C. caroliniana. AMERICAN HORNBEAM	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	
C	ASTANEA: Chestnut	1 00		
	C. sativa. ITALIAN or SPANISH CHESTNUT. 3 to 4	2 50 2 00	20 00 15 00	
		$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00 80 00
		1 00 75	7 50 6 00	60 00 50 0 0

CASTANEA: Chestnut, Cont'd. Diameter in			
inches Height in i		Per 10	Per 100
6 to	8 1 25		
CATALPA bignonloides	6 1 00 2 50	8 00 20 00	
$2\frac{1}{2}$ to 3	2 00 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 to 2½ to 1	1 25	10 00	
		$\begin{array}{c} 8 & 00 \\ 6 & 00 \end{array}$	
C. speciosa 3 to 4 2½ to 3	$\begin{array}{cccc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	125 00
2 to 2½	$\overline{1}$ $\overline{50}$	12 50	100 00
	$12 \qquad \overline{1} 00$	10 00 8 00	80 00 60 00
8 to 1	10 7 5 4 00	6 00	50 00
CEDRELA SHEHSIS 4 to 6	3 00		
CELTIS australis	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	125 00
C. occidentalis. AMERICAN NETTLE TREE or HACKBEH	1 50	12 50	100 00
3 + to 4	2 50 2 00	20 00	195 00
	1 50	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	$125 00 \\ 100 00$
		10 00 8 00	80 0 0
CERCIS, Judge Tree			
C. siliquastrum. EUROPEAN JUDAS TREE.	5 00		
		$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	
6 to	8 1 25	10 00	
CLADRASTIS tinctoria (Virgilla lutea). YELLOW WOOD.	2 50		
10 to 1	1 50		
CRATAEGUS: Thorn; Hawthorn C. cordata. WASHINGTON THORN 2 to 2½	2 50	20 00	
		$\begin{array}{cccc} 17 & 50 \\ 12 & 50 \end{array}$	
8 to 1	10 1 25 8 1 00	10 00 8 00	80 00
C. crus-galli. COCKSPUR 2½ to 3	3 00	0 00	
		12 50	
C. monogyna pauli. PAUL'S DOUBLE SCARLET THORN.	12 1 25	10 00	
	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{ccc} {\bf 20} & {\bf 00} \\ {\bf 15} & {\bf 00} \end{array}$	125 00
	$\begin{array}{ccc} & 1 & 50 \\ 1 & 25 \end{array}$	$\frac{12}{10} \frac{50}{00}$	100 00 80 00
10 to 1	1 00	8 00	60 00
8 to 1	8 60	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cc} 50 & 00 \\ 40 & 00 \end{array}$
C. monogyna stricta, PYRAMIDAL THORN12 to 1 C. nlgra	$egin{array}{cccc} 14 & & 2 & 50 \ & 2 & 00 \end{array}$	15 00	
		$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	
8 to 1	1 00	8 00	
C. oxyacantha. ENGLISH HAWTHORN	1 00	$\begin{array}{c} 10 & 00 \\ 8 & 00 \end{array}$	
C. oxyacantha flore pleno. DOUBLE WHITE HAWTHORN.	8 75	6 00	
8 to 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	80 00
C. rubra splendens	2 50 2 00	20 00	00 00
2 to 2½	1 50	$\begin{array}{cc} 15 & 00 \\ 12 & 50 \end{array}$	
C. tomentosa			
		1 5 0 0	
6 to	8 1 25		
DIOSPYROS: Persimmon D. lotus	1 1 25	10 00	
		8 00 6 00	50 00
FAGUS: Beech			30 00
F. sylvatica. EUROPEAN BEECH 3 to 4 2½ to 3	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{c} 20 & 00 \\ 15 & 00 \end{array}$	125 00
2 to 2½	$\begin{array}{ccc} & \overline{1} & 50 \\ & 1 & 25 \end{array}$	$\frac{12}{10} \frac{50}{00}$	100 00 80 00
10 to 1	1 00	8 00	30 00
8 to 1	.0 75	6 00	

	Diameter in			
	F. sylvatica heterophylla. CUT-LEAVED BEECH10 to 12	Each 2 00 1 75	Per 10	Per 100
	F. sylvatica purpurea. PURPLE-LEAVED REECH: COPPER REEC	1 50		
_		$\begin{array}{cc} 2 & 00 \\ 1 & 50 \end{array}$		
ľ	F. americana. AMERICAN WHITE ASH.	2 50	20 00	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 00 1 50.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00
		1 25 1 00	10 00 8 00	80 00
	F. excelsior. EUROPEAN ASH 2½ to 3 2 to 2½	$ \begin{array}{c} 75 \\ 2 00 \\ 1 50 \end{array} $	$\begin{array}{c} 6 & 00 \\ 15 & 00 \\ 12 & 50 \end{array}$	125 00 100 00
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00 8 00	80 00 60 00
G	INKGO biloba. MAIDEN HAIR TREE	75 1 00 75	6 00 8 00	
G	LEDITSCHIA: Honey Locust G. japonica. JAPANESE HONEY LOCUST.	19	6 00	
	3 to 4	$\begin{smallmatrix}2&50\\1&50\end{smallmatrix}$		
	G. triacanthos. COMMON HONEY LOCUST12 to 14	$\begin{array}{ccc} 1 & 25 \\ 1 & 25 \\ 1 & 00 \end{array}$	10 00	
		75 60	8 00 6 00 5 00	
	G. triacanthos inermis. THORNLESS HONEY LOCUST. 3 to 4 2½ to 3	2 50 2 00	20 00	
		1 25 1 00	15 00 10 00	
G	YMNOCLADUS canadensis. KENTUCKY COFFEE TREE.	1 50		
н		1 25 1 00	8 00	
		1 50 1 25	10 00	
12		1 00 75		
	J. californica. CALIFORNIA BLACK WALNUT.	2 50	20 00	
		2 00 1 50	$15 00 \\ 12 50$	$\begin{array}{ccc} 125 & 00 \\ 100 & 00 \end{array}$
		1 25 1 00 75	10 00 8 00	80 00 60 00
	J. nlgra. AMERICAN BLACK WALNUT. 6 to 8	60	5 00	50 00 40 00
		3 00 2 50 1 25	27 50 20 00 10 00	20.00
	10 to 12	1 00 75	8 00 6 00	80 00 60 00 50 00
	J. regia laciniata. CUT-LEAVED ENGLISH WALNUT. 8 to 10	60 1 25	5 00 10 00	40 00
		75 60	6 00 5 00	50 00 40 00
LA	ABURNUM vulgare. GOLDEN CHAIN. 4 to 6	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 27 & 50 \\ 20 & 00 \end{array}$	
		$ \begin{array}{cccc} 2 & 00 \\ 1 & 50 \\ 1 & 25 \end{array} $	15 00	125 00
	L. vulgare aureum. GOLDEN-LEAVED LABURNUM.	1 00 50		
	····· 6 to 8	1 25 1 00		
LA	ARIX: Larch L. decidua. EUROPEAN LARCH 3 to 4	2 50		
	L. leptolepis. JAPANESE LARCH.	75 50	4 00	
		75 60	6 00 5 00	
	READ INSIDE FRONT COVER.			

Diameter in					
inches Height in	n feet		Per 10	Per	100
	$\begin{array}{c} 14 \\ 12 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$17 50 \\ 15 00$		
8 to	10	1 50	12 50		
6 to		$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{cc} 10 & 00 \\ 8 & 00 \end{array}$		
3 to 2 to		75 60	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	40	00
LIRIODENDRON tullpifera. TULIP TREE.	, 0	00	5 00	10	00
4 to 6	0	5 00	40 00		00
6 to		$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{cc} 10 & 00 \\ 8 & 00 \end{array}$		00
3 to	4	75	6 00		
MAGNOLIA acuminata. CUCUMBER TREE	21/2	50			
M. hypoleuca 8 to	10	2 50			
6 to	-	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$			
3 to		1 25			
MELIA azedarach umbraculiformis. TEXAS UMBRELLA TR	EE.	2 00	15 00		
<u>8</u> to		1 75	15 00		
	_	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$		
5 to	_	75 60	6 00 5 00		
MORUS: Mulberry	9	00	3 00		
M. alba. WHITE MULBERRY 6 to		75			
M. "Lick's American" 3 to 4	6	$\frac{60}{250}$	20 00		
2 to 2½	4.4	1 50	12 50		
	14 12	$\frac{1}{75}$	$\begin{array}{ccc} 8 & 00 \\ 6 & 00 \end{array}$	50	00
M. "New American" 3 to 4		$\begin{array}{cccc} 2 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 12 & 50 \end{array}$		
	14	1 00	8 00		00
10 to	12	75	6 00	50	00
	12 10	$\begin{array}{cccc} 1 & 25 \\ 1 & 00 \end{array}$			
	10	2 00			
6 to	8	1 50			
PHELLODENDRON amurense. CHINESE CORK TREE.	6	1 25			
	14	1 25	10 00		
	$\begin{array}{c} 12 \\ 10 \end{array}$	$\frac{1}{75}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	00
	8	60	5 00	40	00
PISTACIA: Pistachio P. atlantica	4	50	4 00		
P. chinensis. CHINESE PISTACHIO.					
	$\frac{5}{3}$	1 00 50	8 00		
PLATANUS: Sycamore; Plane Tree					
P. occidentalis. AMERICAN PLANE; BUTTONWOOD.		3 00	27 50		
3 to 4		2 50	20 00		
2½ to 3 2 to 2½		2 00 1 50	$15 00 \\ 12 50$		
12 to		1 25 1 00	10 00 8 00	80 60	
8 to	10	75	6 00	50	
P. orlentalis. EUROPEAN SYCAMORE; ORIENTAL PLAN	VE.	4 00	35 00		
3 to 4		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 27 & 50 \\ 22 & 50 \end{array}$		
2½ to 3 2 to 2½			17 50		
(\$600.00 per 1,000)		$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	10 00 8 00	80 70	
(\$500.00 per 1,000) 8 to	$\overline{10}$	85	7 00	60	00
(\$400.00 per 1,000)		75 75	6 00	50	00
POPULUS: Poplar					
P. alba bolleana. BOLLES' SILVER POPLAR.		5 00	40 00		
4 to 6		3 50			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12	1 25	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
8 to 6 to		1 00 75	8 00 6 00		
P. alba nivea. SILVER or WHITE POPLAR.					
3 to 4 		$egin{smallmatrix} 2 & 50 \\ 1 & 50 \end{smallmatrix}$	20 00		

	Diameter in inches Height in feet	Each	Per 10	Per 100
	P. balsamifera. BALSAM POPLAR; BALM OF GILEAD.	1 00	8 00	60 00
		75 60 50	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \\ 4 & 00 \end{array}$	50 00
	P. deltoides carolinensis. CAROLINA POPLAR. 6 to 8	4 00	35 00	252.02
		$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 27 & 50 \\ 20 & 00 \\ 15 & 00 \end{array}$	$\begin{array}{ccc} 250 & 00 \\ 175 & 00 \\ 125 & 00 \end{array}$
	(\$500.00 per 1,000)	1 50 1 00	12 50 8 00	$\begin{array}{c} 100 & 00 \\ 60 & 00 \end{array}$
	(\$400.00 per 1,000)	75 60 50	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \\ 4 & 00 \end{array}$	$50\ 00$ $40\ 00$ $30\ 00$
	P. nigra italica. LOMBARDY POPLAR.	4 00	35 00	00 00
		$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 27 & 50 \\ 20 & 00 \\ 15 & 00 \end{array}$	125 00
	(\$500,00 per 1,000)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 8 00	100 00 60 00
	(\$400.00 per 1,000)	75 60	6 00 5 00	40 00
PF	RUNUS amygdalus flore pleno. DOUBLE-FLOWERING ALMOND.	50	4 00	30 00
		75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	50 00
	P. avium flore pleno. LARGE DOUBLE WHITE CHERRY. 2 to 2½ P. cerasus ranunculiflora	$\frac{1}{75}$	$\begin{array}{ccc} 12 & 50 \\ 6 & 00 \end{array}$	
	P. pseudo-cerasus. JAPANESE FLOWERING CHERRY.	50	4 00	
		$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \\ 1 & 25 \end{array}$	15 00	
	P. pseudo-cerasus flore pleno. JAPANESE DOUBLE PINK CHERR		12 50	
	P. persica. FLOWERING PEACH. Double White	75	6 00	
	Versicolored	50 75 75	4 00 6 00	50 00
	3 to 4	60 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	
	Camellia-Flowered Double Rose Double Red Early Red P. cerasifera atropurpurea (P. pissardi). PURPLE-LEAVED PLUI	M.		
	4 to 6	4 00 3 00	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$	
	6 to 8 4 to 6 3 to 4	$\begin{array}{c} 1 & 00 \\ 75 \\ 60 \end{array}$	6 00 5 00	$50\ 00$ $40\ 00$
	P. cerasifera laciniata. CUT-LEAVED PLUM. (new)	50	4 00	10 00
	P. "Vesuvius." BURBANK'S PURPLE-LEAVED PLUM.	$\begin{array}{c} 1 & 00 \\ 75 \end{array}$		
	9. Vestivitis. BURBANK S FURTHE-IDEA VED F16 4 to 6	75 60	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	50 00
	TEROCARYA stenoptera. (new)from 6 in. pots, 4 YRUS: Apple	1 50		
_	P. atropurpurea	75 75		
	P. coronaria. FRAGRANT GARLAND 6 to 8 P. floribunda halllana	75 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	P. floribunda scheideckeri 4 to 6 to 8 to 6 to 6 4 to 6 4 to 6	60 75 60	5 00 6 00 5 00	
	P. loensis bechteli. BECHTEL'S DOUBLE-FLOWERING APPLE. 14x14 in. box, 5 to 6	2 50		
	P. kaldo	2 00 75 60	6 00	
	P. nledwetzkyana 8 to 10 P. spectabilis 8 to 10	75 1 00	6 00 8 00	
	P. spectabilis albo pleno	$1 \begin{array}{c} 60 \\ 25 \\ 75 \end{array}$	$\begin{array}{cccc} 5 & 00 \\ 10 & 00 \\ 6 & 00 \end{array}$	
	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	P. spectabilis roseo pleno	$\begin{array}{c} 60 \\ 1 \ 00 \end{array}$	5 00 8 00	

		ght in feet	Each	Per 10	Per 100
Q.	RCUS: Oak cerris. TURKEY OAK		2 00 1 50 1 25 1 00		
	douglasi. CALIFORNIA WHITE OAK. 3 to 4 2½ to 3 12 10 garryana. OREGON OAK. 2 to 2½ 12	to 12 to 10 to 14	2 50 2 00 1 25 1 00 75 1 50 1 25 1 00 75	20 00 15 00 10 00 8 00 6 00 12 50 10 00 8 00 6 00	
	kelloggi (Q. californica). CALIFORNIA BLACK Oz to 2½ 10 8 8 8 10 8	AK. to 14 to 12 to 10 to 8	2 00 1 50 1 25 1 00 75	12 50 10 00 8 00 6 00	,
	lobata. CALIFORNIA WEEPING or VALLEY OA 3 to 4 2½ to 3 2 to 2½ 12 10 8	to 14	2 50 2 00 1 50 1 25 1 00	20 00 15 00 12 50 10 00 8 00 6 00	125 00 100 00 80 00 60 00 50 00
	macrocarpa. BUR OAK. 3 to 4 2½ to 3	to 14 to 12 to 10	2 50 2 00 1 25 1 00 75 2 50 2 00	20 00 15 00 10 00 8 00 6 00 20 00 15 00	125 00
Q.	rubra. RED OAK. 3 to 4 2½ to 2½ 10 8 2 to 2½	to 14 to 12 to 10	1 50 1 25 1 00 75 2 50 2 00	12 50 10 00 8 00 6 00 20 00 15 00	100 00 80 00 60 00
Q.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14 to 12 to 10 to 14	1 50 1 25 1 00 75 2 00 1 50	12 50 10 00 8 00 6 00	100 00 80 00 60 00 50 00
ROBII		to 12 to 10	1 25 1 00		
R.	hispida. ROSE ACACIA	to 12 to 10 to 8 to 14 to 12 to 10 to 8	1 25 1 00 75 1 50 1 25 1 00 75	10 00 8 00 6 00 12 50 10 00 8 00 6 00	60 00 50 00 100 00
ĸ.	pseudacacia. COMMON or BLACK LOCUST. 4 to 6 3 to 4 2½ to 3 2 to 2½ 10 10 8	to 14 to 12 to 10	3 00 2 50 2 00 1 50 1 25 1 00	27 50 20 00 15 00 12 50 10 00 7 50 6 00	125 00 100 00 75 00 50 00 40 00
	pseudacacia bessoniana. THORNLESS LOCUST. 3 to 4 2½ to 3 12 10 pseudacacia decalsneana. PINK-FLOWERING LOC	to 14 to 12 to 10	2 50 2 00 1 50 1 25 1 00	20 00 15 00 12 50 10 00 8 00	100 00
n.	3 to 4	to 14 to 12 to 10	4 00 3 00 2 50 2 00 1 75 1 50	35 00 25 00 20 00 17 50 15 00 12 50	125 00 100 00
S. S.	C: Willow vitellina aurea. GOLDEN WILLOW	to 14 to 14 to 10 to 8	1 50 1 50 1 00 75 2 50 1 50	12 50 6 00	
			2 00		

	Diameter in			70 40	D 400
SORBUS aucuparia. EUROPEAN MO	inches Heigh UNTAIN ASH; ROWA	t in feet N TREE.	Each	Per 10	Per 100
		to 12 to 10	1 50	12 50 10 00	20.00
		to 8	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	8 00	80 00 60 00
S. domestica. SERVICE TREE		to 6	$\begin{array}{c} 75 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 15 & 00 \end{array}$	50 00
		to 14	1 25	10 00	
	10	to 12	1 00	8 00	
JAPANESE VARNISH TREE; CH	IINESE PARASOL TE	REE.			
	2 to 2½	to 14	$\begin{array}{ccc} {f 1} & 50 \\ {f 1} & 25 \end{array}$	$\begin{array}{cccc} 12 & 50 \\ 10 & 00 \end{array}$	80 00
		to 12	1 00	8 00	30 00
TAXODIUM distichum. BALD CYPRI	8 Fee	to 10	75	6 00	
TAXODIUM disticum. BALD CIPRI	from 6 in. pots, 4	to 5	75	6 00	50 OC
TILIA: Linden	from 6 in. pots, $2\frac{1}{2}$	to 3	50	4 00	30 00
T. americana. AMERICAN LINDI					
		to 12	$egin{array}{ccc} 2 & 50 \\ {f 1} & 50 \end{array}$	20 00	
		to 10	1 25		
T. platyphyllos. EUROPEAN LIN	NDEN; LIME TREE.		3 00	27 50	
	3 to 4		$\frac{3}{2} \frac{50}{50}$	20 00	
		to 14	$\begin{array}{ccc} 2 & 00 \\ 1 & 25 \end{array}$	$15 00 \\ 10 00$	80 00
		to 12	1 00	8 00	60 00
	8	to 10	7 5	6 00	50 00
T. tomentosa. SILVER-LEAVED			3 00	27 50	
	3 to 4	4- 44	2 50	20 00	
		to 14 to 12	$\begin{array}{c} 2 & 00 \\ 1 & 75 \end{array}$		
	8	to 10	1 50		
ULMUS: Elm	6	to 8	1 25		
U. americana. AMERICAN or WI					
			$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 27 & 50 \\ 22 & 50 \end{array}$	250 00 200 0 0
	2½ to 3		$\frac{2}{2} \frac{30}{00}$	15 00	125 00
(\$600.00 per 1,000)	2 to $2\frac{1}{2}$	to 14	$egin{array}{ccc} {f 1} & 50 \ {f 1} & {f 25} \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	100 00
(\$600.00 per 1,000)		to 12	1 00	7 50	75 00 60 0 0
U. campestris. ENGLISH ELM	8	to 10	$\begin{array}{c} 75 \\ 3 \ 00 \end{array}$	$\begin{array}{ccc} & 6 & 00 \\ 27 & 50 \end{array}$	50 00
	3 to 4		2 75	$\frac{21}{25} \frac{30}{00}$	
	2½ to 3 2 to 2½		$\begin{array}{cc}2&50\\2&25\end{array}$	$\begin{array}{ccc} 22 & 50 \\ 20 & 00 \end{array}$	
		to 14	$\frac{1}{2}$ 00	17 50	
U. campestris clemmeri		to 12	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	15 00	
O. campestris ciemmeri	2 to 2½		1 50	$\begin{array}{c} 15 & 00 \\ 12 & 50 \end{array}$	
		to 14 to 12	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$		
U. campestris cornubiensis. WHE		10 12			
	4 to 6		$\begin{array}{c} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cccc} 27 & 50 \\ 20 & 00 \end{array}$	175 00
			$\frac{2}{2} \frac{30}{00}$	15 00	$\frac{175}{125} \frac{00}{00}$
	\dots 2 to $2\frac{1}{2}$	to 14	$\begin{array}{cc} 1 & 50 \\ 1 & 25 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	100 00
		to 12	1 00	8 00	
U. campestris latifolia. BROAD-L	EAVED ENGLISH E	LM. to 8	75	6 00	
	4	to 6	$\begin{array}{c} 75 \\ 50 \end{array}$	4 00	
U. campestris suberosa. CORK E			$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	$\frac{40}{27} \frac{00}{50}$	$\begin{array}{ccc} 350 & 00 \\ 250 & 00 \end{array}$
	3 to 4		$\frac{3}{2} \frac{50}{50}$	$\frac{21}{22} \frac{50}{50}$	200 00
			$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	$125 \ 00 \ 100 \ 00$
		to 14	1 25	10 00	80 00
		to 12 to 10	$\begin{array}{c} 1 \ 00 \\ 75 \end{array}$	8 00 6 00	$\frac{60}{50} \frac{00}{00}$
	6	to 8	60	5 00	40 00
U. scabra dovaei	3 to 4		$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	
	2 to $2\frac{1}{2}$		$\frac{2}{2} \frac{30}{00}$	15 00	
U. scabra huntingdoni. HUNTING	GDON ELM.		4.00	95 00	
			$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{cc} 35 & 00 \\ 25 & 00 \end{array}$	200 00
	$2\frac{1}{2}$ to 3		2 50	20 00	175 00
		to 14	$\begin{array}{c}2&00\\1&75\end{array}$	$17 50 \\ 15 00$	$egin{array}{cccc} 150 & 00 \ 125 & 00 \end{array}$
		to 12	1 50	12 50	100 00
		to 10 to 8	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	10 00 8 00	75 00
	INSIDE FRONT CO				

CHEHORKII NORSERI COMIANI, I	IN C.		
Diameter in inches Height in feet	Each	Per 10	Per 100
ZELKOVA acuminata (Z. kaki). JAPANESE ELM.	3 00		;
	$\begin{array}{cc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	
2 to 2½	1 50	10 00	
ZIZYPHUS jujuba	$\begin{array}{cc} 2 & 50 \\ 2 & 00 \end{array}$		
DECIDUOUS WEEPING TR	EES		
Diameter in inches Height in feet	Each	Por 10	Dan 100
ACER saccharlnum wieri. WIER'S CUT-LEAVED MAPLE.	1 25	4 127	Per 100
4 to 6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00	
BETULA alba pendula laciniata. CUT-LEAVED WEEPING BIRCH.	1 00		
CRATAEGUS monogyna pendula. WEEPING HAWTHORN.	9.00	45 00	
2 to 2½	$\begin{array}{c}2&00\\1&50\end{array}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	
	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$		
FRAXINUS excelsior pendula. EUROPEAN WEEPING ASH.	5 00		
F. excelsior aurea pendula. GOLDEN WEEPING ASH.			
10 to 12	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$		
JUGLANS regia pendula. WEEPING WALNUT.	5 00		
2 to 2½	3 00		
LABURNUM vulgare pendulum. WEEPING LABURNUM.	2 50	20 00	
MORUS alba tatarica pendula. TEA'S WEEPING MULBERRY.	2 00	15 00	
4 to 6	1 50		
POPULUS tremula pendula. WEEPING POPLAR.	3 00		
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 17 & 50 \\ 12 & 50 \end{array}$	
PRUNUS pendula. JAPANESE WEEPING ROSE-FLOWERING CHEI	RRY.		
Top-worked on straight stems, extra large head 7 to 8	$\begin{array}{cc} 3 & 00 \\ 2 & 50 \end{array}$	25 00	
5 to 6	$\begin{array}{c}2&00\\1&50\end{array}$	$\begin{array}{ccc} 17 & 50 \\ 12 & 50 \end{array}$	100 00
SALIX babylonica. WEEPING WILLOW12 to 14	1 25 1 00	10 00	
8 to 10	75		
S. babylonica aurea. GOLDEN WEEPING WILLOW. (new)	60		
6 to 8	1 00 75	$\begin{array}{c} 7 & 50 \\ 6 & 00 \end{array}$	
S. "Lick's Weeping" 2½ to 3 2 to 2½	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$17 50 \\ 15 00$	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
8 to 10	1 00	8 00	
SORBUS aucuparia pendula. WEEPING MOUNTAIN ASH.	1 25	10 00	
ULMUS scabra pendula. CAMPERDOWN ELM.	4.00	25 00	
2½ to 3	4 00 3 00	$\begin{array}{ccc} 35 & 00 \\ 27 & 50 \end{array}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	15 00	
1 to 1½	1 50	12 50	
DECIDUOUS FLOWERING SH	RUB	S	
ACER palmatum. JAPANESÈ MAPLE. Height	Each	Per 10	Per 100
Assorted varieties	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 17 & 50 \end{array}$	
ARALIA spinosa. HERCULES CLUB 10 to 12 ft.	1 00	8 00	
AZALEA sinensis (A. mollis)from 8 and 10 in. pots, 2 to 3 ft.	75 2 00	6 00	
from 7 in. pots, 6 to 12 in.	1 25		~~
BERBERIS thunbergi. THUNBERG'S BARBERRY 1 to 2 ft. B. vulgaris. COMMON BARBERRY 3 to 4 ft.	35 60	3 00 5 00	25 00
2 to 3 ft.	50	4 00	

Height	Each	Per 10	Per 100
B. vulgaris atropurpurea. PURPLE-LEAVED BARBERRY.	75	6 00	
BOUVARDIA triphylla (B. jacquini)from 5 in. pots, 1½ to 2 ft.	60 75	5 00	
CAESALPINIA gilliesi. POINCIANA	50 75	4 00	30 00
1 to 2 ft.	60		
CALYCANTHUS floridus. SWEET-SCENTED SHRUB 2 to 3 ft. C. praecoxfrom 5 in. pots, 2 to 2½ ft.	75 75	6 00	
CARYOPTERIS mastacanthus. BLUE SPIREA 3 to 4 ft.	75	6 00	50 00
COLUTEA arborescens. BLADDER SENNA 4 to 6 ft. CORNUS: Dogwood	7 5	6 00	
C. alba sibirica. SIBERIAN DOGWOOD 2 to 3 ft.	50 35	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
C. alternifolia. BLUE DOGWOOD	75 60		
C. sangulnea	75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	50 00 30 00
CORYLUS maxima purpurea. PURPLE-LEAVED FILBERT.	40	3 00	20 00
	$\frac{1}{75}$	7 50	50 00
CYDONIA japonica. JAPAN SCARLET QUINCE 6 to 8 ft.	75	6 00 5 00	40 00 40 00
	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$	25 00
C. japonica alba. JAPAN WHITE QUINCE 3 to 4 ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$	
C. japonica grandiflora rosea	1 00		
C. sessilifolius	50 50	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	
DEUTZIA fortunei 6 to 8 ft.	75	6 00	40 00
	60 50	$\begin{array}{c} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 30 & 00 \\ 25 & 00 \end{array}$
D. gracilis rosea	$\begin{array}{c}1~00\\75\end{array}$	8 00 6 00	
D. lemoinei	50 50	$\begin{array}{c} 4 & 00 \\ 4 & 00 \end{array}$	40.00
	75 60	6 00 5 00	40 00 30 00
D. scabra candidissima. (new) 3 to 4 ft.	50 1 00	4 00 8 00	
3 to 4 ft.	$\begin{array}{cc}1&25\\1&00\end{array}$	10 0 0 8 0 0	
Dr. Baillon (dark crimson) 3 to 4 ft.	1 00		
Eva Rathke (deep carmine red)	$\begin{array}{c} 1 & 00 \\ & 50 \end{array}$	4 00	
Assorted	$\begin{array}{c} 75 \\ 60 \end{array}$	6 '00 5 00	50 00 40 00
D. florida (W. rosea) (pink) Lavallei (bright crimson)	50	4 00	25 00
Abel Carriere (rosy carmine) Van Houttei (carmine pink Hendersoni (deep rose))		
EDGEWORTHIA gardneri (E. papyrifera), (new) 1 to 2 ft.	75	6 00	50 00
ELAEAGNUS longipes	50 35	3 00	25 00
EXOCHORDA grandiflora. PEARL BUSH	1 50 60		20 00
FORSYTHIA: Golden Bell		5 00 .	
F. suspensa 4 to 6 ft. F. suspensa fortunei 8 to 10 ft. 6 to 8 ft.	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	8 00	
4 to 6 ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	40 00
FUCHSIA mageilanica riccartoni 3 to 4 ft.	$\begin{array}{c} 50 \\ 1 \ 00 \end{array}$	4 00	
HIBISCUS syriacus. ALTHEA; ROSE OF SHARON.	75	6 00	
Seedlings	35 50	3 00	20 00
Ardens (blue) Ardens (blue) Duchesse de Brahant (red)	50	4 00	
Boule de Feu (purplish red) Carnea plena (flesh) Boule de Feu (purplish red) Jeanne d'Arc (pure white)			
HYDRANGEA arborescens sterilis. HILLS OF SNOW 4 to 6 ft	1 25	10 00	
from 5 in. pots, 2 ft.	60	5 00	

HYDRANGEA, Cont'd.		Н	[eig]	ht		Each	Per	10	Per	100
H. hortensis		2 1½	to to	$\frac{2\frac{1}{2}}{2}$	ft. ft.	75 · 60		00 .	*!	
from 6 in.	.balled,	1 2		11/2	ft. ft.	50 60	4	00		5 0 0
from 6 in	pots,	11/2		2	ft. ft.	50 40	4	00	3	00
from 4 in. H. hortensis algakafrom 7 in.	pots,	4 1½	to	8	in. ft.	25 75		00	C T	
H. hortensis roseafrom 6 in.	nots.	$1\frac{1}{2}$	to	2	ft.	50		00		00 0
from 6 in	pots,	1 4	to to		in.	40 25		00		5 00
H. hortensis "Thos. Hogg"from 6 in. H. hortensis varlegata. VARIGATED HYD	RANGE	Α.		21/2		75				
from 6 in.	pots, pots,	2½ 2	to to	3 2½	ft. ft.	60 50		00 00	3	00
JASMINUM fruticansfrom 5 in.	pots,			31/2	ft.	75				
KERRIA (Corchorus) K. japonica. JAPANESE ROSE (single-flow	rering)	3	to	4	ft.	40	3	00	20	0 0 0
K. japonica aurea	pots,	2	to to	3	ft. ft.	35 50	3	00		, 00
K. japonica flore pleno. DOUBLE-FLOWE	RING K				ft.	75	7	00		
••••••			to	-	ft.	60				
LAGERSTROEMIA indica. CRAPE MYRTLE.		9	to	21/2	f+	1 00				
LEYCESTERIA elegans			to		ft.	50				
LIPPIA citriodora. LEMON VERBENA		6	to		ft.	75	6	00		
*******************************		_	to to		ft. ft.	$\begin{array}{c} 50 \\ 40 \end{array}$		00 00	. 3	0 0 0
LONICERA tatarica. TARTARIAN HONEYSU	CKLE	2	to	3	ft.	50	4	00		
MAGNOLIA obovata (M. purpurea)		4 3	to to		ft. ft.	$\begin{array}{ccc}1&50\\1&25\end{array}$	10	0.0		
M. soulangeana10x10 in.	box,	4	to to	5	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12			
M. soulangeana alba superba12x12 in. M. soulangeana alexandrina10x10 in.	box,	4 5	to to	5	ft. ft.	3 00 3 0 0	12	บบ		
M. soulangeana amabilis10x10 in. M. soulangeana nigra	box,	5 4	to to	6	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.77	50		
M. stellata. STARRY MAGNOLIA	.balied,	3	to to	4	ft. ft.	$\frac{1}{1}$ $\frac{75}{2}$ $\frac{2}{50}$	17	90		
***********	.balled,	-	to	4	ft. ft.	2 25 3 50				
M. yulan (M. conspicua)12x12 in.	.balled,	4	to	6	ft.	2 - 50	22	50		
PAEONIA moutan. TREE PEONY.	pots,	ð	to	4	ft.	1 75				
Purplefieldfield		$\frac{3}{2}$			ft. ft.	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$				
Assortedfrom 6 and 7 in.		4	to	ย	16.	$\stackrel{\scriptstyle 2}{2}$ $\stackrel{\scriptstyle 00}{00}$	17	50		
PALIURUS spina-christi (P. aculeatus). CHRIS		ORN	•	4	ft.	75	6	00		
from 7 in.		3	to	31/2		60	5	00		
PHILADELPHUS: Mock Orange; Syringa P. coronarius. GARLAND SYRINGA		4	to	6	ft.	75	6	00	4	00
P. inodorus (P. grandiflorus). LARGE-FLO	WERING	$^3_{\mathrm{SY}}$		$_{ m IGA.}^4$	ft.	60	5	00	3!	5 00
		6	to 1	8	ft. ft.	1 00 75		00		00 0
PRUNUS japonica. DWARF DOUBLE-FLOWE			to		ft.	60	5	00	38	5 00
		3	to	4	ft.	75	_			
Double Pink Double	White		to		ft.	60		00		
P. mume. JAPANESE FLOWERING APR		3		4	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	5	0 0		
Double Pink Sin	gle Pink		to	3	ft.	50	4	00		
Double Red Sin	gle Red									
P. spinosa. BLACKTHORN; SLOE		4	to		ft.	75		00		00
		2	to to	3	ft. ft.	$\begin{array}{c} 60 \\ 50 \end{array}$		00	38	5 00
P. tomentosa		3		4	ft. ft.	75 60		00		
P. triloba. DOUBLE-FLOWERING PLUM.		2	to	3	ft.	50				
2 to 2½ in. in d			to		ft.	2 50 75				
		2	to	3	ft.	60				

PUNICA: Pomegranate	Height	Each Per 10	Per 100
P. granatum	to 6 ft. to 4 ft.	75 6 00 60 5 00	50 00 40 00
Double Red Mad. Legrelle	to 2 ft.	30 2 50	20 00
Double White			
P. granatum nana. DWARF POMEGRANATE. (red)	to 1½ ft.	35 3 00	25 00
RHUS cotinus. PURPLE FRINGE; SMOKE TREE 4	to 4 It.	1 00 8 00 75 6 00	
R. cotinus atropurpurea. DARK PURPLE FRINGE.	to 3 ft.	50 1 00	
R. giabra laciniata. CUT-LEAVED SUMACH2	to 3 ft. to 3 ft.	75 1 00	
RIBES aureum. YELLOW-FLOWERING CURRANT 6	to 8 ft.	75 6 00	
R. gordonianum	to 8 ft. to 6 ft.	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	40 00 35 00
R. sanguineum. RED-FLOWERING CÜRRANT 6	to 4 ft.	50 4 00 75 6 00	30 00 50 00
	to 6 ft. to 4 ft.	60 5 00 50	40 00
SAMBUCUS canadensis aurea. GOLDEN ELDER 1 S. canadensis laciniata. CUT-LEAVED ELDER 8	to 2 ft. to 10 ft.	50 75 6 00	E0. 00
······· 6	to 8 ft. to 3 ft.	60 5 00 50 4 00	50 00 40 00
5. canadensis variegata. VARIEGATED ELDER 8	to 10 ft. to 8 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 50 & 00 \\ 40 & 00 \end{array}$
SPIRAEA: Spirea	to 3 ft.	50 4 00	
S. bumalda "Anthony Waterer" 3	to 4 ft. to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
S. californica 3 S. cantoniensis (S. reevesi; S. lanceolata) 4	to 4 ft. to 6 ft. to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00 30 00
S. cantonien sis flore pieno	to 4 ft. to 4 ft. to 6 ft.	$egin{array}{ccccc} 40 & 3 & 00 \\ 50 & 4 & 00 \\ 1 & 00 & 8 & 00 \\ \end{array}$	$\begin{array}{cc} 25 & 00 \\ 30 & 00 \end{array}$
S. thunberg! 1 S. van houttel 4	to 2 ft. to 6 ft.	75 6 00 50 4 00	30 00
STAPHYLEA: Bladder Nut	to 4 ft.	40 3 00	25 00
S. colchica	to 10 ft. to 10 ft.	75 6 00 75 6 00	
SYMPHORICARPOS: Snowberry S. occidentalis. WESTERN SNOWBERRY 4	to 6 ft.	75	
5. racemosus. EASTERN SNOWBERRY 4	to 6 ft.	75 50 4 00	30 00
S. vulgaris. INDIAN CURRANT; RED-FRUITED SNO	WBERRY. to 4 ft.	50 4 00	00 00
SYRINGA: Lilac S. chinensis sougeana (S. rothomagensis rubra) 3	to 4 ft.	50 4 00	
S. vulgaris aiba. COMMON WHITE LILAC	to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
Grafted sorts (new)	to 3 ft. to 2 ft.	50 75	
Belle de Nancy (satlny rose) Mad. Abel Char Philemon (very dark purple) white, double	atenay (pure e)		
Grafted (general assortment) 4	to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Alba grandiflora (white) Gloire de Lorralne (p	to 3 ft. ourplish Michel	50 4 00 Buchner (pale	Illac)
Charles the Tenth (reddish red) purple) Gloire des Moullns (reddish red) Gloire des Moullns (reddish red) Gloire des Moullns (reddish red)	rosy lilac`	n Cut-Leaved (
De Croncels (number 1 Ludwig Spaceth (vloke	niue) Pres. I	Grevy (purplish Massart (reddlsh le)	blue)
Frau Bertha Dammann purple) (white) Mad. Casimir Perier	Rubra (white) (pur	In s ignis (Sang plish r ed)	rulnea)
Gigan tea (blue) Marie Legraye (white TAMARIX: Tamarisk	e)		
T. hispida aestivalis	to 6 ft. to 4 ft.	75 6 00 60 5 00	
Assorted	to 8 ft. to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
T. algerica T. parviflora (T. africa T. odessanna T. parviflora purpures			

TY.: \	T21	The state	D # 0.0
VIBURNUM opulus (V. oxycoccus). CRANBERRY BUSH.	Each	Per 10	Per 100
V. opulus sterile. COMMON SNOWBALL 6 to 8 ft.	. 50 75	6 00	40 00
	60 50	5 00 4 00	35 00 30 00
V. tomentosum plicatum. JAPANESE SNOWBALL 4 to 6 ft.	1 00	8.00	30 00
VITEX incisa. CUT-LEAVED VITEX.	. 60		
XANTHOCERAS sorbifolia. YELLOW HORN 1 to 2 ft.			
XANTHOCERAS sorbifolia. YELLOW HORN 1 to 2 ft.	75		, ,
CLIMBING PLANTS			
CLIMBING 1 LANTS			
ACTINIDIA chinensis. (new)from 4 in. pots,	Each 75	Per 10	Per 100
AKEBIA lobata	50	4 00	
A. quinata	$\frac{40}{60}$	3 00	
AMPELOPSIS quinquefolia. VIRGINIA CREEPER; WOODBINE.	50	4 00	30 00
A. tricuspidata (A. veitchi). BOSTON IVY; JAPAN IVY.	40	3 00	25 00
small, field grow		2 00	15 00
A. tricuspidata atropurpurea	40 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
BIGNONIA buccinatoria (B. cherere)from 5 in. pots,	50	• 4 00	25 00
B. capreolata. CROSS VINE	$\begin{array}{c} 40 \\ 75 \end{array}$	3 00	20 00
B. speciosa	$\begin{array}{c} 75 \\ 40 \end{array}$	$\begin{array}{cccc} 6 & 00 \\ 3 & 00 \end{array}$	25 00
B. venusta	75 50	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	50 00 35 00
BOUGAINVILLEA glabra sanderiana	50	1 00	30 00
B. glabra variegata (B. "Wm. K. Harris"). (new). from 4 in. pots, B. spectabilis	$\begin{array}{c} 1 & 00 \\ 1 & 25 \end{array}$	10 00	
from 6 in. pots,	$\frac{1}{75}$	8 00 6 00	60 00 50 00
from 4 in. pots,	50	4 00	35 00
CISSUS striata (Ampelopsis sempervirens). EVERGREEN AMPELOPS	60 60	5 00	40 00
CLEMATIS montana	50 50	4 00 4 00	30 00 35 00
	40	3 50	33 00
from 5 in. pots,	75 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 00
C. paniculata	50 6 0	$\frac{4}{5} \frac{00}{00}$	
Large Flowering—assortedfrom 5 in. pots.	$\begin{smallmatrix} 50\\1&00\end{smallmatrix}$	4 00	
from 5 in. pots,	75		
Duchess of Edinburg (double Jackmanni (purple) White) Jackmanni rubra (red)			
Henryi (single white) Ramona (light blue)	F0	4 00	80.00
CLIANTHUS puniceus. PARROT'S BILLfrom 5 in. pots,	$\begin{array}{c} 50 \\ 40 \end{array}$	4 00 3 0 0	$\begin{array}{cccc} {\bf 30} & 00 \\ {\bf 25} & 00 \end{array}$
C. puniceus albus	75 50	$\begin{smallmatrix}6&00\\4&00\end{smallmatrix}$	30 00
DECUMARIA barbara. CLIMBING SNOWBALLfrom 6 in. pots,from 4 in. pots,	50 40	$\frac{4}{3} \frac{00}{00}$	20 00
DOLICHOS Ilgnosus. AUSTRALIAN PEA VINEfrom 4 in. pots,	35	3 00	20 00 25 00
D. lignosus albus	50	4 00	
FICUS pumila (F. repens). CLIMBING FIGfrom 5 in. pots,	1 00 50	4 00	30 00
F. pumila minima. (new)	35 1 00	3 00	25 00
H. monophylla	75	6 00	
HEDERA helix. ENGLISH IVY	40 30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
H. helix variegata. VARIEGATED ENGLISH IVY.	75	6 00	
from 4 in. pots,	35	3 00	25 0 0
HIBBERTIA volubilis	1 25 50	4 00	
HUMULUS lupulus. HOP VINEroots,	10	50	
IPOMEA mexicana	35	3 00	25 .00
JASMINUM azoricum	50 40	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{cc} 35 & 00 \\ 25 & 00 \end{array}$
J. grandiflorum. CATALONIAN JASMINEfrom 4 in. pots.	40	3 00	25 00

J. humile (J. revolutum). ITALIAN YELLOW JASMINE.	Each	Per 10	Per 100
from 6 in. pots, from 5 in. pots,	50	4 00	00.00
J. ligustrifolium from 5 in pots	$\begin{array}{c} 40 \\ 50 \end{array}$	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	20 00
J. nitldum	50	4 00	:
J. officinale. JESSAMINE: COMMON JASMINEfield grown.	60	5 00 3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
J. primulinum. DOUBLE YELLOW JASMINEfrom 5 in. pots,	50	4 00	25 00
LONICERA japonica chinensis. CHINESE HONEYSUCKLE.	40	3 00	
····· from 5 in. pots.	35	3 00	25 00
L. japonica halliana. JAPANESE HONEYSUCKLE.	30	2 50	20 00
from 5 in nots	35	3 00	25 00
	30	2 50	20 00
from 5 in. pots,	.LEi	*	
MANDEVILLA suaveolens. CHILE JASMINE from 4 in. pots,	40	3 00	
MILLETTIA megasperma (Wistaria megasperma), (new)		0 00	
·····from 5 in, nots.	3 00		
MUEHLENBECKIA complexa. WIRE VINE; MAIDEN HAIR VINE.	2 50		
·····from 5 in pots	40	3 00	25 00
·····from 4 in. pots,	35	2 50	20 00
PASSIFLORA: Passion Vine P. alato-caerulea (P. pfordti)	F.0	4 00	
P. edulisfrom 4 in nots	$\begin{array}{c} 50 \\ 50 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	
P. ligularis. (new)from 6 in. pots,	1 00	1 00	
PHASEOLUS caracalla. SNAIL VINE; CORKSCREW FLOWER.	75		
from 4 in. pots,	50		
PITHECOCTENIUM clematideum (Bignonia alba)from 6 in. pots.	50	4 00	30 00
·····from 4 in. pots,	40	3 00	20 00
PLUMBAGO capensis	35	3 00	25 00
P. capensis alba	30 35	$egin{array}{ccc} 2&50\ 3&00 \end{array}$	$\begin{array}{cccc} 20 & 00 \\ 20 & 00 \end{array}$
SOLANUM jasminoldes, POTATO VINE from 4 in note	40	3 00	25 00
S. rantonneti	75	¢ 00	
SOLLYA heterophylla. AUSTRALIAN BLUEBELLfrom 5 in. pots,	75	, 6 00	50 00
from 4 in. pots,	. 60 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\frac{40}{30} \frac{00}{00}$
TACSONIA: Passion Vine T. manicata ignea, SCARLET PASSION VINE from 4 in nots	40	3 00	20 00
T. mollissima. PINK PASSION VINE	40	3 00	20 00
TECOMA australis. WONGA-WONGA VINE from 5 in. pots, T. capensis from 5 in. pots,	35 50	$egin{array}{ccc} 2&50 \ 4&00 \end{array}$	$\begin{array}{c} 15 & 00 \\ 30 & 00 \end{array}$
from 4 in note	40	3 00	90 00
T. grandiflora (Bignonia grandiflora; B. chinensis). CHINESE TRUMPET VINEfield grown,	1 00	8 00	
	75		
1. jasminoides	50 50	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	30 00
T. jasminoides alba from 5 in. pots,	40	3 00	20 00
·····from 4 in. pots.	50 40	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
T. radicans. COMMON TRUMPET VINEfield grown, T. ricasolina (T. mackeni)	35	3 00	
1. smithifrom 5 in. pots.	$\frac{50}{60}$	$\begin{array}{cc} 4 & 00 \\ 5 & 00 \end{array}$	30 00
·····from 4 in. pots,	50	4 00	
TRACHELOSPERMUM jasminoides (Rhynchospermum jasminoides). STAR JASMINE	1 0"		
	1 25 75		
VITIS capensis. EVERGREEN GRAPEfrom 5 in. pots,	1 00		
·····from 4 in. pots,	75		
WISTARIA chinensis albiflora. WHITE CHINESE WISTARIA.	75	6 00	FO 00
W. Chinensis flore pleno. DOLIBLE-FLOWERING CHINESE WITCHAT	75 RIA.	6 00	50 00
W. chinensis fragrans. FRAGRANT WHITE WISTARIA	1 00		
field grown medium	75	6 00	50 00
W. multijuga. JAPANESE WISTARIAfield grown, large, W. multijuga alba. WHITE JAPANESE WISTARIA.	2 00		
	2 00		
W. multijuga rosea. PINK JAPANESE WISTARIA.	75	6 00	50 00
····· field grown medium	2 00		
W. speciosa magnifica	1 50	F 00	
PEAD WORD TOOM, medium,	60	5 00	

BAMBOO

· ·							
•			Height		Each	Per 10	Per 100
ARUNDINARIA faiconeri	balled clumps,	3	to 4	ft.	1 50		
BAMBUSA fastuosa		10	to 12 to 5	ft. ft.	$\begin{array}{ccc} 2 & 00 \\ 1 & 00 \end{array}$		
B. palmata		4	to 6 to 4	ft. ft.	75 60	6 0 0 5 00	50 00 40 00
B. vittata-argentea (B. ve	erticiliata)						
	balled clumps,	small	,		50	4 00	
PHYLLOSTACHYS castilionis	major14x16 in. box,balled clumps,	5 5	to 6	ft. ft.	2 0 0 1 50		
p. henonis	balled clumps, balled clumps,	$\frac{4}{3}$	to 5 to 4	ft. ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$		
P. marliacea. WRINKLE							
	balled clumps,balled clumps,	10 8	to 12 to 10	ft. ft.	$\begin{array}{cc}2&50\\2&00\end{array}$		
P. quilioi	14x16 in. box,	6	to 8	ft.	2 00		
Assorted	balled clumps,	8	to 12 to 10	ft. ft.	$\begin{array}{cc}2&00\\1&75\end{array}$	17 50 15 00	$150 00 \\ 125 00$
	balled clumps, balled clumps, balled clumps, balled clumps,	4	to 8 to 6 to 4	ft. ft. ft.	1 50 1 00 75	12 50 7 50 6 00	$ \begin{array}{cccc} 100 & 00 \\ 60 & 00 \\ 50 & 00 \end{array} $
A. hindsi A. japonica A. simoni	P. aurea P. quilio	L .	10 4	Lt.	10	• • • •	30 00
ARUNDO donax. GIANT RI	EEDballed clumps,				50	4 00	

PALMS

	Each	Per 10	Per 100
CHAMAEROPS humilis. DWARF FAN PALM18x18 in. box, 5 to 6 ft.	5 00		
	4 00		
	$\begin{array}{cc} 3 & 00 \\ 2 & 00 \end{array}$		
	5 00	40 00	
balled, 5 to 6 ft.	4 00	35 00	300 00
balled, 4 to 5 ft. balled, 3 to 4 ft.	$\begin{smallmatrix}3&00\\2&00\end{smallmatrix}$	$\begin{array}{ccc} 25 & 00 \\ 17 & 50 \end{array}$	$\begin{array}{ccc} 200 & 00 \\ 150 & 00 \end{array}$
C. humilis argenteaballed, 3 to 4 ft.	3 00	25 00	130 00
balled, 3 to 4 ft.	2 50	20 00	
balled, 2 to 3 ft.	1 75	15 00	
COCOS australls (C. eriospatha)24x24 in. box, 7 to 8 ft.	$\begin{array}{ccc} 20 & 00 \\ 7 & 50 \end{array}$		
	6 00	50 00	
balled, 2 to 3 ft.	4 00	30 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	60 00
C. bonneti	20 00	0 00	00 00
12x14 in box, 3 to 4 ft.	7 00		
boxed, 4 to 5 ft. boxed, 3 to 4 ft.	$\begin{array}{c} 8 & 00 \\ 6 & 00 \end{array}$		
balled, 2 to 3 ft.	4 00		
balled, 1½ to 2 ft.	3 00		
C. campestris	$\begin{array}{ccc} 1 & 50 \\ 5 & 00 \end{array}$		
balled, 4 to 5 ft.	3 00		
C. flexuosaballed, 7 to 8 ft.	6 00		
balled, 6 to 7 ft. balled, 5 to 6 ft.	$\begin{array}{cccc} 5 & 00 \\ 4 & 00 \end{array}$		
c. plumosaballed, 6 to 7 ft.	5 00		
balled, 5 to 6 ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
ERYTHEA armata. BLUE PALM24x24 in. box, 7 to 8 ft.	10 00		
boxed, 8 to 10 ft.	8 00		
boxed, 6 to 8 ft.	6 00 5 00	50 00 40 00	
boxed, 5 to 6 ft. boxed, 4 to 5 ft.	4 00	40 00	
E. edulis. GUADALUPE ISLAND PALM.			
	10 00	*	
boxed, 8 to 10 ft. boxed, 6 to 8 ft.	$\begin{array}{ccc} 10 & 00 \\ 6 & 00 \end{array}$	50 00	
from 7 in. pots, $1\frac{1}{2}$ to 2 ft.	1 50	12 50	
from 5 in pots, 1 to $1\frac{1}{2}$ ft.	$\begin{array}{c} 1 & 00 \\ 6 & 00 \end{array}$	8 00	
E. elegans	10 00		
boxed, 4 to 5 ft.	8 00		

	Per 10	Per 100
HOWEA (Kentla) H. forsterlanamade up, 3 plants in 8 in. pot, 3½ to 4 ft. 6 00		· · · · · ·
JUBAEA spectabills. WINE PALM20x20 in. box, 5 to 6 ft. 15 00boxed, 6 to 7 ft. 15 00		
LIVISTONIA quatrolia (Converse a sustralia)		
LIVISTONA australis (Corypha australis)		
PHOENIX canarlensis. CANARY ISLAND DATE PALM.	8 00	
12x14 in. box, 3 to 4 ft. 3 00		
	40 00	350 00
balled. 5 to 6 ft. 4 00 balled. 4 to 5 ft. 3 00	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$	250 00 200 00
balled, 3 to 4 ft. 2 00	17 50	150 00
balled, 2 to 3 ft. 1 50 balled, 1½ to 2 ft. 1 00	$\begin{array}{ccc} 12 & 50 \\ 8 & 00 \end{array}$	$100 00 \\ 60 00$
P. dactylifera. TRUE DATE PALMboxed, 10 to 12 ft. 8 00boxed, 8 to 10 ft. 7 00		
P. humilis loureiri (P. roebellnl). PYGMY DATE PALM.		
from 7 in. pots, 1 to 1½ ft. 2 00from 6 in. pots, 1 ft. 1 50		
P. reclinata		
12 in. tub, 3 to 4 ft. 3 50		
boxed, 6 to 7 ft. 6 00 balled, 4 to 5 ft. 3 50	$\frac{50}{30} \frac{00}{00}$	
P. tenuis	25 00	
20x20 in. box, 8 ft. 10 00		
RHOPALOSTYLIS bauerl (Areca bauerl)from 6 in. pots, 2 to 2½ ft. 2 00		
$1\frac{1}{2}$ to 2 ft. 1 50		
SABAL blackburnianumballed, 6 to 7 ft. 4 00balled, 4 to 5 ft. 3 00		
S. ghlesbreghtiballed, 3 to 4 ft. 2 50	20 00	
S. ghlesbreghti balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 3 to 4 ft. 2 00		
S. ghlesbreghti balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 3 to 4 ft. 2 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 4 to 5 ft. 2 50	25 00	
S. ghlesbreghti balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 3 to 4 ft. 2 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 4 to 5 ft. 2 50 S. umbraculiferum balled, 3 to 4 ft. 2 50	25 00 20 00 20 00	
S. ghlesbreghti balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 3 to 4 ft. 2 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 4 to 5 ft. 2 50 S. umbraculiferum balled, 3 to 4 ft. 2 50 balled, 2 to 3 ft. 1 50 balled, 1½ to 2 ft. 1 00	25 00 20 00	
S. ghlesbreghti	25 00 20 00 20 00 12 50	
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00	
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00	
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00	
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00	
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00	400 00 300 00
S. ghlesbreght!	25 00 20 00 20 00 12 50 8 00 70 00 50 00 40 00 30 00	$\begin{array}{ccc} 300 & 00 \\ 250 & 00 \end{array}$
S. ghlesbreghti S. macrophyllum balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 4 to 5 ft. 2 50 S. umbraculiferum balled, 3 to 4 ft. 2 50 balled, 4 to 5 ft. 2 50 S. umbraculiferum balled, 3 to 4 ft. 2 50 balled, 1½ to 2 ft. 1 00 TRACHYCARPUS (Chamaerops) T. excelsus (Chamaerops excelsa). WINDMILL PALM. 16x16 in. box, 8 to 10 ft. 8 00 14x14 in. box, 6 to 7 ft. 6 00 14x14 in. box, 5 to 6 ft. 4 00 14x14 in. box, 5 to 6 ft. 4 00 10x10 and 10x12 in. box, 4 to 5 ft. 3 50 10x10 and 10x12 in. box, 3 to 4 ft. 2 50 balled, 8 to 10 ft. 6 00 balled, 8 to 10 ft. 6 00 balled, 6 to 8 ft. 5 00 balled, 6 to 8 ft. 5 00 balled, 6 to 6 ft. 3 50 balled, 4 to 5 ft. 2 50	25 00 20 00 20 00 12 50 8 00 70 00 50 00 40 00 30 00 20 00 15 00	300 00 250 00 175 00 125 00
S. ghlesbreghti S. macrophyllum balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 2 50 S. umbraculiferum balled, 4 to 5 ft. 2 50 balled, 2 to 3 ft. 1 50 balled, 1½ to 2 ft. 1 00 TRACHYCARPUS (Chamaerops) T. excelsus (Chamaerops excelsa). WINDMILL PALM. 16x16 in. box, 8 to 10 ft. 8 00 14x14 in. box, 6 to 7 ft. 6 00 14x14 in. box, 5 to 6 ft. 4 00 14x14 in. box, 5 to 6 ft. 4 00 12x12 and 12x14 in. box, 4 to 5 ft. 3 50 10x10 and 10x12 in. box, 4 to 5 ft. 3 50 balled, 8 to 10 ft. 6 00 balled, 8 to 10 ft. 6 00 balled, 6 to 8 ft. 5 00 balled, 5 to 6 ft. 3 50 balled, 4 to 5 ft. 2 50 balled, 4 to 5 ft. 2 50 balled, 3 to 4 ft. 2 00 balled, 4 to 5 ft. 2 50 balled, 5 to 6 ft. 3 50 balled, 5 to 6 ft. 3 50 balled, 5 to 6 ft. 3 50 balled, 5 to 6 ft. 2 50 balled, 4 to 5 ft. 2 50 balled, 5 to 6 ft. 3 50 balled, 5 to 6 ft. 3 50 balled, 5 to 6 ft. 3 50	25 00 20 00 20 00 12 50 8 00 70 00 50 00 40 00 30 00 20 00	$\begin{array}{ccc} 300 & 00 \\ 250 & 00 \\ 175 & 00 \end{array}$
S. ghlesbreghti S. macrophyllum balled, 3 to 4 ft. 2 50 S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 2 50 S. umbraculiferum balled, 4 to 5 ft. 2 50 balled, 2 to 3 ft. 1 50 balled, 1½ to 2 ft. 1 00 TRACHYCARPUS (Chamaerops) T. excelsus (Chamaerops excelsa). WINDMILL PALM. 16x16 in, box, 8 to 10 ft. 8 00 14x14 in, box, 6 to 7 ft. 6 00 14x14 in, box, 6 to 7 ft. 6 00 14x14 in, box, 4 to 5 ft. 3 50 10x10 and 10x12 in, box, 4 to 5 ft. 3 50 10x10 and 10x12 in, box, 3 to 4 ft. 2 50 balled, 8 to 10 ft. 6 00 balled, 6 to 8 ft. 5 00 balled, 6 to 8 ft. 5 00 balled, 7 to 8 ft. 5 00 balled, 8 to 10 ft. 2 50 balled, 8 to 10 ft. 2 50 balled, 8 to 10 ft. 2 50 balled, 8 to 10 ft. 5 00 balled, 9 to 6 ft. 2 50 balled, 9 to 7 ft. 5 00 balled, 6 to 7 ft. 5 00 balled, 6 to 7 ft. 5 00 balled, 6 to 7 ft. 5 00	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00	300 00 250 00 175 00 125 00 100 00
S. ghlesbreghti S. macrophyllum balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 S. palmetto. CABBAGE PALMETTO balled, 5 to 6 ft. 3 00 balled, 5 to 6 ft. 3 00 S. umbraculiferum balled, 4 to 5 ft. 2 50 balled, 3 to 4 ft. 2 50 balled, 3 to 4 ft. 2 50 balled, 3 to 4 ft. 2 50 balled, 2 to 3 ft. 1 50 balled, 1½ to 2 ft. 1 00 TRACHYCARPUS (Chamaerops) T. excelsus (Chamaerops excelsa). WINDMILL PALM. 16x16 in. box, 8 to 10 ft. 8 00 14x14 in. box, 6 to 7 ft. 6 00 14x14 in. box, 5 to 6 ft. 4 00 12x12 and 12x14 in. box, 4 to 5 ft. 3 50 10x10 and 10x12 in. box, 4 to 5 ft. 3 50 10x10 and 10x12 in. box, 3 to 4 ft. 2 50 balled, 8 to 10 ft. 6 00 balled, 8 to 10 ft. 6 00 balled, 5 to 6 ft. 3 50 balled, 4 to 5 ft. 2 50 balled, 4 to 5 ft. 2 50 balled, 5 to 6 ft. 4 00 balled, 6 to 7 ft. 5 00 balled, 6 to 7 ft. 5 00 balled, 5 to 6 ft. 4 00 balled, 5 to 6 ft. 4 00	25 00 20 00 20 00 12 50 8 00 70 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00 35 00 25 00	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00
S. ghlesbreght!	25 00 20 00 20 00 12 50 8 00 70 00 50 00 40 00 30 00 12 50 40 00 35 00	300 00 250 00 175 00 125 00 100 00 300 00 275 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00 35 00 25 00 25 00 20 00	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00 35 00 25 00 25 00 20 00	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00 35 00 25 00 20 00 12 50	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00 100 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 40 00 30 00 20 00 15 00 12 50 40 00 35 00 25 00 25 00 20 00	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 15 00 12 50 40 00 35 00 20 00 12 50 40 00 35 00 20 00 12 50	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00 100 00 350 00 300 00 175 00
S. ghlesbreghti	25 00 20 00 20 00 12 50 8 00 70 00 50 00 50 00 50 00 15 00 12 50 40 00 35 00 25 00 26 00 27 00 28 00 20 20 20 20 20 20 20 20 20 20 20 20 2	300 00 250 00 175 00 125 00 100 00 300 00 275 00 200 00 150 00 100 00

WASHINGTONIA filifera robusta. CALIFORNIA FAN PALM. Doxed. 8 to 10 ft. 7 00 60 00
Salled 3 to 4 ft 250 10 00 80 00
Description
W. gracilis
Cord
Dayled
Dalled, 4 to 5 ft, 3 50 30 00
W. sonorae
Doxed 6 to 8 ft. 7 7 60 60 00 Dalled 5 to 6 ft. 5 50 40 90 Dalled 2 to 2 ½ ft. 1 75 15 60 Dalled 1½ to 2 ft. 1 50 12 50 AGAVES, DRACAENAS, ETC. Each Per 10 Per 100 AGAVE americana CENTURY PLANT
Dalled, 2 to 2½ ft. 1 75 15 00
AGAVES, DRACAENAS, ETC. Each Per 10 Per 100
AGAVE americana. CENTURY PLANT. naked roots, 4 to 5 ft, 2 00 15 00 A. americana variegata naked roots, 3 to 4 ft, 1 50 12 50 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. ferox naked roots, 3 to 4 ft, 2 50 20 00 A. stricta (Bonapartea hystrix), (new) new ne
AGAVE americana. CENTURY PLANT. naked roots, 4 to 5 ft, 2 00 15 00 A. americana variegata naked roots, 3 to 4 ft, 1 50 12 50 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. atrovirens naked roots, 3 to 4 ft, 2 50 20 00 A. ferox naked roots, 3 to 4 ft, 2 50 20 00 A. stricta (Bonapartea hystrix), (new) new ne
AGAVE americana. CENTURY PLANT.
A. americana variegatanaked roots, 3 to 4 ft. 1 50 12 50 A. americana variegatanaked roots, 3 to 4 ft. 2 50 20 00 A. atrovirensnaked roots, 3 to 4 ft. 2 00 15 00 A. atrovirensnaked roots, 3 to 4 ft. 2 00 15 00 A. atrovirensnaked roots, 3 to 4 ft. 2 00 15 00 A. atrovirensnaked roots, 3 to 4 ft. 2 00 15 00 A. atrovirensnaked roots, 3 to 4 ft. 2 00 15 00 A. stricta (Bonapartea hystrix) (new) A. stricta (Bonapartea hystrix)fnom 4 in. pots, 6 to 8 in. 75 6 00 A. stricta glauca (Bonapartea hystrix glauca).
A. americana varlegatanaked roots, 4 to 5 ft. 2 50 20 00 A. atrovirens
A. atrovirens A. ferox A. ferox A. stricta (Bonapartea hystrix). (new) A. stricta glauca (Bonapartea hystrix glauca). Ifom 4 in. pots, 6 to 8 in. 75 6 00 A. stricta glauca (Bonapartea hystrix glauca). Ifom 4 in. pots, 6 to 8 in. 1 00 8 00 CORDYLINE australis (Dracaena australis; D. Indivisa). I6x18 in. box, 12 to 14 ft. 10 00 I6x18 in. box, 10 to 12 ft. 8 00 I6x18 in. box, 6 to 7 ft. 5 00 Balled, 12 to 14 ft. 8 00 60 00 Balled, 6 to 7 ft. 4 00 35 00 Balled, 6 to 7 ft. 2 50 20 00 Balled, 6 to 7 ft. 2 50 20 00 Balled, 7 to 6 ft. 2 50 20 00 Balled, 8 to 6 ft. 2 00 15 00 C. australis rubra from 8 in. pots, 2 to 3 ft. 1 00 8 00 C. australis rubra from 8 in. pots, 3 ft. 2 00 DASYLIRION acrotrichum (D. gracile). Balled, 3 to 4 ft. 2 00 15 00 Balled, 4 to 5 ft. 2 50 20 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 4 to 5 ft. 2 50 20 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 3 to 4 ft. 2 00 15 00 D. glaucophyllum balled, 4 to 5 ft. 3 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 4 to 5 ft. 2 50 20 00 Balled, 4 to 5 ft. 2 50 20 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 4 to 5 ft. 3 00 Balled, 3 to 4 ft. 2 00 15 00 Balled, 4 to 5 ft. 3 00 Balled, 4 to 5 ft. 3 00 Balled, 3 to 4 ft. 2 50 12 50 100 00 Balled, 3 to 4 ft. 2 50 15 00 Balled, 4 to 5 ft. 3 00 Balled, 3 to 4 ft. 2 50 15 00 Balled, 4 to 5 ft. 3 00 Balled, 4 to 5 ft. 3 00 Balled, 5 to 6 ft. 3 ft. 1 50 12 50 Balled, 6 to 7 ft. 4 ft. 1 50 12 50 Balled, 6 to 7 ft. 7 ft. 6 00 Balled, 7 to 7 ft. 6 00 Balled, 8 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50 Balled, 9 to 8 ft. 1 50 12 50
A. stricta (Bonapartea hystrix). (new) A. stricta glauca (Bonapartea hystrix glauca). from 4 in. pots, 6 to 8 in. 75 6 00 CORDYLINE australis (Dracaena australis; D. Indivisa). 16x18 in. box, 12 to 14 ft. 10 00 16x18 in. box, 10 to 12 ft. 8 00 16x18 in. box, 6 to 7 ft. 5 00 balled, 6 to 7 ft. 4 00 35 00 balled, 6 to 7 ft. 4 00 35 00 balled, 5 to 6 ft. 3 00 25 00 balled, 4 to 5 ft. 2 50 20 00 balled, 3 to 4 ft. 2 00 15 00 125 00 C. australis rubra from 6 and 7 in. pots, 2 to 3 ft. 1 00 8 00 C. australis rubra from 8 in. pots, 3 ft. 2 00 DASYLIRION acrotrichum (D. graclie). 12x14 in. box, 2½ to 3 ft. 2 00 balled, 4 to 5 ft. 2 50 20 00 balled, 3 to 4 ft. 2 00 15 00 D. glaucophyllum balled, 4 to 5 ft. 3 00 D. glaucophyllum balled, 4 to 5 ft. 3 00 D. quadrangulatum from 5 in. pots, 1½ to 2 ft. 75 6 00 D. quadrangulatum from 6 in. pots, 1½ to 2 ft. 75 6 00 D. quadrangulatum from 6 in. pots, 1½ to 2 ft. 75 6 00 D. quadrangulatum from 6 in. pots, 1 to 1½ ft. 1 50 12 50 D. gerratifollum balled, 2 to 3 ft. 1 50 12 50 D. gerratifollum balled, 2 to 3 ft. 1 50 12 50 D. gerratifollum balled, 2 to 3 ft. 1 50 12 50
A. stricta glauca (Bonapartea hystrix glauca). from 4 in. pots, 6 to 8 in. 1 00 8 00 CORDYLINE australis (Dracaena australis; D. Indivisa). 16x18 in. box, 12 to 14 ft. 10 00 16x18 in. box, 10 to 12 ft. 8 00 16x18 in. box, 6 to 7 ft. 5 00 balled, 12 to 14 ft. 8 00 60 00 balled, 6 to 7 ft. 4 00 35 00 balled, 5 to 6 ft. 3 00 25 00 balled, 4 to 5 ft. 2 50 20 00 balled, 3 to 4 ft. 2 00 15 00 125 00 C. australis rubra from 6 and 7 in. pots, 2 to 3 ft. 1 00 8 00 C. australis rubra from 8 in. pots, 3 ft. 2 00 DASYLIRION acrotrichum (D. graclle). 12x14 in. box, 2½ to 3 ft. 2 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 2 50 20 00 balled, 4 to 5 ft. 3 00 D. glaucophyllum balled, 4 to 5 ft. 3 00 D. parryi. (new) from 5 in. pots, 1½ to 2 ft. 75 6 00 D. quadrangulatum from 6 in. pots, 1½ to 2 ft. 75 6 00 D. quadrangulatum from 6 in. pots, 1½ to 2 ft. 75 6 00 D. serratifollum balled, 2 to 3 ft. 1 50 12 50 D. serratifollum from 6 in. pots, 1 to 1½ ft. 1 50 12 50 D. serratifollum to balled, 2 to 3 ft. 1 50 12 50
CORDYLINE australis (Dracaena australis; D. Indivisa).
16x18 in. box, 10 to 12 ft. 10 00
16x18 in. box, 6 to 7 ft. 5 00
Day
Dasylian Dash Dasy Das
C. australis rubra
DASYLIRION acrotrichum (D. gracile).
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
D. glaucophyllum balled, 3 to 4 ft. 2 00 15 00
D. glaucophyllumballed, 4 to 5 ft. 3 00balled, 3 to 4 ft. 2 50balled, 2 to 3 ft. 2 00balled, 2 to 3 ft. 1 50 12 50balled, 2 to 3 ft. 1 50balled, 2 to 3 ft. 1 50 12 50balled, 2 to 3 ft. 1 50balled, 3 to 3 ft. 1 50balled,
D. parryi. (new)
D. quadrangulatum
D. serratifollumballed, 2 to 3 ft. 1 50 12 50
NOLINA beiding 1 balled, 5 to 6 ft, 3 00
N. longifolia
balled, 4 to 5 ft. 3 00 balled, 3 to 4 ft. 2 50 20 00
YUCCA aloifolia rubra
Y. aloifolia variegatafrom 5 in. pots, 1 to 1½ ft. 60 5 00 Y. gloriosa recurvifolia (Y. pendula).
from 5 in. pots, 1 to 1½ ft. 50 4 00 30 00
Y. whipplei. SPANISH BAYONETballed, 1 to 1½ ft. 60
FERNS AND MOSSES
ADIANTUM capillus-veneris imbricatum. VENUS-HAIR FERN.
8 in. pans. 1 50 12 50 6 in. pans, 1 00 8 06

				Each	Per 10	Per 100
	A. cuneatum		. 6 in. pots,	50	4 00	
	A cuneatum o	racillimum	. b in. pots, . 6 in. pots.	$\frac{40}{60}$	5 00	
			. 5 in. pots,	50	4 00	
	_	randiceps		50	4 00	
NE	PHROLEPIS a	merpohll. PHILADELE	HIA LACE FERN.	2 50		
			. 6 in. pots,	1 25		
	N hostoniensis	BOSTON SWORD F	. 5 in. pots, ERN	1 00		
		10 in. ha	anging basket,	1 50		
				$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$		
			. 5 in. pots,	75	6 00	
	N. compacta .		elumps,	50 1 75	4 00	
		na	.10 in. pans,	2 00		
			. 6 in. pots,	1 00	c 00	
	N. niersoni		anging basket.	$\begin{smallmatrix} 75\\2&00\end{smallmatrix}$	6 00	
		in. h:	anging basket,	1 75		
	• • • • • • • • • • • • • • • • • • • •		. 8 in. pans, . 6 in. pans.	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$		
			. 6 in. pots,	$\overline{1}$ $\overline{00}$	2.00	
	N cuparbicain	a	. 5 in. pots,	$\begin{smallmatrix}&&75\\2&50\end{smallmatrix}$	6 00	
			. 8 in. pans.	2 00		
	• · · • • • • • •		. 6 in. pans,	$\begin{array}{c} 1 \ 50 \\ 1 \ 25 \end{array}$		
			. 5 in. pots,	1 00		
	N. whitmani		.10 in. pans.	$\begin{array}{cc}2&00\\1&75\end{array}$	15 00	
			. 6 in. pans,	1 25	10 00	
			. 5 in. pots,	75		
PT	ERIS tremula	from	n 4 in. pots,	35	3 00	
SE		mmelllana. CLUB MOS		25	2 00	
			. 4 III. pots,	20	2 00	
		A				
		A	QUATICS			
		A	QUATICS	Dinah	Don 10	Doy 100
0)/	DEDIIC alterni			Each	Per 10	Per 100
		folius	from 4 in. pot	s, 35	Per 10	Per 100
NE	LUMBO nuclfe	foliusra. EGYPTIAN LOTU	from 4 in. pot	s, 35 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E	foliusra. EGYPTIAN LOTU a. FLORIDA YELLOW FRAGRANT WHITE W	from 4 in. pot S V WATER LILY ATER LILY	s, 35 75 50 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E	foliusra. EGYPTIAN LOTU a. FLORIDA YELLOW FRAGRANT WHITE W	from 4 in. pot	s, 35 75 50 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E	folius	from 4 in. pot S	s, 35 75 50 75 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E	folius	from 4 in. pot S	s, 35 75 50 75 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E	folius	from 4 in. pot S V WATER LILY ATER LILY	s, 35 75 50 75 75	Per 10	Per 100
NE	LUMBO nucife MPHAEA flava N. odorata. E N. odorata ros	folius	from 4 in. pot S	s, 35 75 50 75 75		Per 100
NE	LUMBO nucife (MPHAEA flava N. odorata. F N. odorata ros	folius	S	s, 35 75 50 75 75		
NE	MPHAEA flava N. odorata. E N. odorata ros	folius	S	S, 35 75 75 75 75 75 75	Per 10	Per 100
NE	MPHAEA flava N. odorata. E N. odorata ros SUTILON. FLO Boule de Eclipse	folius	s	S, 35 75 75 75 75 75 75 25	Per 10	Per 100
NE	MPHAEA flava N. odorata. F N. odorata ros BUTILON. FLO Eclipse Golden	folius	s	S, 35 75 75 75 75 75 75 25	Per 10	Per 100
NE	MPHAEA flava N. odorata. F N. odorata ros BUTILON. FLO Eclipse Golden	folius Tra. EGYPTIAN LOTU TRAGRANT WHITE	from 4 in. pot S	S, 35 75 75 75 75 75 75 25	Per 10	Per 100
NE	BUTILON. FLO Boule de Eclipse Golden Megapot yellow	folius Tra. EGYPTIAN LOTU TRAGRANT WHITE	s	S, 35 75 75 75 75 75 75 25	Per 10	Per 100
AE	BUTILON. FLO Boule de Eclipse Golden I Megapot yellow	folius	MATER LILY	S, 35 75 75 75 75 75 75 25 25 25 25	Per 10 2 00 2 00 3 00	Per 100 15 00
AE	BUTILON. FLO Boule de Eclipse Golden Megapot Wellow HILLEA ptarm A, umbellatus	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW TRAGRANT WHITE WH	MATER LILY ATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, LILYclumps,clumps,	Each 25 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	Per 10 2 00 2 00 3 00 4 00	Per 100 15 00
NE NY	BUTILON. FLO Boule de Eclipse Golden Megapot Wellow HILLEA ptarm A. umbellatus A. umbellatus	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW FRAGRANT WHITE W TRACKANT WHITE WHITE TO WERING MAPLE. Trom 4 and Trackant W Trackan	m 4 in. pots, Sensation (orange red) Thompson's Double (yellow) This pots, Chilyclumps,clumps,clumps,	S, 35 75 75 75 75 75 75 25 25 25 25 25	Per 10 2 00 2 00 3 00 4 00 4 00	Per 100 15 00
NE NYY	BUTILON. FLO Boule de Eclipse Golden Megapot yellow HILLEA ptarn A. umbellatus A. umbellatus MARYLLIS bella	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW FRAGRANT WHITE WH	m 4 in. pots, Clumps,	Each 25 Low and 25 35 50 25 25 25	Per 10 2 00 2 00 3 00 4 00 4 00 1 50	Per 100 15 00
NE NYY	Boule de Eclipse Golden Megapot yellow HILLEA ptarn A umbellatus	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW TRAGRANT WHITE WH	MATER LILY ATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, LILYelumps,elumps,elumps,elumps,elumps,elumps,elumps,elumps,	S, 35 75 75 75 75 75 75 25 25 25 25 25	Per 10 2 00 2 00 3 00 4 00 4 00	Per 100 15 00
NE NYY	Boule de Eclipse Golden Megapot yellow HILLEA ptarn A umbellatus	folius fra. EGYPTIAN LOTU a. FLORIDA YELLOW FRAGRANT WHITE	MATER LILY ATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, LILYelumps,elumps,elumps,elumps,elumps,elumps,elumps,elumps,	Each 25 10w and 25 35 50 25 35	Per 10 2 00 2 00 3 00 4 00 4 00 1 50 3 00	Per 100 15 00 15 00 10 00 15 00
NE NY	Boule de Eclipse Golden Megapot yellow A. umbellatus A. umbellatus A. umbellatus A. umbellatus GARYLLIS bella IEMONE, association of the control of the cont	folius fra. EGYPTIAN LOTU a. FLORIDA YELLOW FRAGRANT WHITE	m 4 in. pots, Sensation (orange red) Thompson's Double (yel red) M in. pots, Cillyclumps,clum	Each 25 35 25 36 25 37 37 37 27 37 37 37 37 37 37 37 37 37 37 37 37 37	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NY	Boule de Eclipse Golden Megapot yellow A. umbellatus A. um	folius fra. EGYPTIAN LOTU a. FLORIDA YELLOW FRAGRANT WHITE	m 4 in. pots, Sensation (orange red) Thompson's Double (yel red) M in. pots, Cillyclumps,clum	Each 25 25 25 35 25 35 25	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NY	Boule de Eclipse Golden Megapot yellow HILLEA ptarn A. umbellatus A. umbellatus MARYLLIS bella IEMONE, associatiful M	folius Tra. EGYPTIAN LOTU A. FLORIDA YELLOW FRAGRANT WHITE W FRAGRANT WHITE W FRAGRANT WHITE W OWERING MAPLE. OWERING MAPLE. (variegated leaves) Fleece (yellow) amicum (red and) nica. THE PEARL.from mbellatus. AFRICAN I albidus mooreanus donna. BELLADONNA rted from Charlotte from	m 4 in. pots, Sensation (orange red) Thompson's Double (yel red) M in. pots, Cillyclumps,clum	Each 25 35 25 36 25 37 37 37 27 37 37 37 37 37 37 37 37 37 37 37 37 37	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NY	Boule de Eclipse Golden Megapot Megapo	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW TRAGRANT WHITE WH	MATER LILY ATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, LILYclumps,c	Each 25 35 25 36 25 37 37 37 27 37 37 37 37 37 37 37 37 37 37 37 37 37	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NYY ACCAG	Boule de Eclipse Golden Megapot yellow A. umbellatus A. scherze	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW FRAGRANT WHITE WH	m 4 in. pots, Sensation (orange red) Thompson's Double (yel red) Mater Lily ANEOUS PLAN d 5 in. pots, Cillyclumps,	Each 25 10w and 25 25 25 25 25	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NYY ACAG	Boule de Eclipse Golden Megapot yellow HILLEA ptarn A. umbellatus A. umb	folius Tra. EGYPTIAN LOTU A. FLORIDA YELLOW FRAGRANT WHITE W FRAGRANT WHITE W BEAR PINK WATER LI OWERING MAPLE. From 4 and (variegated leaves) Fleece (yellow) amicum (red and) mica. THE PEARL.from mbellatus. AFRICAN I albidus mooreanus cadonna. BELLADONNA rted from from Charlotte from from	MATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, Cluyclumps,clumps,clumps, M LILY.bulbs, m 5 in. pots, m 4 in. pots, Mhirlwind m 5 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 5 in. pots, m 6 in. pots, m 6 in. pots, m 7 in. pots, m 8 in. pots,	Each 25 25 26 25 26 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00
NE NYY ACCAG	Boule de Eclipse Golden Megapot yellow HILLEA ptarn A. umbellatus A. umb	folius Tra. EGYPTIAN LOTU Tra. FLORIDA YELLOW TRAGRANT WHITE WH	MATER LILY ANEOUS PLAN d 5 In. pots, Savitzi (varlegated leav Sensation (orange red) Thompson's Double (yel red) m 4 in. pots, Cluyclumps,clumps,clumps, M LILY.bulbs, m 5 in. pots, m 4 in. pots, Mhirlwind m 5 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 5 in. pots, m 6 in. pots, m 6 in. pots, m 7 in. pots, m 8 in. pots,	Each 25 10 25 25 25 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Per 10 2 00 3 00 4 00 4 00 1 50 3 00 2 00	Per 100 15 00 15 00 10 00 15 00

ASPARAGUS, Cont'd.		Each	Per 10	Per	100
A. plumosus nanus		75	6 00	0.5	0.0
from 5 in. pots,		50 40	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		00
A. plumosus tenuissimusfrom 7 in. pots,		60	5 00		
A. scandens deflexus12 in hanging basket,		$\begin{array}{c} 50 \\ 1 \ 50 \end{array}$	4 00		
from 10 in. pots,		1 00			
from 5 in. pots, from 4 in. pots,		$\frac{50}{40}$	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	95	00
A. sprengeri		1 50	3 00	20	UU
		1 25 1 00			
from 8 in. pots,		75	6 00		
from 7 in. pots, from 6 in. pots.		60	5 00		00
from 5 in. pots,		$\begin{array}{c} 50 \\ 35 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	30	00
ASPIDISTRA lurida		1 00	8 00		
from 7 in. pots,		1 25	0.00		
A. Iurida variegatafrom 6 in. pots,		$\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$	$\begin{smallmatrix}8&00\\10&00\end{smallmatrix}$		
from 7 in. pots,		1 50			
from 6 in. pots, from 5 in. pots,		1 25 1 00			
CALCEOLARIA, Shrubbyfrom 6 in. pots, 2	2 to 2½ ft.	50	4 00		
from 5 in. pots, 1	l to 1½ ft.	40	3 00	25	
A 7	6 to 12 in.	35	2 50	20	00
CAMPANULA pyramidalis alba. WHITE CHIMNEY BEI	LL FLOWER.	25	2 00	15	۸۸
CANNA, assorted		20	1 50	10	
Admiral Gervais (scarlet) Italia (bright sca	rlet)	20	1 30	10	UU
Alfonse Bouvier (brilliant Mont Blanc (crear	my white)				
crimson) Mrs. Kate Gray (o Allemania (salmon, yellow let, overlaid wit					
border) Pres. Meyer (cher.	ry carmine)				
Austria (canary yellow) Queen Charlotte Burbank (yellow) let crimson, bo					
Florence Vaughan (yellow, low)	_				
spotted red) Sam Trelease (ru Geoffrey St. Hilaire (dark with yellow bas					
red)	, e <i>j</i>				
CAREX morrowl (C. japonica). JAPANESE SEDGE.					
fro	m 6 in. pots,	40	a		
fro	m 5 m. pots,	30	2 50		
CERATOSTIGMA plumbaginoides (Plumbago larpentae).	small_clumps	25	2 00.	15	00
CHRYSANTHEMUM, assortedfroz	• 1				
Col. Appleton (golden vellow) Paul Braunt (vello	m 4 m. pots,	25	2 00	15	00
Col. Appleton (golden yellow) Convention Hall (white) Glory of the Pacific (pink) Golden Eagle (deep yellow) Paul Braunt (yellow) Shilowa (red) Silver Wedding (Timothy Eaton (w	on and rear				
Glory of the Pacific (pink) Golden Eagle (deep vellow) Timothy Eaton (w	white)				
Kinkora (pink) W. B. Smith (pin)	k, tinted				
Lincoln (yellow) lemon) Lynnwood Hall (white) White Mayflower					
Major Bonnafon (vellow) Willowbrook (whi					
Matchless (red) Wm. Duckham (y Mrs. E. G. Hill (pink) W. C. Moir (whit	rellow)				
Mrs. W. Wells (bronzy Xeno (light pink)	c)				
orange) Yellow Eaton					
Norfolk Blush (pale blush)	m 4 in nots	25	2 00	15 (lo.
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITEfroi	m 2 in. pots.	$\begin{array}{c} 25 \\ 15 \end{array}$	2 00 1 00	15 (8 (
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITEfroi froi C. frutescens lutea. YELLOW MARGUERITEfroi	m 2 in. pots, m 4 in. pots.				
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots.	15	1 00		00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots.	15 25 30 15	1 00 2 00 2 50 1 25	20 (10 (00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots,	15 25 30 15 20	1 00 2 00 2 50 1 25 1 50	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, m 4 in. pots,	15 25 30 15	1 00 2 00 2 50 1 25	20 (10 (00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE. from the from	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots,	15 25 30 15 20 25 25	1 00 2 00 2 50 1 25 1 50 2 00	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots, m 4 in. pots,	15 25 30 15 20 25 25	1 00 2 00 2 50 1 25 1 50 2 00 2 00	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, a large clumps, medium clumps,	15 25 30 15 20 25 25 00	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, a large clumps, medium clumps,	15 25 30 15 20 25 25 00	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, m 6 in. pots, m 8 in. pots, m 9 in. pots, m 10 in. pots, m	15 25 30 15 20 25 25 00	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE. from from from the following from the first from the first from the first from from from from from from from from	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, section clumps, m 1 in pots, m 2 in. pots, m 4 in. pots, m 4 in. pots, m 5 in. pots, m 6 in. pots, m 7 in. pots, m 9 in. pots, m 10 in. pots	15 25 30 15 20 25 25 25 00 50	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50 4 00	20 (10 (10 (10 (10 (10 (10 (10 (10 (10 (1	00 00 00 00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 4 in. pots, standard clumps, standard clumps, standard clumps, standard clumps, standard clumps,	15 25 30 15 20 25 25 25 00 50	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50 4 00	20 (10 (10 (15 (00 00 00 00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE. from from from the from the following from the first from the from the from from from from from from from from	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 2 in. pots, m 4 in. pots, a large clumps, large clumps, pedium clumps, sy purple)	15 25 30 15 20 25 25 25 00 50	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50 4 00	20 (10 (10 (15 (00 00 00 00
Norfolk Blush (pale blush) C. frutescens. WHITE MARGUERITE. from from from the following from the first from the first from the first from from from from from from from from	m 2 in. pots, m 4 in. pots, TE. m 5 in. pots, m 2 in. pots, m 2 in. pots, m 4 in. pots, a large clumps, large clumps, pedium clumps, sy purple)	15 25 30 15 20 25 25 25 00 50	1 00 2 00 2 50 1 25 1 50 2 00 2 00 7 50 4 00	20 (10 (10 (15 (00 00 00 00

	,	Each	Don 10	Don 100
DAHLIA excelsa (D. arborea). TREE DAHLIA	bulbs,	50		Per 100
Assorted	buids,	25	2 00	19 00
Aegir (scarlet) Capstan (orange) Cinderella (magenta) Countess of Lonsdale (apricot) Dankward (rosy purple) F. Bartels (orange red) Kingfisher (purplish crimson) Standard E Wodan (sa Wolfgang v shaded c Yellow Cac	von Goethe (apricot, armine)			
Nerthus (bronzy, tinted Beloit (pur carmine-rose) Delice (ros Purity (white) Dr. Boyers Queen Wilhelmina (crimson) Le Grand	plish garnet)			
Rheinkonig (pure snow-white) striped a Ruby (scarlet) maroon)	nd blotched reddish yon (pure white)			
DATURA arborea. ANGEL'S TRUMPET D. cornigera (Brugmansia knighti)	from 7 in. pots,	50 50 35	4 00	
D. sanguinea DELPHINIUM belladonna DIANTHUS caryophyllus. CARNATION	from 5 in. pots, 5 ln. pots,	50 25 25 15	2 00 2 00 1 00	8 00
striped red) pink) Dr. Tevis (scarlet) Prosperity Enchantress (light pink) Pure White Ethel Crocker (pink) Queen Low Gov. Roosevelt (dcep crimson) Robert Cra Hannah Hobart (bright pink) Rose Pink	W. Lawson (cerise (white, striped pink) e Enchantress lise (whlte) lig (brlght scarlet) Enchantress			
Harriette Bradford (white, red) striped red) The Bride	vers (yellow, striped (pure white)			
	n (light rose pink) hantress (creamy			
ERYTHRINA crista-galli. CORAL PLANT FELICIA amellodes (Agathaea coelestis). BLUE M	small plants,.	50		
FESTUCA glauca. BLUE FESCUE GRASS FUCHSIA procumbens	from 5 in. pots, from 5 in. pots, from 7 in. pots,	25 25 75 50	2 00	15 00
Assorted	from 4 in. pots, from 6 in. pots,	35 50 35	3 00 3 00	20 00 25 00
Black Prince (carmine and pink) Pillar of G	from 4 in. pots, old (leaves bronzy	25	2 00	
Minnesota (white and purple) purple) Mrs. E. G. Hill (scarlet and Renan (red	arming (light red and			
	flesh and orange red) ng (red and purple)			
GAILLARDIA aristata (G. grandiflora)	L DAISY.	25	2 00	90.00
GYPSOPHILA paniculata. BABY'S BREATH HELIOTROPIUM: Heliotrope	from 4 ln. pots, from 4 ln. pots, from 5 in. pots,	50 35 20 25 20	4 00 3 00 1 50 2 00 1 50	30 00 20 00 10 00 15 00 12 00
Dark Purple Mad. Delai	pale (pearly white) ix (lavender) rmant (bluish mauve)			
HEMEROCALLIS aurantiaca major. YELLOW DAY HIBISCUS manihot (Abelmoschus manihot). (new)		50 75	4 00	30 00
H. "Minlatus"	s,	75 60 50 50 35	4 00 4 00 3 00	20 00
JACOBINIA magnifica carnea (Justicis carnea)	from 6 in. pots,	50 40	4 00 3 00	25 00

KNIPHOFIA (Tritoma): RED-HOT POKER PLANT.	Each	Per 10	Per 100
K. aloldes (K. uvaria)clumps	35	3 00	
K. aloides pfitzerl	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{smallmatrix}3&00\\2&00\end{smallmatrix}$	15 00
K. corallinaclumps,	35	3 00	19 00
K. macowaniclumps,	35	3 00	
LEONOTIS leonurus. LION'S TAILfrom 6 in. pots, 3 to 4 ft.	75	6 00	
from 6 in. pots, 2 to 3 ft.	60	5 00	
LESPEDEZA sieboldi (Desmodium penduliflorum)from 4 in. pots,	25	2 00	15 00
LIPPIA repens(\$15.00 per 1,000)			2 00
LOTUS bertholetl (L. peliorhyncus). CORAL GEMfrom 5 in. pots,	50	4 00	30 00
L. canariensis	35 50	3 00	20 00
from 4 in. pots,	40		
MALVAVISCUS arboreus (Achanla malvaviscus). TURK'S CAP.	50	4 00	05 00
from 5 ln. pots, 4 to 6 ft.	50 40	4 00 3 00	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \end{array}$
from 4 and 5 in. pots, $1\frac{1}{2}$ to 2 ft.	25	2 00	15 00
MEDICAGO arborea. MOON TREFOILfrom 5 in. pots, 3 to 4 ft.	5.0	4 00	
MISCANTHUS (Eulalia)	50	4 00	
M. sinensis gracillimuselumps,	50	4 00	
M. sinensis variegatusfrom 6 in. pots,from 5 in. pots,	35		
M. sinensis zebrinusfrom 5 in. pots,	25 50		
MUSA ensete. ABYSSINIAN BANANA.			
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50	
from 8 in pots 3 to 4 ft.	1 50	$17 50 \\ 12 50$	
from 7 in. pots, 2 to 3 ft.	1 25	10 00	
PAEONIA: Peony Scarce varieties	50	4.00	
Festiva Maxima (white) Victor Modeste (naie lilac rose	50	4 00	
Festiva Maxima (white) Victor Modeste (paie lilac rose Souv. de la Exposition (cherry on white ground)			
red)			
Assorted	25	2 00	15 00
Amabilis grandiflora (pink) Bicolor rosea (pink) Louis Van Houtte (crimson) Officinalis (dark red)			
Comte de Paris (light rose) Papariflora (white, tinged yel-			
Delachei (crimson) low) Elegantissima (pink) Pottsi (pink)			
Elegantissima (pink) Grandiflora nivea (white) Pottsi (pink) Triomphe du Nord (shell pink)			
Jamfitre (pink, cream center)			
PELARGONIUM domesticum. LADY WASHINGTON GERANIUM; PELARGONIUM.			
from 4 in. pots,	25	2 00	15 00
Agatha (crimson, shaded Mad. Thiebaud (white, banded			
maroon) pink) Capt. Rakes (dark crimson) Mad. Vibert (rose, overlaid			
Cecelia (pink, blotched crimson) maroon)			
Champion (white, blotched crim- Milton (white, blotched crimson)	1		
Dr. Masters (dark red) rose)			
Duchess of Teck (white) Duke of Aibany (marcon edged Prince of Polarconiums (grean			
Duke of Aibany (maroon, edged crimson) Prince of Pelargoniums (cream blotched crimson)			
Duke of Fife (white, flushed Princess Beatrice (white, pink) biotched dark crimson)			1
Embassy (white, blotched crlm- Princess Maud (carmine, bor-			
son) dered white)			
shaded maroon) edged white)			
Mabel (red, shaded maroon) Striata Elegans (magenta-rose)			
Mad. Meillez (pink, overlaid Variegated (rose, strlped maroon) crimson)			
P. hortorum. COMMON GERANIUMfrom 2 in. pots,	15	1 00	8 00
Alice of Vincennes (single pink) Mad. Guilbert (double, deep			
Aiphonse Riccard (semi-double, pink) vermilion) Mad. Hoste (double, dark red)			
Beaute Poitevine (semi-double, Mad. Jaulin (double, light pink)			
salmon pink) Braunte (semi-double, scarlet) Mad. Landry (double, salmon) Marquis de Castellane (double,			
Columbia (single, scarlet) orange scarlet)			
Gertrude Pearson (single, pink) Marquis de Montmart (double, Gettysburg (single, magenta) carmine purple)			
Hecla (single, light red) Marshal McMahon (varlegated			
Henry Bonnie (double, white) leaves)			
Jacquerle (single, scarlet) Miss Frances Perkins (double, jean Viaud (single, pink) pink)			
L'Aube (single, shell pink) Mrs. E. G. Hlll (single, salmon			
La Favorite (double, white) pink)			

	Wash	Don 10	Day 100
P. peltatum. IVY GERANIUMfrom 2 in. pots,	Each 15	1 00	Per 100
Beauty of Castle Hill (double, Garden's Glory (double, bright			
deep pink) Chas. Monselet (double, fiery scarlet) Mission (semi-double, sheil pink))		
red)			
PENTSTEMON cordifolius	50	4 00	
PETUNIA hybrida.			
Single and double (not ready until March 1st)from 2 in. pots,	15	1 00	
PHLOX paniculata (P. decussata)from 4 in. pots,	25	2 00	15 00
Albion (white) B. Comte (purple) Mad. Paul Dutrie (lilac rose) Mozart (pink)			
Colibri (pink) R P Struthers (rosy carmine)			
Eclaireur (rosy magenta) Eugene Danzenvillier (lilac) Selma (pale rose) Siebold (bright scariet)			
Jeanne d'Arc (pure white) Le Mahdi (white, carmine Sunshine (cerise red) Vesuvius (red and purple)			
center) Von Lassburg (pure white)			
PHORMIUM cookianum variegatum (P. colensoi variegatum).			
GOLDEN NEW ZEALAND FLAX	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50	
P. tenax. NEW ZEALAND FLAX	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		75.00
P. tenax variegatum. VARIEGATED NEW ZEALAND FLAX.	1 20	10 00	75 00
balled clumps,	1 50	12 50	
RICHARDIA elliottiana. GOLDEN CALLA	40 30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
ROMNEYA coulteri. MATILIJA POPPYfrom 7 in. pots,	1 25	10 00	75 00
from 6 in, pots,	1 00	8 00	60 00
from 4 in. pots,	50 25	4 00 2 00	15.00
RUDBECKIA lacinlata flore pleno. GOLDEN GLOWclumps,	20	1 50	$\begin{array}{c} 15 & 00 \\ 10 & 00 \end{array}$
RUSSELIA elegantissima	40	3 00	25 00
from 4 in. pots,	30	2 50	20 00
SAGINA subulata. BABY MOSS; PEARLWORT4 in. clumps,	25	0.00	
SALVIA involucrata	35 25	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	15 00
S. leucanthafrom 4 in. pots,	35	3 00	
SANSEVIERIA zeylanica. BOWSTRING HEMP7 in. hanging basket,	1 00 75		
from 4 ln. pots,	40		
SAXIFRAGA umbrosa. ST. PATRICK'S CABBAGEelumps,	25	2 00	
SENECIO kaempferi aureo-maculatus (Farfugium grande). LEOPARD PLANT	60		
from 4 in. pots,	50		
SOLIDAGO: Golden Rod S. canadensis	30	2 50	
S. canadensis	25	2 00	15 00
SPREKELIA formosissima. JACOBEAN LILY	25	2 00	15 00
STREPTOSOLEN jamesonifrom 5 in. pots,	25	2 00	15 00
SWAINSONA galegifolia albiflorafrom 5 in. pots,	35	3 00	
S. greyana	35	3 00	E 00
VERBENA hybrida	10	75	5 00
VIOLA odorata. VIOLET		25	2 00
Golden Gate (single, reddish Princesse de Gales (single, violet			
purple) Luxonne (single, light violet) blue) Swanley White (double, white)			
Marie Louise (double, light violet)			
V. tricolor. PANSY. (best strains)		35	3 00
ZEBRINA pendula. VARIEGATED WANDERING JEW.			- 00
from 4 in. pots,	25	2 00	

ROSES

It is generally conceded that we grow the best rose plants on the Pacific Coast, which is equivalent to saying that they are not equaled elsewhere.

All plants offered, with the exception of a few of the very latest varieties, are two years old and practically all are budded. In all cases they have been grown from the start in the open ground, so are strong and vigorous. With any reasonable care they should bloom freely the first season.

Descriptions are greatly condensed. For more complete details, see our Descriptive Catalog.

LATEST INTRODUCTIONS

One year, \$1.50 each.

- BRITISH QUEEN (H. T.). Pure white, un-expanded buds sometimes flushed peach. Open flowers without any trace of yellow. Beautifully formed, with pointed center and reflexed outer petals.
- Mackellar (H. T.). Orange entirely carmine. Coloring entirely carmine. Very free CHRISSIE pink, veined carmine. Coloring entirely unique and difficult to describe. Very free flowering and richly scented. Semi-double.
- Bright rose pink. Buds very long pointed, on strong stems. Very double. Petals veined. Strong grower.

 EDITH PART (H. T.). Carmine with chamois, flushed pink. Petals two-toned. Very beautiful
- beautiful.
- GENERAL-SUPERIOR ARNOLD JANSSEN (H. T.). Deep carmine; large, double and well formed.
- well formed.

 MRS. CHARLES HUNTER (H. T.). Cerise,
 Stems strong. Very free bloomer.

- MRS. HERBERT HAWKSWORTH Creamy white, straw colored in bud. Open flowers globular cup-shaped with tips of Very fragrant. petals slightly recurved.
- MRS. MUIR MACKEAN (H. T.). cerise. Buds large and very iong pointed. Stems iong and strong.
- MRS. WALLACE H. ROWE (H. T.). Bright "sweet pea mauve." Flowers of good size and very well formed. Growth vigorous.
- OLD GOLD (H. T.). Coppery orange. Semidouble. Buds long, siender and pointed. Very fragrant.
- VERNA MACKAY (H. T.). Fawn, suffused sulphur. Buds very beautifully formed. Fragrance unusually rich.
- WILLOWMERE (Pern.). Shrimp pink, shaded yellow and carmine. Somewhat like

NEW VARIETIES

- *CLIMBING AMERICAN BEAUTY. One year, 75 each. Cerise red. Flowers me-dium size, double and very fragrant. Vigor-ous climber. Has little resemblance to American Beauty except in color.
- *CLIMBING PINK COCHET (T.). \$1.00 each. An extremely vigorous climbing form of the well-known Maman Cochet. Flowers are identical in every respect.
- *CLIMBING WHITE COCHET (T.). 2 years, 75c each. A strong climbing sport from the popular White Maman Cochet. Flowers identical and borne very freely.
- GEO. DICKSON (H. T.). 2 years, \$1.00 each; 1 year, 75c each. Deep scariet, shaded velvety crimson. Color wonderfully rich, especially in spring. Flowers large and very full. Very fragrant. Growth extremely vigorous, almost like a climber. Moderate bloomer.
- JULIET (Pern.). JLIET (Pern.). 2 years, 75c each. Outside of petals oid gold, inside rich rosy red. Re-markabiy beautifui and striking in bud stage.
- MAD. EDOUARD HERRIOT or DAILY MAIL (Pern.). 1 year, \$1.00 each. Superb coral red, shaded yellow at base, passing to shrimp red. Flowers semi-double and variable in size, sometimes very large. Coloring absolutely unique; different from any other rose ever introduced. The freest other rose ever introduced. The freest blooming rose we grow. Won the Goid Cup offered by "Daily Mail" for best new rose and the Goid Medai of the National Rose Society of Engiand. The greatest rose novelty ever introduced.
- MRS. CHARLES RUSSELL (H. T.). 2 years, \$1,00 each. Rosy carmine with scarlet cen-ter. Color brilliant and pleasing. Flowers beautifully formed and last splendldly when cut. Stems extremely strong, with flowers aiways borne singly.
- OPHELIA (H. T.). One year, \$1.00 each. Saimon flesh, shaded rose, with chamois Saimon flesh, shaded rose, with center. Buds and flowers beautifully formed by rich veining on the and color enhanced by rich veining on the petals. Stems long, carrying flowers erect. Could hardly be praised too highly.

NEW and SCARCE VARIETIES

All two years unless noted. 50c each'.

- ANTOINE RIVOIRE (H. T.). Silvery flesh with salmon center. Outer petais reflexed.
- ARTHUR R. GOODWIN (Pern.). Apricot, flushed salmon. Petals numerous and narrow. Very free bioomer.
- BEAUTE DE LYON (Pern.). Superb corai red, lightly shaded yellow. Buds giobular; saucer-shaped when opened. Entirely Superb corai unique.
- CHATEAU DE CLOS VOUGEOT (H. T.). Crimson center with fiery scariet tips. Coi-oring magnificent. Foliage very dark green.
- Free bloomer.

 EDWARD MAWLEY (H. T.). Brilliant fiery red. Buds particularly fine and shaded velvety crimson. Free flowering.

 FLORENCE PEMBERTON (H. T.). Creamy
- white, suffused pink. Large, full and beautifully formed.

^{*}Varieties starred are climbers.

- GLOIRE DE CHEDANE GUINOISSEAU (H. P.). One year only. Bright vermition red, shaded velvety crimson. Considered by many good judges superior to Ulrich Brunner.
- HARRY KIRK (T.). Creamy yellow with bright amber center. Large and falrly double. Fragrance exceptionally fine. Exceedingly heavy bloomer.
- HIS MAJESTY (H. T.). Vermilion. Buds large and long. Fragrance like the H. P. class.
- LADY HILLINGDON (T.). Deep apricot yellow without shading. Color does not fade and it will deepen even after cutting. New wood and foliage deep violet. The finest yellow rose to date.
- LYON (Pcrn.). Shrimp pink with salmon center, shaded chrome yellow. Flowers often very large.
- MADAME LEON PAIN (H. T.). Silvery pink, sometimes shaded salmon. Buds pointed; flowers large and cupped. Blooms freely.
- MELODY (H. T.). Saffron yellow with primrose edges. Flowers medium to large; very double and delightfully fragrant. Foliage dark violet green. Stems splendid. Very free bloomer. Unusually fine in every way.
- MILADY (H. T.). Crimson scarlet. Flowers large, full, well formed on strong stems.
- MISS ALICE DE ROTHSCHILD (T.). One year only. Deep yellow center with lighter edges. Flowers of medium size, very full, pointed in bud and cupped when open; with a rich tea fragrance.

- MRS. AARON WARD (H. T.). Yellow, tinted salmon rose. Very pale in spring, but highly colored in fall. Flowers handsomely formed and carried on strong stems.
- MRS. ARTHUR ROBERT WADDELL (H. T.). Orange pink or reddish salmon. Outer petals flesh. Of medium size and semi-double. Very free bloomer.
- MRS. GEO. SHAWYER (H. T.). Brilliant rose pink, almost solid color. Large, full and well formed. Especially good for foreing.
- MRS. WAKEFIELD CHRISTIE MILLER (H. T.). One year only. Rosy carmine; outer petals soft pearly blush. Buds and flowers extremely large, borne perfectly erect on grand stems. Petals two-toned. Fine in every way.
- PHARISAER (H. T.). Silvery pink, faintly suffused salmon. Petals unusually large and reflexed. Heavy fall bloomer.
- RADIANCE (H. T.). Soft carmine pink. Flowers large, elongated cup-shaped; very double and sweetly scented.
- ROSE QUEEN (H. T.). Intense pink, slightly yellow at base. Particularly good for cutting.
- SUNBURST (H. T.). Yellow, shaded coppery orange. Large, magnificently formed and richly tea scented. Color light in spring, but very deep in fall.
- *TAUSENDSCHOEN (Poly.). Delicate pink, shaded rosy carmine. Produces a great mass of bloom in spring. Branches thorn-less.

GENERAL COLLECTION

All two years old.
35c each; \$3.00 per 10; \$25.00 per 100.
HYBRID TEA ROSES.

Augustine Guinoisseau (White La France). White, faintly suffused flesh pink.

Aurora. Salmon pink in center, paler toward the outside.

Avoca. Crimson scarlet.

Baldwin (Helen Gould). Rosy crimson.

Bardou Job. Velvety scarlet, shaded black.

Belle Slebrecht (Mrs. W. J. Grant). Bright rosy pink.

Bessle Brown. Faint flesh pink.

Betty. Coppery rose, overlaid with ruddy gold.

Captain Christy. Delicate flesh pink.

*Carmine Pillar. Rosy carmine, single.

Chas. J. Grahame. Orange crimson.

Clara Watson. Silvery flesh with deep pink center.

*Climbing Belle Siebrecht. Bright rosy pink.
*Climbing Captain Christy. Delicate flesh

pink.
*Climbing Kalserin (Mrs. Robert Peary).

White, faintly suffused lemon yellow. Climbing Mad. Caroline Testout. Clear pink.

*Climbing Souv. de Wooton. Bright crimson.

Countess of Derby. Salmon center, shading off to delicate peach. Pointed buds. Very fragrant.

Dean Hole. Silvery carmine, shaded salmon.

Dorothy Page Roberts. Coppery pink, suffused apricot yellow.

Duchess of Albany (Red La France). Deep rose, nearly red.

Etoile de France. Crimson, cerlse center.

Franz Deegen. Pale yellow.

*Gainsborough. Creamy pink with salmon center.

General MacArthur. Fiery red.

George C. Waud. Orange vermilion.

Giolre Lyonnalse. White, tinted lemon.

Grace Darling. Creamy white, tinted peach.

Grace Molyneux. Creamy apricot with flesh
center.

Gruss an Teplitz (Crimson Hermosa). Rich scarlet overlaid with crimson.

Hon. Ina Bingham. Pure pink.

J. B. Clark. Scarlet, shaded crimson.

John Cuff. Carmine pink.

Joseph Hill. Pink, shaded salmon.

Kalserin Augusta Victoria. White, faintly suffused lemon yellow.

Killarney. Flesh, suffused pink.

La Detroit. Shell pink, tinted soft rose.

Lady Battersea. Cherry crimson.

Lady Cianmoris. Deep peach.

Lady Faire. Light carmine rose, shaded salmon.

Lady Ursula. Flesh pink.

La France. Plnk, tinted silvery blush.

Liberty. Crimson scarlet.

^{*}Varieties starred are climbers.

HYBRID TEA ROSES, Cont'd.

Mad. Abel Chatenay. Rosy carmine, tlnted salmon.

Mad. Caroline Testout. Bright pink.

*Mad. Driout (Striped Reine Marie Henriette). Deep rose, striped cherry red.

Mad. Hector Leuillot. Light yellow with carmine center.

Mad. Jenny Gillemot. Canary yellow. Saffron in bud.

Mad. Ravary. Orange yellow, tinted flesh and creamy buff.

*Mad. Wagram. Pink. Called Climbing Paul Neyron. Lighter in color and smaller.

Mildred Grant. Silvery white, flushed delicate pink.

Miss Kate Mouiton. Plnk, tinted silvery flesh.

Mrs. David Jardine. Bright rosy pink, faintly suffused salmon.

Mrs. Robert Garrett. Shell pink, with deeper center.

Mrs. Theodore Roosevelt. Flesh pink; outer petals creamy white.

My Maryland. Bright pink.

Perie von Godesburg. White, tlnted creamy yellow.

Prince de Bulgarie. Silvery flesh, shaded rosy salmon.

*Reine Marie Henriette. Cherry red.

*Reine Olga de Wurtemburg. Red.

Rhea Reid. Crimson scarlet.

Richmond. Scarlet, lightly shaded crimson.

Souvenir de Wooton. Bright crimson.

Souvenir du President Carnot. Rosy flesh.

Viscountess Folkestone. Creamy pink, salmon center.

White Killarney. White.

William Francis Bennett. Brilliant crimson changing to purple.

TEA ROSES.

Amazone. Deep yellow, faintly velned pink. Anna Ollivler. Cream, shaded carmine.

Annie Cook. Delicate pink.

Beaute Inconstante. Coppery red, shaded carmine and yellow.

Belle Lyonnaise. Light yellow, fading to nearly white.

Bon Silene. Salmon rose.

Bridesmald. Clear, bright pink.

Catherine Mermet. Pink, shading to amber in center.

*Climbing Bridesmald. Pink.

*Climbing Devoniensis. Creamy white, with blush center.

*Climbing Niphetos. Pure white.

*Climbing Papa Gontler. Rosy crimson with carmine center.

*Climbing Perle des Jardins. Deep goiden yellow.

Comtesse Riza du Parc. Coppery rose, tinged carmine.

Coquette de Lyon. Light canary yellow.

Cornella Cook. Creamy white.

Dr. Grill. Coppery yellow, tinged rose.

*Duchesse d'Auerstaedt. Light yellow, shading to nankeen at center.

Duchesse de Brabant. Soft rose.

Franciska Kruger. Deep chamols, shaded peach pink.

*Gloire de Dijon. Fawn, tinted salmon and rose.

Golden Gate. Creamy white, tinted yellow and rose.

Helen Good. Delicate yellow, suffused pink.Homere. Rosy pink over white, shaded salmon.

Improved Rainbow. Carmine, rose and flesh. Ivory. Pure white.

Mad. Chedane Guinolsseau. Clear canary or lemon yellow.

Mad. de Watteville. Salmon white, flushed and bordered rose.

Mad. Falcot. Nankeen, deepening to orange yellow.

Mad. Hoste. Canary yellow with deeper center.

Mad. Lambard. Bronzy rose, tinted salmon and shaded carmine.

Mad. Vermorel. Coppery yeilow, shaded rose.

Mad. Welche. Pale yeilow with deep orange center.

Maman Cochet. Deep rose pink outside, but very light withln.

*Marechai Niei. Deep golden yellow.

Marle Van Houtte. Creamy yellow, tinted

Marquis de Querhoent. Carmine on flesh or yellow ground.

Molly Sharman Crawford. Pure white or with a faint greenish tinge.

Mrs. Myles Kennedy. Dellcate silvery white, shaded buff, with pink center.

Niles Cochet. Cherry red on outer petais, lighter within.

Niphetos. Nearly pure white; faintly lemon tinged in center.

Papa Gontier. Rosy crimson with carmine center.

Perle des Jardins. Deep golden yellow.

Rainbow. Pink, striped carmine and buff.

Safrano. Saffron in bud, changing to pale yellow.

Shiriey Hibbard. Nankeen yeilow.

Sunset. Golden amber with falnt ruddy tlnge.

The Bride. White, tinged pink on outer petals.

White Maman Cochet. White, with outer petals blushed.

Yellow Maman Cochet. Light yellow, edged rose.

HYBRID PERPETUAL ROSES.

American Beauty. Deep rose. Anna de Diesbach. Brlght pink.

Baroness Rothschild. Pale rose, tinted white.

Black Prince. Dark crimson, nearly black.
California. Rosy plnk.
d Capt. Hayward. Rich crimson scariet.
Earl of Dufferin. Velvety crimson.

^{*}Varieties starred are climbers.

Empereur du Maroc. Very dark velvety maroon.

Fisher Holmes. Scarlet, shaded crimson.

Frau Karl Druschki. Snow white. Sometimes called White American Beauty.

Gen. Jacqueminot. Brilliant red.

*Gloire de Margottin. Dazzling red.

Glory of Waltham. Brilliant crimson.

Hugh Dickson. Brilliant crimson, tinted scarlet.

Jean Llabaud. Rosy red, shaded crimson. Jubliee. Deep crimson, shaded maroon.

Mabel Morrison. White; outer petals pink.

ad. Eugen Verdier. Bright satiny rose with silvery shading.

Magna Charta. Rosy red.

Margaret Dickson. White with flesh center. Mervellle de Lyon. White, flushed rose.

Mrs. John Laing. Shell pink.

Mrs. John McLaren. Silvery pink.

Mrs. R. G. Sharman Crawford. Deep rosy pink, tinted pale flesh.

Paul Neyron. Dark rose. Paul's Blush. Soft silver Soft silvery pink; solld color with no shading.

Prince Camille de Rohan. Deep velvety crimson.

Queen of Edgely (Pink American Beauty). Sport from American Beauty.

Ulrich Brunner. Cherry red. Borne on long stems.

PERNETIANA ROSES.

(Also see Latest Introductions and New Varieties.)

Solell d'Or. Golden yellow, shaded nasturtium red.

POLYANTHA ROSES.

Baby Rambler (Mad. N. Levavasseur). Practically an extremely dwarf and continuousblooming Crimson Rambler.

*Climbing Cecile Brunner. Salmon pink.

*Crimson Rambler.

Etoile d'Or. Light canary yellow. Mile. Cecile Brunner. Salmon pink.

Perle d'Or. Golden yellow with orange center.

*Philadelphia Rambler. Light crimson.

*Veilchenblau. Reddish lilac, quickly chang-ing to amethyst and steel blue. The cele-brated "Blue Rose" and the only near approach to that color yet attained.

*Yellow Rambler. Flowers are yellow in bud, but nearly white when opened.

NOISETTE ROSES.

*Cellne Forestler. Pale yellow with deeper center.

*Cloth of Gold. Deep yellow center, tinted sulphur toward edges.

*Gold of Ophir or Ophirie. Reddish copper, tinted fawn and salmon.

*Lamarque. White.

*L'Ideal. Yellow and rose, shaded copper.

*Mad. Alfred Carrlere. Creamy white.

*Reve d'Or. Light yellow, shaded buff.

*William Allen Richardson. Orange yellow.

HYBRID SWEET BRIAR ROSES.

*Amy Robsart. Deep rose.

*Anne of Gelerstein. Dark crimson.

*Green Mantle. Deep plnk with white center.

*Minna. Creamy white.

MOSS ROSES

Capt. John Ingram. Dark velvety purple.

Elizabeth Rowe. Brlght pink.

Etna. Crimson, shaded purple.

Lanei. Rosy purple.

Luxembourg. Bright crlmson scarlet.

CHEROKEE ROSES.

*Cherokee Single White. White with conspicuous yellow stamens.

*Pink Cherokee. Ruddy pink.

*Ramona (Red Cherokee). Cherry carmine.

IRISH SINGLE ROSES.

Irish Beauty. Pure white with prominent golden anthers.

Irlsh Elegance. Apricot, shaded orange and pink.

MISCELLANEOUS ROSES.

Agrippina (Bengal). Rich crimson. Good hedge rose.

Rich cop-Austrian Copper (Austrian Briar). pery red on upper or inside of petals; yellow on lower or outside.

*Banksia Double White.

*Banksla Double Yellow.

*Banksia Single White.

*Dorothy Perkins (Wichuraiana). Shell pink.

^{*}Varieties starred are climbers.

MISCELLANEOUS ROSES, Cont'd.

Empress of China (Bengal). Light pink.

*Fortune's White. Pure white.

*Fortune's Yellow (Beauty of Glazenwood; San Rafael, etc.). Creamy yellow, shaded orange and rose.

Gloire des Rosomanes (Bourbon). Bright red. Better known in California as "Ragged Robin."

*Moschata Nivea. Single, in large clusters; white with black stamens; musky scented.

Multiflora.

Persian Yellow (Austrian Briar). Bright yellow; small but quite double.

Sweet Briar. Pink, single flowers and richly scented foliage.

*Wichuraiana. Small, single white with showy yellow stamens. Sometimes called Memorial Rose.

TREE OR STANDARD ROSES

New Varieties.

\$1.50 each.

Lady Hillingdon. Yellow. Lyon. Shrimp pink. Rose Queen. Pink. Sunburst. Yellow.

Mad. Caroline Testout. Pink.

General Collection.

\$1.25 each; \$10.00 per 10.

Anna de Diesbach. Bright pink. Baby Rambier. Crimson. Bridesmald. Pink. Climbing Kalserin. White. Climbing Mile. Cecile Brunner. Salmon pink. Duchesse de Brabant. Soft rose. Empereur du Maroc. Velvety maroon. Franz Deegen. Creamy yellow. Frau Karl Druschkl. White. Gainsborough. Pale flesh. Gloire de Margottin. Dazzling red. Gold of Ophlr. Coppery red. Gruss an Teplitz. Scarlet. Improved Rainbow. Mottled carmine, rose and flesh. Kalserin Augusta Victoria. White. Lady Battersea. Cherry crimson. Liberty. Crimson scarlet. L'ideal. Coppery rose.

Mad. Chedane Guinoisseau. Yellow. Magna Charta. Rosy red. Maman Cochet. Pink. Marechal Niel. Golden yellow. Marle Van Houtte. Yellow and rose. Mrs. John Laing. Shell pink. Niles Cochet. Cherry red. Papa Gontler. Rosy crimson. Paul Neyron. Dark rose. Perle des Jardins. Golden yellow. Reve d'Or. Yellow, shaded buff. Safrano. Saffron in bud. Sunset. Golden amber. The Bride. White. Ulrich Brunner. Cherry red. White Maman Cochet. White, outer petals blushed. Yellow Maman Cochet. Light yellow, edged

HEDGE PLANTS

rose.

The following list includes plants suitable for this purpose. Sizes and prices are shown on pages noted below:

Cupressus macrocarpa. MONTEREY CY-PRESS	Pittosporum crassifollum 29 Pittosporum eugenloides 29 Pittosporum tenuifolium (P. nigricans) 29 Pittosporum undulatum 30
Buxus. BOXWOOD (various kinds) 22	Prunus Ilicifolia. CALIFORNIA EVER- GREEN CHERRY
Cotoneaster angustifolia	Pyracantha coccinea. EVERGREEN HAWTHORN 30
Ligustrum japonicum. JAPANESE PRIVET	Pyracantha crenulata. CHINESE EVER-GREEN HAWTHORN
Ligustrum ovalifolium. CALIFORNIA PRIVET	Viburnum tinus. LAURUSTINUS 32 Cydonia japonica. JAPANESE SCARLET
Ligustrum vulgare. ENGLISH PRIVET 28 Myrtus communis. COMMON MYRTLE 28	QUINCE
Myrtus luma. LUMA	GRANATE

^{*}Varieties starred are climbers.

CATALOGS

Ornamental and Fruit Trees. The semi-centennial edition of our Descriptive Catalog, combling Fruit and Ornamental Departments, has just been published. It is entirely rewritten, profusely illustrated and accurate. Being practically a condensed Cyclopedia of Horticulture for the Pacific Coast, it is of the greatest value to any one interested in trees or plants. Price, 25 cents.

Descriptive Catalog of Fruit Trees. Describes everything in the Fruit Department. Not illustrated. Price, 5 cents.

Price List. This book issued annually and mailed to all customers. Free.

BOOKS

For the convenience of our customers we have arranged to furnish these valuable books at publishers' prices, as quoted below:

California Fruits and How to Grow Them. By Prof. E. J. Wickson)
American Grape Growing and Wine Making. By George Hussman)
Roses and How to Grow Them. By many experts	
How to Lay Out Suburban Home Grounds. By Herbert J. Kelloway, Landscape Architect 2.00)
Solls: How to Handle and Improve Them. By S. W. Fletcher	5

DECORATIVE MATERIAL

BAMBOO SHOOTS

per		100
10 to 12 ft. long\$2 (00 \$15	00
8 to 10 ft. long 1		50
6 to 8 ft. long 1 5		00
4 to 5 ft. long		00
2		00
PALM LEAVES		
California Fan Paim Leaves—		
5 to 6 ft. long\$1 {	50 \$12	50
4 to 5 ft. long		00
3 to 4 ft. long 1 (00
		0.0
Japanese Fan Palm Leaves-		
3 to 4 ft. long\$	75 \$ 6	00
Dwarf Fan Palm Leaves		
1½ to 2 ft. long\$	75 \$ 5	00
	.υ ψυ	00
Date Paim Leaves—		
10 to 12 ft. long		00
8 to 10 ft. long	50 18	00
6 to 8 ft. long	00 12	50

In addition to the above, we can usually supply during the autumn months branches of berry-bearing plants such as Cotoneaster, Pyracantha, Hawthorn, etc., also autumn-tinted foliage; in spring, branches of deciduous flowering trees and shrubs in bloom. Data as to available material, prices, etc., will be furnished on application at proper season.

INDEX

FRUIT DEPARTMENT

Page	Page	Page
Aimond 8	Grape11	Peach 7
Apple 5	Grape Fruit—See Pomeio10	Pear 6
Apricot 8	Guava 10	Pecan 9
Artichoke12	Hops12	Persimmon10
Asparagus12	Horse Radish12	Phenomenai Berry11
Blackberry11	Lemon10	Plum 6
Caprifig 8	Lime10	Pomegranate10
Cherry 6	Liquorice12	Pomelo10
Chestnut 9	Loganberry11	Prune 7
Crab Apple 5	Loquat10	Quince 8
Currant11	Medlar10	Raspberry11
Dewberry11	Muiberry10	Rhubarb12
Feijoa10	Nectarine 8	Rue12
Fig 8	Oiive11	Strawberry12
Filbert 9	Opuntia12	Wainut 9
Gooseberry11	Orange10	

ORNAMENTAL DEPARTMENT

Common Names are followed by the botanical name of the genus under which they will be found.

Abeiia20	Baby's Breath—	Buckeye—Aesculus3
Abelmoschus—Hibiscus51	Gypsophila51	Buddieia
Abies14	Baid Cypress—Taxodium39	Bunya Bunya—Araucaria. 1
Abutilon40	Balm of Gilead—Populus37	Burning Bush—
Acacia20	Bamboo46	Pyracantha3
Acacia (Aibizzia)33	Bamboo Shoots59	Putcher's Duces Duces 0
Acer	Dambugg Ac	Butcher's Broom—Ruscus3
Achania—Maivaviscus52	Bambusa46	Buttonwood—Platanus3
Achillea49	Banana—Musa	Buxus2
Actinidia44	Banana Shrub—Michelia28	Caesaipinia4
Adiantum48	Barberry—Berberis22-40	Caiceolaria5
	Basswood—Tilia39	California Big Tree—
Aesculus	Bay Tree—Laurus27	Sequoia1
African Lily—Agapanthus.49	Bay Tree (Caiifornia)—	California Evergreen
Agapanthus49	Umbeliularia31	Cherry—Prunus3
Agathaea—Felicia51	Beech—Fagus34	Caiifornia Fan Palm—
Agathis14	Beefwood—Casuarina23	Washingtonia4
Agave48	Beiladonna Liiy—	California Laurei—
Agonis21	Amaryllis49	Umbeliularia3
Akebia44	Berberis22-40	Caiifornia Tree Poppy—
Albizzia21-33	Betula33-40	Romneya5
Alectryon	Big Tree—Sequoia18	California Wiid Coffee—
Almond—Prunus37-42	Bignonia44	Rhamnus3
Althea—Hibiscus41	Bignonia (Pithecoctenium) 45	California Wild Holly—
Amaryliis49	Birch—Betuia33-40	Photinia2
Amaryilis—Hippeastrum51	Blackthorn—Prunus42	California Wild Lilac—
Ampelopsis44	Bladder Nut-Staphylea43	Ceanothus2
Ampelopsis (Evergreen)—	Biadder Senna—Coiutea41	Calla—Richardia5
Cissus	Bladder Senna—	Callistemon
Anemone49	Sutherlandia31	Calycanthus4
Angel's Trumpet—Datura51	Biue Paim—Erythea46	Cameilia
Angophora21	Blue Spirea—Caryopteris41	
Anthurium49	Bonapartea—Agave48	Campanuia
Apple—Pyrus37	Books	Camphor—Camphora2
Apricot—Prunus42	Boston Ivy—Ampelopsis 44	Camphora
Aquatic Piants49		Canna5
Araiia (Deciduous)40	Bottle Brush—Callistemon.22 Bottle Tree—Stercujia31	Carex50
Aralia (Evergreen)—		Carnation—Dianthus5
Fatsia26	Bouvardia41	Carob—Ceratonia2
Araucaria14	Bougainviilea44	Carpenteria2
Arbor Vitae—Thuya20	Bowstring Hemp—	Carpinus3
Arbutus21	Sansevieria53	Caryopteris41
Areca—Rhopalostylis47	Box—Buxus22	Cascara—Rhamnus3
	Box Elder—Acer32	Cassia
Arundinaria46	Boxwood—Buxus22	Cassia-Bark Tree—
Arundo	Brachychiton—Stercuiia31	Cinnamomum23
Ash—Fraxinus35-40	Brazilian Pine—	Castanea3
Asparagus49	_ Araucaria15	Casuarina23
Aspidistra50	Breath of Heaven—	Catalina Cherry—Prunus30
Aucuba21	Diosma24	Catalogs59
Australian Biue Beil—	Bridal Veii—Genista26	Cataipa34
Sollya45	Bridal Wreath—Spiraea43	Cavan—Acacia20
Australian Pea Vine—	Brisbane Box—Tristania31	Ceanothus23
Dolichos44	Broad-ieaved Evergreens20	Cedar—Cedrus15
Australian Tea Tree—	Broom—Cytisus24-41	Cedreia34
Leptospermum27	Broom—Genista26	Cedrus15
Azaiea21-40	Broom (Spanish)—	Celtis34
Azara21	Spartium31	Century Plant-Agave48
Baby Moss—Sagina53	Brugmansia—Datura51	Cephalotaxus15
		-

ORNAMENTAL DEPARTMENT—Continued

Page	Page	Page
Ceratonia23	Deciduous Weeping Trees40	Hawthorn (Evergreen)-
Ceratostigma50	Decorative Material59	Pyracantha30
Cercls34	Decumarla44	Heath or Heather-Erica 24
Cestrum	Deeringea	Hedera44
Chamaecyparis15	Deiphinium51	Hedge Plants58
Chamaerops46	Deodar—Cedrus15	Heeria—Heterocentron27
Chamaerops—	Desmodium—Lespedeza52	Heiiotrope-Heliotroplum .51
Trachycarpus47	Deutzia41	Hemerocailis51
Chaste Tree—Vitex32	Dianthus	Hercules' Club—Aralla40
Cherry—Prunus30-37-40	Diervilla41	Heterocentron27
Chestnut—Castanea33	Diosma	Heteromeies-Photinia29
Chile Jasmine—Mandevilla.45	Diospyros34	Hibbertla44
Chinese Cork Tree-	Dodonaea24	Hibiscus41-51
Pheliodendron36	Dogwood—Cornus 22-41	Hickory—Hicoria35
Chinese Parasol Tree—	Dolichos44	Hicoria35
Sterculia39	Dracaena—Cordyline 48	High Bush Cranberry—
Chinese Rice Paper Tree—	Duranta24	Viburnum44
Fatsia26	Dwarf Fan Palm—	Hills of Snow-Hydrangea.41
Choisya23	Chamaerops46	Hippeastrum51
Christmas Berry—	Echeveria—Cotyledon 50	Holly—Ilex27
Photinia29	Echlum 94	Honey Locust—
Christ's Thorn—Paliurus42	Edgeworthia 41	Gleditschia35
Chrysanthemum50	Edwardsia—Sophora 21	Honeysuckle—
Cinnamomum23	Egyptian Lotus—Nelumbo 49	Lonicera42-45
Cinnamon—Cinnamomum .23	Elaeagnus 94_41	Hop Hornbeam—Ostrya36
Cissus	Eider—Sambucus 42	Hop Vine—Humulus44
Cistus23	Elin—Ulmus 39-40	Hornbeam—Carpinus33
Cladrastis34	Empress Tree—Paulownia 36	Horse Chestnut—Aesculus.33
Ciematis44	English Laurei—Primis 30	Howea47
Clianthus44	Epnedra 44	Hoya44
Climbing Fig—Ficus44	Erica	Humulus44
Ciimbing Plants44	Erythea46	Hydrangea41
Climbing Snowbail—	Erythrina51	Hymenosporum27
Decumaria44	Escallonia	Hypericum27
Club Moss—Seiaginella49	Eucalyptus25	Ilex
Cneorum23	Eugenia	Incense Cedar—
Cocos46	Eulalia—Miscanthus52	Libocedrus17
Coleus50	Euonymus26-41	India Rubber Plant—Ficus. 26
Colutea41	Exochorda41	Indian Currant—
Constantinonla Associa	Fagus34	Symphoricarpos43 Iochroma27
Constantinople Acacia—	Farfugium—Senecio53	Ipomea44
Albizzia33	Fatsia	Iris51
Coprosma23 Coral Gem—Lotus52	Felicia	Ironwood—Ostrya36
Coral Plant—Erythrina51	Festuca	Isiand Ironwood—
Corchorus—Kerria42	Ficus	Lyonothamnus28
Cordia23	Fig—Ficus	Islay—Prunus30
Cordyline48	Fig (Climbing)—Figure 44	Ivy—Hedera44
Coreopsis50	Filbert—Corylus41	Ivy Geranium—
Corkscrew Flower—	Flr—Abies	Pelargonium53
Phaseolus45	Fiame Tree—Sterculia31	Jacobean Lily-Sprekelia53
Cornus	Flowering Mapie—	Jacobinia51
Coronilla23	Abutilon49	Japan Ivy-Ampelopsis44
Cortaderia50	Forsythia	Japanese Elm-Zelkova40
Coryius41	Fraxinus 35-40	Japanese Rose-Kerria42
Corynocarpus23	Fringe-Rhus 42	Japanese Sedge-Carex50
Corypha—Livistona47	Fuchsia 41_51	Japanese Varnish Tree—
Cotoneaster23	Gaillardia51	Ŝterculia39
Cotyledon50	Garrya 26	Jasmine—Jasminum42-44
Crab Apple—Pyrus37	Genista 9c	Jasminum42-44
Cranberry Bush-	Genista—Cytisus 94	Jubaea
Viburnum44	Geranium—Pelargonium 52	Judas Tree—Cercis34
Crape Myrtle—	Gerbera	Jugians35-40
Lagerstroemia42	Glant Reed—Arundo 46	Jujube—Zizyphus40
Crataegus (Deciduous) .34-40	Ginkgo35	Juniper—Juniperus16
Crataegus (Evergreen)—	GledItschia35	Juniperus
Pyracantha30	Gold Dust Plant—Aucuba. 21	Justicia—Jacobinia51
Crinum50	Golden Bell—Forsythia41	Kentia—Howea47
Crystomoria44	Golden Chain—Laburnum. 35	Kentucky Coffee Tree—
Cryptomeria	Golden Glow—Rudbeckia53	Gymnocladus35
Cucumber Tree—Magnolia.36 Cunninghamia16	Goldenrod—Solidago53	Kerria
	Grape—Vitis45	Laburnum35-40
Currant—Rlbes43	Grevillea	Lady Washington Geranl-
Cydonia41	Erythea46	um—Peiargonium52
Cyperus49	Guava—Psidium30	Lagerstroemia42
Cypress—Cupressus16	Gum: Blue, Red, etc.—	Lagunaria27
Cytisus	Eucalyptus	Larch—Larix35
Dahlia	Gymnocladus 35	Larix35
Dammar Pine—Agathis14	Gynerium—Cortaderia50	Larkspur—Delphinium51
Dammara—Agathis14	Gypsophila51	Laurel (Bay Tree)—
Daphne24	Habrothamnus—Cestrum23	Laurus
Daphniphyllum24	Hackberry—Celtis34	Laurel (California)—
Dasylirion48	Hakea27	Umbellularia31
Date Palm—Phoenix47	Hardenbergla44	Laurel (Cherry Laurel)—
Datura51	Hatchet-Leaved Arbor	Prunus
Deciduous Ornamental	Vitae—Thuyopsis20	Laurus27
_ Trees32	Hawthorn (Deciduous)—	Laurustinus—Viburnum32
Declduous Shrubs40	Crataegus34-40	Lavender—Lavenduia27

ORNAMENTAL DEPARTMENT—Continued

Page	Page	Page
Lavendula27	Nootka Sound Cypress-	Redwood—Sequoia19
Lawson Cypress—	Chamaecyparis16	Retinispora—
Chamaecyparis15	Norfolk Island Pine—	Chamaecyparis16
Lemon Verbena—Lippia42	Araucaria	Rhamnus
Leonotis52 Leopard Plant—Senecio53	Novelties	Rhopalostylis47
Leptospermum27	Oak—Quercus31-37	Rhus43
Lespedeza	Olea—Osmanthus29	Rhyncospermum—
Leucaena27	Oleander—Nerium29	Trachelospermum45
Leycesteria42	Oregon Grape—Mahonla28 Oreodaphne—Umbellularia 31	Ribes43 Richardia53
Libocedrus	Oriental Plane—Platanus36	Robinia
Lilac—Syringa43	Ornamental Dept13	Rock Rose—Cistus23
Lilac, California Wild-	Osmanthus29	Romneya53
Ceanothus23	Ostrya36	Roses
Lime Tree—Tilia39	Paeonia42-52	Rose Acacia—Robinia38 Rosemarinus31
Linden—Tilia	Pagoda Tree—Sophora38 Paliurus42	Rosemary—Rosemarinus31
Lippla	Palmetto—Sabal47	Rose of Sharon—Hibiscus41
Liquidambar36	Palms46	Rowan—Sorbus39
Liriodendron36	Palm Leaves	Rubber Plant or Tree—
Livistona	Pampas Grass—Cortaderia.50	Ficus
Locust—Robinia38 Lonicera42-45	Pansy—Viola	Ruscus31
Lotus	Parrot's Bill—Clianthus44	Russellia53
Lotus (Egyptian)—	Passiflora45	Sabal47
Nelumbo49	Passion Vine—Passiflora45	Sagina53
Luma—Myrtus29	Passion Vine—Tacsonia45	Salisburia—Ginkgo35
Lyonothamnus28	Paulownia	Salix
Madrone—Arbutus21 Magnolia28-36-42	Peach—Prunus37	Sambucus48
Magnolia—Michelia28	Pearl Bush—Exochorda41	Sansevieria53
Mahonia	Pearlwort—Sagina53	Saxifraga53
Maiden Hair Fern—	Pelargonium52	Schinus31
Adiantum49	Penstemon	Scorpion Senna—Coronilla.23 Sea Lavender—Statice31
Maiden Hair Tree— Ginkgo35	Peony—Paeonia42-52 Pepper—Schinus31	Selaginella49
Maiden Hair Vine—	Persea	Senecio
Muehlenbeckia45	Persimmon—Diospyros34	Sequoia
Malvaviscus52	Petunia53	Service Tree—Sorbus39
Mandevilla45	Phaseolus45	Shasta Daisy—
Maple—Acer32-40	Phellodendron36 Philadelphus42	Chrysanthemum50 She Oak—Casuarina23
Maple (Japanese)—Acer40 Marguerite—	Phillyrea29	Shrubs, Deciduous40
Chrysanthemum50	Phlox	Silk Oak—Grevillea27
Marguerite (Blue)—	Phoenix47	Sloe—Prunus42
Felicia51	Phormium	Smilax—Asparagus49
Mattlija Poppy—Romneya53	Photinia	Smoke Tree—Rhus43 Snail Vine—Phaseolus45
Mastich Tree—Pistacia29 Maytenus28	Picea	Snowball—Viburnum44
Medicago	Pimelea29	Snowberry-
Melaleuca28	Pine—Pinus18	Symphoricarpos4
Melia	Pinus	Solanum45
Metrosideros—Callistemon. 22	Pistacia	Solidago
Mexican Orange—Choisya.23 Michelia28	Pistachio—Pistacia36 Pithecoctenium45	Sophora
Millettia	Pittosporum29	Sorbus39-40
Mimosa Tree—Albizzia33	Plane—Platanus36	Spanish Bayonet—Yucca48
Miscanthus52	Platanus	Spartium31
Miscellaneous Plants49	Plum—Prunus37-42	Spindle Tree—Euonymus41 Spirea48
Mock Orange— Philadelphus42	Plumbago	Spirea (Blue)—Carvopteris.41
Monkey Puzzle—	Podocarpus	Sprekelia58
Araucaria15	Poinciana—Caesalpinia41	Spruce—Picea
Montezuma Cypress—	Poker Plant—Kniphofia5?	Spurge Olive—Cneorum23 St. Patrick's Cabbage—
Taxodium	Polygala30 Pomegranate—Punica43	Saxifraga
Moon Trefoil—Mcdicago52 Morus36-40	Poplar—Populus36-40	Standard Roses
Moss—Sagina53	Poppv—Romneya53	Staphylea4
Moss—Selaginella49	Populus36-40	Star Jasmine—
Mountain Ash—Sorbus 39-40	Port Orford Cedar—	Trachelospernium4
Muehlenbeckia45	Chamaecyparis	Statice
Mulberry—Morus36-40 Musa52	Privet—Ligustrum28	Strawberry Tree—Arbutus.
Myoporum28	Prunus30-37-40-4?	Streptosolen5
Myrtle—Myrtus 28	Pseudotsuga18	Sumach—Rhus4
Myrtus	Psidium30	Surinam Cherry—Eugenia28
Nandina29	Pteris49	Sutherlandia
Nelumbo49	Pterocarya	Swamsona
Nephrolepis	Purple Fringe—Rhus43	Sweet Gim—Inquidamsar29
New Zealand Flax—	Pyracantha30	Sweet-Scented Shrub-
Phormium53	Pyrus	Calveanthus4
New Zealand Laurel—	Ouercus31-37	Sword Fern—Nephrolepis4
Corvnocarpus23	Ouince—Cydonia	Sycamore—Platanus3 Symphoricarpos4
New Zealand Oak— Alectroon21	Red Bud—Cercis34	Symphotical pos
Nettle Tree—Celtis34	Red-Hot Poker Plant—	Syringa (Mock Orange)-
Nolina	Kniphofia52	Philadelphus4

ORNAMENTAL DEPARTMENT—Continued

Pag
Syzygium3
Tacsonia4
Tamarisk—Tamarix4
Tamarix43
Tasmanian Ivv—
Muehlenbeckia4
Taxodium19-39
Taxus19
Tecoma
Templetonia31
Texas Umbrella—Melia36
Thorn—Crataegus34-40
Thuya
Thuyopsls20
Tilia
Tobira—Pittosporum29
Toyon—Photinia29
Trachelospermum45
Trachycarpus47
Transvaal Dalsy-Gerbera. 51
Tree Peony42
Tree Roses58
Tristania31
Tritoma—Kniphofia52
Trumpet Vine—Tecoma45
Tulip Tree—Llriodendron36 Turk's Cap—Malvaviscus52
Turk's Cap—maivaviscus52

	Pag
Ulmus	39-4
Umbellularia	3
Umbellularia Umbrella Plant—Cyperu	c 4
Umbrella Tree—Melia	3
Verbena	
Veronica	
Viburnum	22-4
Victorian Box—	02-4
Pittosporum	2
Viola	5
Violet—Viola	5
Virgilia—Cladrastis	
Virginia Creeper—	
Ampelopsis	4
Vitex	29-4
Vitis	4
Walnut—Juglans3	5-46
Wandering Jew—Zebrina	16) — A (
Washingtonia	
Water Lily—Nymphaea	
Water Plants—	1
Water Flants—	40
See Aquatics	4.4
Wax Plant—Hoya	40
Weeping Trees Weigela—Diervilla	41
Wigandia	0 40
Willow—Salix3	0-40

Pag	36
Windmill Palm-	
Trachycarpus	47
Wine Palm—Jubaea	17
Wire Vine—	
Muehlenbeckla4	15
Wistaria (Deciduous)4	
Wistaria (Evergreen)—	
Millettia4	15
Yellow Day Lily—	
Hemerocallis5	1
Wonga Wonga Vine—	_
Tecoma4	5
Woodbine—Ampelopsis4	
Xanthoceras4	
Yellow Heliotrope—	1
Streptosolen5	2
Yellow Horn—	U
Xanthoceras4	4
Yellow Wood—Cladrastis3	
Yew—Cephalotaxus1	
Yew—Taxus19	
Yucca	
Zebrlna	
Zelkova40	
Zizyphus40	,



Edgeworthia gardneri (See pages 13 and 41)



PRESS OF E. C. HUGHES CO. San Francisco

